2026

Catalogue_01

profilpas®


MAPEI GROUP

2026

Catalogue_01

profilpas®

MAPEI GROUP



Design is our best profile.










profilpas














pds
profilpas digital system







Index

external corner profiles


CERFIX® PROANGLE Q
page 18


CERFIX® PROANGLE
page 26


CERFIX® PROTRIM IP
page 33


CERFIX® PROTRIM
page 34


CERFIX® PROTRIM N
page 37


CERFIX® PROANGLE F
page 42


CERFIX® PROANGLE AX - M DESIGN
page 43


CERFIX® PRONIVEL M
page 43


PROCORNER M
page 44


PROCORNER P
page 46


CERFIX® PROBORD
page 48


CERFIX® PROTOP
page 49

listellos and decorative profiles


CERFIX® PROLIST
page 52


METAL LINE AF - M DESIGN
page 53


CERFIX® PROLIST-X DESIGN
page 53


CERFIX® PRODECOR - C DESIGN
page 54-55


CERFIX® PROSTYLE - C DESIGN
page 54-55

internal corner profiles


CERFIX® PROROUND M
page 58


CERFIX® PROROUND P
page 61


CERFIX® PROROUND M GIC/
page 62


CERFIX® PROINT
page 62-63


PROROUND B
page 64

linear shower drains and systems for bathrooms


PP DRAIN AQUA
page 70


PP DRAIN VARIOGUARD
page 75


THIN DRAIN
page 77


SLIM DRAIN
page 79


SMART DRAIN
page 81


Q DRAIN
page 83


GLASS PROFILE
page 86


SANIBORD
page 94

profiles for floors of same height


CERFIX® PROANGLE
page 98



CERFIX® PROANGLE B
page 99


CERFIX® PRODECOR DJ
page 101

Profilpas products are intended for professional use.

Index


CERFIX® PRODECOR
page 101


CERFIX® PROSTYLE
page 102


PROJOINT U
page 103


PROJOINT
page 103


PROJOINT T
page 104


PROJOINT R
page 106



PROJOINT M
page 106


PROCLASSIC R
page 107


PROCLASSIC F
page 110


PROCLASSIC FIRE LEVEL-TOP
page 112-113

profiles for floors of different height


CERFIX® PRONIVEL N
page 116


CERFIX® PRONIVEL P
page 117


CERFIX® PRONIVEL L
page 118


CERFIX® PRONIVEL PB
page 118


CERFIX® PRONIVEL PL
page 119


CERFIX® PRONIVEL M
page 119


PROLEVEL HIGH
page 120


PROLEVEL MEDIUM
page 122



PROLEVEL THIN
page 123

joints


CERFIX® PROJOINT DIL NE
page 126


CERFIX® PROJOINT DIL NJ
page 126


CERFIX® PROJOINT DIL NL
page 127


CERFIX® PROJOINT DIL NF
page 127


CERFIX® PROJOINT DIL NAN
page 128


CERFIX® PROJOINT DIL NPAN
page 128


CERFIX® PROJOINT DIL NIN
page 129


CERFIX® PROJOINT DIL NIL
page 129


CERFIX® PROJOINT DIL NTA - NTI - NTO
page 130


CERFIX® PROJOINT DIL STA - STI
page 130


CERFIX® PROJOINT DIL NZA
page 131


CERFIX® PROJOINT DIL NZS
page 131


CERFIX® PROJOINT DIL PBE
page 132


CERFIX® PROJOINT DIL PBH
page 133



CERFIX® PROJOINT DIL PAS
page 133


Profilpas products are intended for professional use.

Index


CERFIX® PROJOINT DIL PHDE
page 134


CERFIX® PROJOINT DIL PFFE
page 134


CERFIX® PROCOVER FLEX
page 135


CERFIX® PROCOVER FIX
page 135


CERFIX® PROCOVER
page 136



CERFIX® PROTEC CPEV - CPEI
page 146



CERFIX® PROTEC CPNV
page 148


CERFIX® PROTEC CPBV
page 149


CERFIX® PROTEC CPHA - CPHV
page 150



CERFIX® PROTEC CPLB - CPLV
page 151


CERFIX® PROSTEP SIX
page 157


CERFIX® PROSTEP SP
page 158


CERFIX® PROSTEP SA - SB
page 158


PROTECT
page 160


SAFETY-STEP
page 168


PROSTAIR
page 170

profiles for balconies and terraces



CERFIX® PROTEC CPCV - CPCI
page 140


CERFIX® PROTEC CPCVF
page 140


CERFIX® PROTEC CPCV/30/
page 142


CERFIX® PROTEC CPCVD/30/
page 143


CERFIX® PROTEC CPGV
page 144


CERFIX® PROTEC CPQV
page 145

stair nosing profiles



CERFIX® PROSTEP SGA - SGI - SGN - SGK
page 154


CERFIX® PROSTEP SMA - SM
page 154



CERFIX® PROTRIM IP
page 155



CERFIX® PROSTEP SNG - SN
page 155


CERFIX® PROSTEP SAR - SIR
page 156


CERFIX® PROSTEP SIS
page 157

profiles for wooden, laminate and resilient floors


UNISYSTEM PLUS
page 176


PROFIX THIN
page 182


PRESTOWOOD
page 184


TERMINAL RC
page 187


TERMINAL RC FLEX
page 187

Profilpas products are intended for professional use.

Index


ALFIX 616
page 188


ALFIX 46
page 189


CERFIX®
PROJOINT DIL
page 190


CERFIX®
PRONIVEL PB
page 190-191



CERFIX®
PROJOINT T
page 191


CERFIX®
PROSTEP
page 192


PROTECT
page 192


CERFIX®
PROTRIM
page 193


CERFIX®
PROANGLE
page 193


CERFIX®
PROANGLE Q
page 193


CERFIX®
PROROUND M
page 194


CERFIX®
PROINT
page 194

bendable profiles


PROANGLE
FLEX
page 202


PRODECOR DJ
FLEX
page 203


PROJOINT T
FLEX
page 203


TERMINAL
FLEX
page 204


PROSTEP
FLEX
page 204


METAL LINE 90
page 205


PROFLEX
MACHINE
page 262

metal line skirting board


METAL LINE 90
page 208


METAL LINE 90
TREND COLOR
page 208


METAL LINE
790
page 210



METAL LINE 92
page 211


METAL LINE 93
page 211


METAL LINE 89
page 212


METAL LINE 89
TREND COLOR
page 212



METAL LINE 89
I DESIGN
page 213


PROLIGHT
METAL LINE 89
page 213


METAL LINE
89/613
page 214


METAL LINE
105
page 215


METAL LINE
87 - 88
page 216


PROLIGHT
METAL LINE S
SKL/2
page 217


METAL LINE AF
- M DESIGN
page 217


METAL LINE
100
page 218

Profilpas products are intended for professional use.

Index


METAL LINE
101
page 218


METAL LINE
95 - 94
page 219


METAL LINE 98
page 220


METAL LINE
97/4
page 221


METAL LINE
97/7
page 222


METAL LINE
97/8
page 223


pvc line skirting board


PVC LINE 8605
page 226


PVC LINE 8606
page 226


PVC LINE 8608
page 227


PVC LINE 8615
page 228


PVC LINE 8616
page 228


PVC LINE 8613
page 229


PVC LINE 8612
page 230


PVC LINE 8614
page 230


PVC LINE 8600
page 231


PVC LINE 8181
page 231


PVC LINE 8596
- 8598
page 232


PVC LINE 8580
- 8582
page 232


PVC LINE 8602
page 233


PVC LINE 8603
page 234


PVC LINE 8607
page 235


PVC LINE 148 -
172 - 173
page 236



PVC LINE 170 -
169 - 171
page 237

prolight


PROLIGHT
PROLIST LLA
- LLB
page 240



PROLIGHT
PROLIST TLA
- CLA
page 241


PROLIGHT
PROANGLE Q
ZQAL
page 242


PROLIGHT
PROSTEP
SGA/11L
page 243



PROLIGHT
PROTECT G/9/F
page 243


PROLIGHT
PROTECT
126/L/F
page 244


PROLIGHT
PROLIST Q LQL
page 245


PROLIGHT
METAL LINE S
SKL/2
page 245


PROLIGHT
METAL LINE
87/88
page 246


PROLIGHT
METAL LINE 89
page 247


ELECTRICAL
COMPONENTS
page 248

Profilpas products are intended for professional use.

entrance mats



PROMAT
page 253

accessories for installation



PROTILER
page 257



FIX LEVEL
page 258



KLIC LEVEL
page 259



SPACERS
WEDGES
page 260



ACCESSORIES FOR INSTALLATION
page 261



PROFLEX MACHINE
page 262

DIY profiles



DIY PROFILES
page 264

material for the point of sale



MATERIAL FORTHEPOINT OFSALE
page 272

index by item

page 284

Profilpas products are intended for professional use.

finishes

stainless steel

- **SS** polished stainless steel AISI 304 DIN 1.4301
- **SS3** polished stainless steel AISI 316 DIN 1.4401
- **SS0** polished stainless steel AISI 430 DIN 1.4016
- **SSP** superpolished stainless steel AISI 304 DIN 1.4301
- **SSS** brushed stainless steel AISI 304 DIN 1.4301
- **SSB** sandblasted stainless steel AISI 304 DIN 1.4301
- **SSS3** brushed stainless steel AISI 316 DIN 1.4401
- **CSS3** chromium-plated stainless steel AISI 316 DIN 1.4401
- **SSS0** brushed stainless steel AISI 430 - DIN 1.4016
- **BM** matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301

brass

- **BN** natural
- **BP** polished
- **BCP** plated polished
- **BCG** 24kt gold plated

aluminium

- **AN** natural

anodised aluminium

- **AS** silver
- **AG** gold
- **ASG** sand gold
- **AT** titanium
- **AB** bronze
- **ABE** bronze elox
- **ABL** black

anodised aluminium X Design - I Design

- **APX** platinum
- **ATX** titanium
- **ABX** brown
- **ADBX** dark brown
- **ACX** carbon

bright polished aluminium

- **ABPS** silver
- **ABPG** gold
- **ABPT** titanium
- **ABPC** copper

bright brushed aluminium

- **ABSS** silver
- **ABSG** gold
- **ABST** titanium
- **ABSC** copper
- **ABSB** black

bright scratched aluminium

- **ABBS** silver

colour-coated aluminium

- **AC RAL 9003** matt white
- **AC RAL 9003** white
- **AC RAL 9010** matt white
- **AC RAL 9010** polished white
- **AC RAL 8019** dark brown
- **AC RAL 7038** ash grey
- **AC RAL 7038** ash grey embossed
- **AC RAL 9006** metal grey
- **AC RAL 9007** aluminium grey

colour-coated aluminium Trend Color

- **AC anthracite grey**
- **AC rust**
- **AC ancient grey**
- **AC beige**
- **AC sand**
- **AC greige**
- **AC stone**
- **AC grey**
- **AC bronze**
- **AC dark brown**
- **AC white stone**
- **AC black stone**
- **AC concrete white**
- **AC concrete graphite**
- **AC concrete smoke**
- **AC concrete mud**
- **AC concrete sand**
- **AC metal dark**
- **AC metal light**
- **AC solid white**

colour-coated aluminium Mapei Color

- **100 white**
- **103 moon white**
- **111 silver grey**
- **123 ancient white**
- **112 medium grey**
- **113 cement grey**
- **114 anthracite**
- **110 manhattan 2000**
- **130 jasmine**
- **137 caribbean**
- **132 beige 2000**
- **133 sand**
- **134 silk**
- **188 biscuit**
- **135 golden dust**
- **120 black**

decors Alcrom® Plus

- 02
- 05
- 08
- 10
- 11
- 12
- 13
- 14
- 18
- 19
- 20
- 25
- 26
- 31
- 32
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 47
- 65
- 71
- 72

- 73
- 74
- 76
- 77
- 78
- 79
- 80
- 81
- 89
- 91
- 92
- 93
- 94
- 95
- 351
- 363
- 372
- 490
- 560
- 580
- 590
- 665
- 670
- 951
- 975
- 1003
- 1006
- 1009
- 1012
- 1021
- 1024

- 1030
- 1033
- 1036
- 1042
- 1045
- 1051
- 1054
- 1057
- 1060
- 1063
- 1066
- 1069
- 1081
- 1084
- 1090
- 1105
- 1108
- 1111
- 1202
- 1203
- 1204
- 1205
- 1206
- 1207
- 1208
- 1209
- 1210
- 1211
- 1212
- 1213
- 1214

- 1215
- 1216
- 1217
- 96 - embossed white RAL 9010
- 97 - embossed black RAL 9005
- 99 - brushed silver
- 100 - brushed steel

PVC-U

- code 400 snow white
- code 402 white
- code 404 9001 cream white
- code 406 RAL 1015 - ivory
- code 408 RAL 1019 - beige grey
- code 410 RAL 7030 - stone grey
- code 412 RAL 7038 - ash grey
- code 414 RAL 7035 - light grey
- code 416 anthracite
- code 418 blue
- code 420 pastel blue
- code 422 light green
- code 424 RAL 3002 - red
- code 426 RAL 9005 - black
- code 428 RAL 1023 - yellow
- code 430 pastel pink
- code 432 beige bahama
- code 434 peach
- code 436 caramel
- code 438 brown
- code 440 dark brown
- code 442 coral red
- code 444 raw sienna
- code 446 terracotta

expanded PVC-U

- decor 518
- decor 520
- decor 524
- decor 525
- decor 528
- decor 530
- decor 531
- decor 532
- decor 533
- decor 534
- decor 536
- decor 540
- decor 542
- decor 544
- decor 545
- decor 555 white
- decor 556 light grey
- decor 557 black
- decor 558 anthracite
- decor 559 silver
- decor 561 yellow
- decor 562 green
- decor 563 light blue
- decor 564 red





external corner profiles


A line dedicated to the protection and finishing of external corners of wall coverings. Profiles are suitable for any type of environment for the variety of finishes available, matching perfectly with all types of ceramics and giving character and linearity to compositions.


cerfix® proangle Q

Proangle Q in aluminium is a line of universal profiles with square shape, specially designed to edge and protect the external corners of ceramic coverings, that can be also used for finishing worktops and platforms. ZQVNH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.



ZQBN/10 bright polished silver aluminium







ZQAN/10 black anodised aluminium

PROANGLE Q

length = 270 cm - pack 20 pcs			H						
ART.	**finishing**		**4,5**	**6**	**8**	**9**	**10**	**11**	**12,5**
ALUMINIUM									
ZQAN/	silver anodised		88772	88875	88876	88877	88878	88879	88880
	euro/m								
	titanium anodised		88902	88903	88904	88905	88906	88907	88908
	euro/m								
ZQAN/	black anodised		-	-	89205	-	89206	89207	89208
	euro/m		-	-		-			
ZQBN/	bright polished silver		88816	88919	88920	88921	88922	88923	88924
	euro/m								
ZQBN/	bright polished gold		88933	-	88935	-	88937	-	88939
	bright polished titanium		88956	88964	88966	88968	88970	88972	88974
ZQBRN/	bright polished copper		-	-	-	-	88969	-	88971
	euro/m								
ZQBSN/	bright brushed silver		88981	88982	88983	-	88985	88986	88987
	bright brushed gold		88997	-	88999	-	89001	-	89003
ZQTMN/	bright brushed titanium		89013	89014	89015	-	89017	-	89019
ZQBRSN/	bright brushed copper		-	-	89031	-	89033	-	89035
	euro/m					-			
ZQBSN/	bright brushed black		-	-	-	-	89209	89210	89211
	euro/m		-	-	-	-			
ZQAGN/	bright scratched silver		89061	-	89063	-	89065	-	89067
	euro/m			-		-		-	
COLOUR-COATED ALUMINIUM									
ZQVN/	colour-coated matt white RAL 9003		-	-	89200	-	89202	89203	89204
	colour-coated white RAL 9003		89077	89076	89079	-	89081	89078	89083
	euro/m					-			
ANTIBACTERIAL COLOUR-COATED ALUMINIUM									
ZQVNH/	colour-coated white RAL 9003		-	-	89080	-	89082	-	89084
	euro/m		-	-		-		-	

Complete the article code with H measure (for example ZQAN/ for H=8 becomes ZQAN/8)

Items ZQVN available in different colours on demand minimum quantity 540 meters for colour



ZQAN/ /EI
silver anodised
aluminium

PROANGLE Q - OUTSIDE / INSIDE CORNERS / END CAPS

pack 5 pcs			H						
ART.	**finishing**		**4,5**	**6**	**8**	**9**	**10**	**11**	**12,5**
ALUMINIUM									
ZQAN/ /EI	silver anodised		88809	88882	88883	88884	88885	88886	88887
	titanium anodised		88910	88911	88912	88913	88914	88915	88916
	euro/pc								
ZQAN/ /EI	black anodised		-	-	89223	-	89224	89225	89226
	euro/pc		-	-		-			
ZQBN/ /EI	bright polished silver		88829	88926	88927	88928	88929	88930	88931
	bright polished gold		88941	-	88943	-	88945	-	88947
ZQVN/ /EI	colour-coated matt white RAL 9003		-	-	89192	-	89194	89195	89196
	colour-coated white RAL 9003		89085	89086	89087	-	89089	89088	89091
	euro/pc								
ZQBN/ /EI	bright polished titanium		88976	88978	88980	88984	88988	88992	88996
ZQBRN/ /EI	bright polished copper		-	-	-	-	88977	-	88979
ZQBSN/ /EI	bright brushed silver		88989	88990	88991	-	88993	88994	88995
	bright brushed gold		89005	-	89007	-	89009	-	89011
ZQTMN/ /EI	bright brushed titanium		89021	89022	89023	-	89025	-	89027
ZQBRSN/ /EI	bright brushed copper		-	-	89039	-	89041	-	89043
ZQBSN/ /EI	bright brushed black		-	-	-	-	89227	89228	89229
	euro/pc								
ZQAGN/ /EI	bright scratched silver		89069	-	89071	-	89073	-	89075
	euro/pc			-		-		-	

no partial packaging



ZQAN/10 + ZQAN/10/EI silver anodised aluminium



ZQAN/10 + ZQAN/10/EI silver anodised aluminium

Complete the article code with H measure (for example ZQAN/ /EI for H=8 becomes ZQAN/8/EI)


cerfix® proangle Q

Colour-coated aluminium Trend Color Stone: modern finishes with neutral but warm and soft shades which reproduce the heterogeneity of stone thanks to a rough texture.
Colour-coated aluminium Trend Color Concrete: six original cement-effect finishes that recall the typical metropolis colours by revisiting them from a more refined point of view.
Colour-coated aluminium Trend Color Metal: two special metal tonalities which reproduce the iridescent nature of metals.



ZQVN/10 stone colour-coated aluminium

TREND COLOR



ZQVN/

PROANGLE Q - TREND COLOR

length = 270 cm - pack 20 pcs			H		
ART.	**finishing**	**8**	**10**	**11**	**12,5**
COLOUR-COATED ALUMINIUM					
	TREND COLOR STONE				
	dark brown	89360	89310	89311	89312
	anthracite grey	89093	89095	89106	89097
	ancient grey	89362	89220	89221	89222
	grey	89363	89290	89291	89292
	rust	89094	89096	89107	89098
	bronze	89365	89300	89301	89302
	stone	89366	89280	89281	89282
	greige	89367	89270	89271	89272
	sand	89368	89260	89261	89262
	beige	89369	89250	89251	89252
ZQVN/	white stone	89370	89320	89321	89322
	black stone	89371	89330	89331	89332
	TREND COLOR CONCRETE				
	concrete white	-	89131	89161	89181
	concrete graphite	-	89132	89162	89182
	concrete smoke	-	89133	89163	89183
	concrete mud	-	89134	89164	89184
	concrete sand	-	89135	89165	89185
	solid white	-	89138	89168	89188
	TREND COLOR METAL				
	metal dark	-	89136	89166	89186
	metal light	-	89137	89167	89187
	euro/m				

individually packed - Other heights with TREND COLOR finishes are available upon request, with a minimum of 270 meters.



ZQVN/10 concrete white colour-coated aluminium

Complete the article code with H measure (for example ZQVN/ for H=10 becomes ZQVN/10).



ZQVN/ /EI
sand colour-coated aluminium


PROANGLE Q - TREND COLOR - OUTSIDE / INSIDE CORNERS / END CAPS

pack 5 pcs			H			
ART.	**finishing**		**8**	**10**	**11**	**12,5**
COLOUR-COATED ALUMINIUM						
	TREND COLOR STONE					
	dark brown		89380	89303	89304	89305
	anthracite grey		89100	89102	89108	89104
	ancient grey		89382	89213	89214	89215
	grey		89383	89283	89284	89285
	rust		89101	89103	89109	89105
	bronze		89385	89293	89294	89295
	stone		89386	89273	89274	89275
	greige		89387	89263	89264	89265
	sand		89388	89253	89254	89255
	beige		89389	89243	89244	89245
ZQVN/ /EI	white stone		89390	89340	89341	89342
	black stone		89391	89350	89351	89352
	TREND COLOR CONCRETE					
	concrete white		-	89392	89402	89410
	concrete graphite		-	89394	89403	89411
	concrete smoke		-	89395	89404	89412
	concrete mud		-	89396	89405	89413
	concrete sand		-	89397	89406	89414
	solid white		-	89400	89409	89417
	TREND COLOR METAL					
	metal dark		-	89398	89407	89415
	metal light		-	89399	89408	89416
	euro/pc					

no partial packaging



LED-light profiles and skirting boards with Trend Color finishes on page 245.



ZQVN/10 Trend Color finishes


Complete the article code with H measure (for example ZQVN/ /EI for H = 10 becomes ZQVN/10/EI).

cerfix® proangle Q

In anodised aluminium, X Design is characterized by a special scratched finish and original colours that allow different chromatic combinations, created for interior designers and architects by following the latest trends of modern design.



ZQAND/10 brown anodised aluminium



ZQAND/

PROANGLE Q - X DESIGN

length = 270 cm - pack 20 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
ANODISED ALUMINIUM					
ZQAND/	platinum		31110	31112	31114
	titanium		31120	31122	31124
	brown		31130	31132	31134
	dark brown		31140	31142	31144
	carbon		31150	31152	31154
	euro/m				

individually packed



ZQAND/ /EI brown anodised aluminium

PROANGLE Q - X DESIGN - OUTSIDE / INSIDE CORNERS / END CAPS

pack 5 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
ANODISED ALUMINIUM					
ZQAND/ /EI	platinum		31160	31162	31164
	titanium		31170	31172	31174
	brown		31180	31182	31184
	dark brown		31190	31192	31194
	carbon		31200	31202	31204
	euro/pc				

no partial packaging



Complete the article code with H measure (for example ZQAND/ for H=8 becomes ZQAND/8)


cerfix® proangle Q

Proangle Q in stainless steel is a line of universal profiles with square shape, specially designed to edge and protect the external corners of ceramic coverings. They are also particularly suitable for the edging and the protection of floors and steps in different materials, such as ceramic, stone, wood and resins, and can be also used for finishing worktops and platforms.

Stainless steel makes the profile particularly resistant to chemical and atmospheric agents. The AISI 316 DIN 1.4401 quality offers superior resistance to corrosion and is therefore recommended for applications in areas subject to greater stresses.



ZQINP/10 sandblasted stainless steel AISI 304-DIN 1.4301



PROANGLE Q

length = 270 cm - pack 20 pcs			H						
ART.	**finishing**		**6**	**8**	**9**	**10**	**11**	**12,5**	**15**
STAINLESS STEEL									
ZQIN/	stainless steel AISI 304 - DIN 1.4301		90049	90050	90051	90052	90053	90054	90055
	euro/m								
ZQINS/	brushed stainless steel AISI 304 - DIN 1.4301		90100	90101	90102	90103	90104	90105	90106
ZQINP/	sandblasted stainless steel AISI 304 - DIN 1.4301		90130	90131	90132	90133	90134	90135	90136
	euro/m								
ZQINX/	stainless steel AISI 316 - DIN 1.4401		-	90107	-	90109	-	90111	-
	euro/m		-		-		-		-

individually packed - ZQIN/15, ZQINS/15 and ZQINP/15 packaging of 10 pcs



ZQIN/ /EI
stainless steel
AISI 304 - DIN 1.4301

PROANGLE Q - OUTSIDE / INSIDE CORNERS / END CAPS

pack 5 pcs			H						
ART.	**finishing**		**6**	**8**	**9**	**10**	**11**	**12,5**	**15**
STAINLESS STEEL									
ZQIN/ /EI	stainless steel AISI 304 - DIN 1.4301		90064	90065	90066	90067	90068	90069	90070
	euro/pc								
ZQINS/ /EI	brushed stainless steel AISI 304 - DIN 1.4301		90112	90113	90114	90115	90116	90117	90118
ZQINP/ /EI	sandblasted stainless steel AISI 304 - DIN 1.4301		90137	90138	90139	90140	90141	90142	90143
	euro/pc								
ZQINX/ /EI	stainless steel AISI 316 - DIN 1.4401		-	90119	-	90121	-	90123	-
	euro/pc		-		-		-		-
METAL									
ZQIM/ /EI	polished steel effect		-	90092	90093	90094	90095	90096	-
	euro/pc		-						-
ZQIMS/ /EI	brushed steel effect		-	90152	90153	90154	90155	90156	-
	euro/pc		-						-
ZQIMP/ /EI	sandblasted steel effect		-	90162	90163	90164	90165	90166	-
	euro/pc		-						-

no partial packaging for ZQIM/ /EI, ZQIMS/ /EI and ZQIMP/ /EI



ZQIN/10/EI stainless steel AISI 304 - DIN 1.4301


Complete the article code with H measure (for example ZQIN/ for H=8 becomes ZQIN/8)


cerfix® proangle Q

Proangle Q in polished brass is classic and modern at the same time and can be easily combined to handles, taps and other furniture accessories of the same material and finish.
The chromium-plated version stands out for its brilliance and is perfect as decorative element in spaces characterized by elegance and attention to details.



ZQKN/10 chromium-plated brass







ZQKN/ /EI
chromium-plated
brass

PROANGLE Q

length = 270 cm - pack 20 pcs			H				
ART.	**finishing**		**4,5**	**8**	**10**	**11**	**12,5**
POLISHED BRASS							
ZQLN/	polished		90022	90056	90057	90063	90058
	euro/m						
CHROMIUM-PLATED BRASS							
ZQKN/	chromium plated		88870	90059	90060	90074	90061
	euro/m						

individually packed - ZQKN/12,5 packaging of 10 pcs

PROANGLE Q - OUTSIDE / INSIDE CORNERS / END CAPS

length = 270 cm - pack 5 pcs			H				
ART.	**finishing**		**4,5**	**8**	**10**	**11**	**12,5**
BRASS							
ZQLN/ /EI	polished		90062	90071	90072	90075	90073
	euro/pc						
ZQKN/ /EI	chromium plated		88872	90077	90083	90085	90087
	euro/pc						



ZQLN/10 polished brass


Complete the article code with H measure
(for example ZQLN/ for H=8 becomes ZQLN/8)

cerfix® proangle Q

Proangle Q in coextruded PVC is a line of universal profiles with square shape, specially designed to edge and protect the external corners of ceramic coverings. Thanks to the special section with soft PVC inserts, these profiles absorb the micro-movements that discharge on the corner due to the tension of the wall coverings.



ZQP/8 white PVC



ZQP/



ZQP/8 beige bahama PVC

PROANGLE Q

length = 270 cm			H			
ART.	**finishing**		**6**	**8**	**10**	**12,5**
CO-EXTRUDED PVC						
ZQP/	white		80800	80801	80802	80803
	cream white RAL 9001		80804	80805	80806	80807
	ivory RAL 1015		80808	80809	80810	80811
	beige grey RAL 1019		80812	80813	80814	80815
	stone grey RAL 7030		80816	80817	80818	80819
	light grey RAL 7035		80820	80821	80822	80823
	anthracite		80824	80825	80826	80827
	beige bahama		80832	80833	80834	80835
	brown		80836	80837	80838	80839
pack 20 pcs ***euro/m***						
pack 80 pcs ***euro/m***			-	-	-	
pack 100 pcs ***euro/m***						-

no partial packaging

to order the pack of 80 and 100 pcs, mark /80 or /100 after the article code (for example, code 80800 becomes 80800/100)

ZQP/ /EI
white ABS

PROANGLE Q - OUTSIDE / INSIDE CORNERS / END CAPS

pack 12 pcs			H			
ART.	**finishing**		**6**	**8**	**10**	**12,5**
ABS						
ZQP/ /EI	white		80850	80851	80852	80853
	cream white RAL 9001		80854	80855	80856	80857
	ivory RAL 1015		80858	80859	80860	80861
	beige grey RAL 1019		80862	80863	80864	80865
	stone grey RAL 7030		80866	80867	80868	80869
	light grey RAL 7035		80870	80871	80872	80873
	anthracite		80874	80875	80876	80877
	beige bahama		80882	80883	80884	80885
	brown		80886	80887	80888	80889
	euro/pc					

no partial packaging

Complete the article code with H measure (for example ZQP/ for H=8 becomes ZQP/8)


Colours available on demand - minimum quantity 2700 meters


cerfix® proangle

Proangle in aluminium is a line of profiles for edging and protecting the external corners of ceramic coverings. Its L shape outlines clearly tile coverings, such as rectified porcelain stoneware. Available in different colours and finishes, Proangle can also be used as decorative element, creating refined and pleasant combination/contrast effects with a wide variety of coverings. ZQVNH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.



ZA/10 silver anodised aluminium





PROANGLE

length = 270 cm - pack 20 pcs			H							
ART.	**finishing**		**3**	**4,5**	**6**	**8**	**9**	**10**	**11**	**12,5**
ALUMINIUM										
ZA/	silver anodised		90338	90340	88204	88205	88217	88206	88218	88207
	euro/m									
	titanium anodised		-		88253	88254	-	88255	88257	88256
	euro/m									
	black anodised		-	-	-	88265	-	88266	88267	88268
	euro/m									
ZB/	bright polished silver		-	88260	88294	88295	-	88296	88220	88297
	euro/m		-				-			
ZB/	bright polished gold		-	88261	88339	88340	-	88341	-	88342
	bright polished titanium		-	88333	88334	88335	-	88336	88337	88338
	euro/m		-				-			
ZBS/	bright brushed silver		-	-	-	-	-	88356	88357	88358
ZTM/	bright brushed titanium		-	-	-	-	-	88359	88360	88361
	euro/m						-			
ZBS/	bright brushed black		-	-	-	-	-	88353	88354	88355
	euro/m									
COLOUR-COATED ALUMINIUM										
ZV/	colour-coated matt white RAL 9003		-	-	-	88395	-	88396	88435	88397
	colour-coated white RAL 9003		-	-	88384	88385	-	88386	88436	88387
	euro/m		-	-			-			
ANTIBACTERIAL COLOUR-COATED ALUMINIUM										
ZVH/	colour-coated white RAL 9003		-	-	-	88390	-	88392	-	88394
	euro/m		-	-	-		-		-	

individually packed

Complete the article code with H measure (for example ZA/ for H=8 becomes ZA/8)

Items ZV/ available in different colours on demand - minimum quantity 540 meters for colour.

Proangle: for different heights till 25 mm please see page 98-99

Proangle bendable version see page 202



ZA/10 black anodised aluminium




ZA/10 titanium anodised aluminium

Colour-coated aluminium Trend Color Stone: modern finishes with neutral but warm and soft shades which reproduce the heterogeneity of stone thanks to a rough texture.
Colour-coated aluminium Trend Color Concrete: six original cement-effect finishes that recall the typical metropolis colours by revisiting them from a more refined point of view.
Colour-coated aluminium Trend Color Metal: two special metal tonalities which reproduce the iridescent nature of metals.



ZV/10 beige colour-coated aluminium

TREND COLOR



ZV/

PROANGLE - TREND COLOR

length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**8**	**10**	**11**	**12,5**
COLOUR-COATED ALUMINIUM						
	TREND COLOR STONE					
	dark brown		88446	88407	88417	88481
	anthracite grey		88447	88398	88408	88482
	ancient grey		88448	88400	88410	88483
	grey		88449	88405	88415	88484
	rust		88450	88399	88409	88485
	bronze		88451	88406	88416	88486
	stone		88452	88404	88414	88491
	greige		88453	88403	88413	88492
	sand		88454	88402	88412	88493
	beige		88455	88401	88411	88494
	white stone		88456	88428	88433	88495
ZV/	black stone		88457	88429	88434	88496
	TREND COLOR CONCRETE					
	concrete white		88469	88437	88461	88497
	concrete graphite		88470	88438	88462	88498
	concrete smoke		88471	88439	88463	88499
	concrete mud		88472	88440	88464	88500
	concrete sand		88473	88441	88465	88501
	solid white		88478	88460	88468	88502
	TREND COLOR METAL					
	metal dark		88479	88458	88466	88503
	metal light		88480	88459	88467	88504
	euro/m					

individually packed



ZV/10 white stone colour-coated aluminium

LED-light profiles and skirting boards with Trend Color finishes on page 245.

Complete the article code with H measure (for example ZV/ for H=10 becomes ZV/10).


cerfix® proangle

Mapei Color is a range of sixteen finishes for Cerfix Proangle, the L-profile for wall coverings by Profilpas. Available in eight warm and eight cold colours, Mapei Color offers a chromatic experience that ensures a perfect combination with the shades of Mapei grouts and silicone sealants. This range meets every aesthetic need, whether tone-on-tone or contrasting with tiles, proving to be the ideal solution for any environment.



ZV/10 beige 2000 colour-coated aluminium

MAPEI COLOR



ZV/



Complete the article code with H measure (for example ZV/ for H=10 becomes ZV/10).


PROANGLE - MAPEI COLOR

length = 270 cm - pack 20 pcs			H				
ART.	**finishing**		**6**	**8**	**10**	**11**	**12,5**
COLOUR-COATED ALUMINIUM							
	100 white		88368	88388	88524	88548	88564
	103 moon white		88369	88389	88525	88549	88565
	111 silver grey		88370	88391	88526	88550	88566
	123 ancient white		88371	88393	88527	88551	88567
	112 medium grey		88372	88508	88528	88552	88568
	113 cement grey		88373	88509	88529	88553	88569
	114 anthracite		88374	88510	88530	88554	88570
	110 manhattan 2000		88375	88511	88531	88555	88571
ZV/	130 jasmine		88376	88512	88536	88556	88572
	137 caribbean		88377	88514	88538	88558	88574
	132 beige 2000		88378	88513	88537	88557	88573
	133 sand		88379	88515	88539	88559	88575
	134 silk		88380	88516	88540	88560	88576
	188 biscuit		88381	88517	88541	88561	88581
	135 golden dust		88382	88518	88542	88562	88582
	120 black		88383	88523	88543	88563	88583
	euro/m						

individually packed



ZV/10 medium grey colour-coated aluminium



ZV/ /EI

PROANGLE - OUTSIDE / INSIDE CORNERS / END CAPS

pack 5 pcs			H				
ART.	**finishing**		**6**	**8**	**10**	**11**	**12,5**
COLOUR-COATED ALUMINIUM							
	100 white		-	88593	88615	88631	88656
	103 moon white		-	88594	88616	88632	88657
	111 silver grey		-	88595	88617	88633	88658
	123 ancient white		-	88596	88618	88638	88659
	112 medium grey		-	88597	88619	88639	88660
	113 cement grey		-	88598	88620	88640	88661
	114 anthracite		-	88599	88621	88642	88662
	110 manhattan 2000		-	88600	88622	88643	88663
ZV/ /EI	130 jasmine		-	88601	88623	88644	88664
	137 caribbean		-	88608	88624	88645	88665
	132 beige 2000		-	88609	88625	88646	88666
	133 sand		-	88610	88626	88651	88667
	134 silk		-	88611	88627	88652	88668
	188 biscuit		-	88612	88628	88653	88669
	135 golden dust		-	88613	88629	88654	88670
	120 black		-	88614	88630	88655	88671
	euro/pc		-				

no partial packaging




cerfix® proangle

Proangle in stainless steel is a line of profiles for edging and protecting the external corners of ceramic coverings. Its L shape outlines clearly tile coverings, such as rectified porcelain stoneware. Stainless steel makes the profile particularly resistant to chemical and atmospheric agents. The AISI 316 DIN 1.4401 quality offers superior resistance to corrosion and is therefore recommended for applications in areas subject to greater stresses.



AI/10 stainless steel AISI 304 - DIN 1.4301




PROANGLE

length = 270 cm - pack 20 pcs			H							
ART.	**finishing**		**3**	**4,5**	**6**	**8**	**9**	**10**	**11**	**12,5**
STAINLESS STEEL										
AI/	stainless steel AISI 304 - DIN 1.4301		91636	91638	91642	91644	91645	91646	91647	91648
	euro/m									
AIL/	superpolished stainless steel AISI 304 - DIN 1.4301		-	91690	-	91694	-	91696	-	91698
	euro/m		-		-		-		-	
AIS/	brushed stainless steel AISI 304 - DIN 1.4301		-	91671	91673	91674	-	91675	91677	91676
	euro/m		-				-			
AIP/	sandblasted stainless steel AISI 304 - DIN 1.4301		-	-	91700	91702	-	91704	91705	91706
	euro/m		-	-			-			
AIX/	stainless steel AISI 316 - DIN 1.4401		-	-	91684	91685	-	91686	91688	91687
	euro/m		-	-			-			

individually packed

PROANGLE - OUTSIDE CORNER

pack 5 pcs			H							
ART.	**finishing**		**3**	**4,5**	**6**	**8**	**9**	**10**	**11**	**12,5**
STAINLESS STEEL										
AI//E	stainless steel AISI 304 - DIN 1.4301		-	-	-	-	-	91663	91664	91665
	euro/pc		-	-	-	-	-			
AIS//E	brushed stainless steel AISI 304 - DIN 1.4301		-	-	-	-	-	91680	91681	91682
	euro/pc		-	-	-	-	-			



AI/ /E
AIS/ /E





AI/ /E stainless steel AISI 304 - DIN 1.4301


Complete the article code with H measure
(for example AI/ for H=10 becomes AI/10)

cerfix® proangle-prodecor

Proangle ZK and Prodecor DJK are two L-shaped profiles in chromium-plated brass, with different section, designed for edging and protecting the external corners of ceramic coverings. Chromium-plated brass stands out for its brilliance and is perfect as decorative element in spaces characterized by elegance and attention to details.



Proangle ZK/ chromium-plated brass




ZK/

PROANGLE

length = 270 cm - pack 20 pcs					H			
ART.	**finishing**	**4,5**	**6**	**8**	**9**	**10**	**11**	**12,5**
CHROMIUM-PLATED BRASS								
ZK/	chromium plated	90081	88114	88115	-	88116	88118	88117
	euro/m				-			

individually packed




ZK/

PRODECOR DJ

length = 270 cm - pack 20 pcs				H		
ART.	**finishing**	**8**	**10**	**12,5**	**15**	**20**
CHROMIUM-PLATED BRASS						
DJK/	chromium plated	95700	95702	95704	95703	95705
	euro/m					

individually packed - art. DJK/20 pack 10 pcs



DJK/

PRODECOR DJ - OUTSIDE AND INSIDE CORNERS

pack 5 pcs				H		
ART.	**finishing**	**8**	**10**	**12,5**	**15**	**20**
CHROMIUM-PLATED BRASS						
DJK/ /EI	chromium plated	95706	95707	95708	95709	95710
	euro/pc					

no partial packaging



DJK/ /EI



Prodecor DJK/ chromium-plated brass


Complete the article code with H measure (for example ZK/ for H=8 becomes ZK/8)

cerfix® proangle


Proangle in PVC-U is a line of profiles for edging and protecting the external corners of ceramic coverings. Its L shape outlines clearly tile coverings, such as rectified porcelain stoneware. Available in many different colours, they can be used in the most varied spaces.



PV/8 beige grey PVC-U



PV/



PV/

PROANGLE

length = 270 cm			H				
ART.	**finishing**		**4,5**	**6**	**8**	**10**	**12,5**
PVC-U							
PV/	snow white		80610	80496	80497	80498	80499
	white		80611	80500	80501	80502	80503
	cream white RAL 9001		-	80504	80505	80506	80507
	ivory RAL 1015		-	80508	80509	80510	-
	beige grey RAL 1019		-	80512	80513	80514	-
	beige bahama		-	80552	80553	80554	-
	stone grey RAL 7030		-	80516	80517	80518	-
	ash grey RAL 7038		-	80520	80521	80522	-
	light grey RAL 7035		-	80524	80525	80526	80527
	anthracite		-	80559	80560	80561	-
	red RAL 3002		-	80528	80529	80530	-
	black RAL 9005		-	80532	80533	80534	-
pack 20 pcs ***euro/m***							
pack 100 pcs ***euro/m***							

no partial packaging

to order the pack of 100 pcs, mark /100 after article code (for example code 80497 becomes 80497/100)

Complete the article code with H measure (for example PV/ for H=8 becomes PV/8)

Items PV/ available in different colours on demand - minimum quantity 2700 meters for colour

cerfix® protrim IP


Protrim IP are minimalist profiles in aluminium or stainless steel, suitable for the edging of external corners that need the 45 degrees cut. These profiles allow a perfect installation both on wall coverings and on stairs or platforms in ceramic or wood.



IPA/11 silver anodised aluminium



IPI/11 stainless steel AISI 304 - DIN 1.4301



IPA/
IPB/
IPV/

PROTRIM IP

length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**4,5**	**8**	**11**	**15**
ALUMINIUM						
IPA/	silver anodised		95006	95178	95181	95185
	euro/m					
IPB/	bright polished silver		95008	-	-	-
	euro/m					

individually packed

TREND COLOR


PROTRIM IP - TREND COLOR STONE

length = 270 cm - pack 20 pcs			H
ART.	**finishing**		**11**
COLOUR-COATED ALUMINIUM			
IPV/	**TREND COLOR STONE**		
	dark brown		95182
	anthracite grey		95183
	ancient grey		95184
	grey		95186
	rust		95187
	bronze		95188
	stone		95189
	greige		95190
	sand		95191
	beige		95192
	white stone		95193
	black stone		95194
	TREND COLOR CONCRETE		
	concrete white		95195
	concrete graphite		95196
	concrete smoke		95197
	concrete mud		95198
	concrete sand		95199
	solid white		95205
	TREND COLOR METAL		
	metal dark		95206
	metal light		95217
	euro/m		

individually packed - Other heights with TREND COLOR finishes are available upon request, with a minimum of 270 meters.



IPV/11 beige colour-coated aluminium



IPI/

PROTRIM IP

length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**7**	**8**	**11**	**12,5**
STAINLESS STEEL						
IPI/	stainless steel AISI 304 - DIN 1.4301		95169	95170	95173	95174
	euro/m					

individually packed


Complete the article code with H measure
(es: IPA/ for H=10 becomes IPA/10)


cerfix® protrim

Protrim in aluminium is a line of profiles with rounded shape, specially designed to edge and protect the external corners of ceramic coverings. Their shape also acts as symmetric and rounded finishing.
RVH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.



RA/10 silver anodised aluminium





PROTRIM

length = 270 cm - pack 20 pcs			H							
ART.	**finishing**		**3**	**4,5**	**6**	**8**	**10**	**11**	**12,5**	**15**
ALUMINIUM										
	silver anodised		92055	92056	92070	92072	92074	92060	92076	92078
	euro/m									
RA/	gold anodised		92025	92026	92040	92042	92044	-	92046	-
	euro/m							-		-
	titanium anodised		92085	92086	92087	92090	92094	-	92096	-
	euro/m							-		-
RB/	bright polished silver		92315	92316	92310	92312	92314	92061	92318	-
	euro/m									-
RB/	bright polished gold		92325	92326	92340	92342	92344	-	92348	-
	bright polished titanium		-	-	-	92029	92031	-	92032	-
	euro/m							-		-
RAS/	bright brushed silver		92050	92051	92071	92073	92075	92062	92077	-
	bright brushed gold		-	-	92041	92043	92045	-	92047	-
RTM/	bright brushed titanium		92053	92057	92064	92066	92068	-	92079	-
	euro/m									-
COLOUR-COATED ALUMINIUM										
RV/	matt white RAL 9003		-	-	-	92107	92108	92109	92110	-
	white RAL 9003		-	-	92100	92102	92104	92111	92106	-
	euro/m		-	-						-
ANTIBACTERIAL COLOUR-COATED ALUMINIUM										
RVH/	white RAL 9003		-	-	-	92112	92114	-	92116	-
	euro/m		-	-	-			-		-

individually packed

Complete the article code with H measure (for example RA/ for H=8 becomes RA/8)

Items RV/ available in different colours on demand - minimum quantity 540 meters for colour



RAS/10 bright brushed silver aluminium



TA/ silver anodised aluminium

PROTRIM - OUTSIDE CORNER

pack 5 pcs			H				
ART.	**finishing**		**6**	**8**	**10**	**11**	**12,5**
ALUMINIUM							
TA/	silver anodised		92606	92608	92610	92600	92612
	gold anodised		92614	92616	92618	-	92619
	titanium anodised		92564	92566	92568	-	92569
	euro/pc						
TB/	bright polished silver		92690	92692	92694	92601	92696
	bright polished gold		92700	92702	92704	-	92706
	bright polished titanium		-	92727	92731	-	92733
	euro/pc						
TAS/	bright brushed silver		92710	92711	92712	92602	92713
	bright brushed gold		92720	92721	92722	-	92723
TATM/	bright brushed titanium		92714	92716	92718	-	92773
	euro/pc						
COLOUR-COATED ALUMINIUM							
TV/	matt white RAL 9003		-	92636	92637	92638	92639
	white RAL 9003		92620	92622	92624	92628	92626
	euro/pc						

no partial packaging



TIA/ silver anodised aluminium

PROTRIM - INSIDE CORNER

pack 5 pcs			H				
ART.	**finishing**		**6**	**8**	**10**	**11**	**12,5**
ALUMINIUM							
TIA/	silver anodised		92570	92571	92572	92603	92573
	gold anodised		92575	92576	92577	-	92578
	titanium anodised		92554	92555	92556	-	92558
	euro/pc						
TIB/	bright polished silver		92580	92581	92582	92604	92583
	bright polished gold		92585	92586	92587	-	92588
	bright polished titanium		-	92746	92747	-	92748
	euro/pc						
TIAS/	bright brushed silver		92550	92551	92552	92605	92553
	bright brushed gold		92560	92561	92562	-	92563
	euro/pc						
COLOUR-COATED ALUMINIUM							
TIV/	matt white RAL 9003		-	92646	92647	92648	92649
	white RAL 9003		92621	92623	92625	92629	92627
	euro/pc						

no partial packaging

Complete the article code with H measure (for example TA/ for H=8 becomes TA/8)




RA/10+TA/10+TIA/10 silver anodised aluminium

cerfix® protrim

Protrim in stainless steel is a line of profiles with rounded shape, specially designed to edge and protect the external corners of ceramic coverings and also recommended for floors, steps, worktops and platforms. The AISI 304 versions are recommended for food industries, kitchens, hospitals and outdoor spaces, while the AISI 316 versions are recommended for applications in areas subject to greater stresses.



RI/10 stainless steel AISI 304 DIN 1.4301



PROTRIM

length = 270 cm - pack 20 pcs			H							
ART.	**finishing**		**4,5**	**6**	**8**	**9**	**10**	**11**	**12,5**	**15**
STAINLESS STEEL										
RI/	stainless steel AISI 304 DIN 1.4301		92413	92420	92422	92423	92424	92425	92426	92428
	euro/m									
RIS/	brushed stainless steel AISI 304 - DIN 1.4301		-	92430	92431	92438	92432	92439	92433	92434
	euro/m		-							
RIP/	sandblasted stainless steel AISI 304 - DIN 1.4301		-	92450	92451	92452	92453	92454	92455	-
	euro/m		-							-
RIX/	stainless steel AISI 316 - DIN 1.4401		92405	92406	92407	92410	92408	92411	92409	-
	euro/m									-


individually packed - art. RI/15 pack 10 pcs



RI/10 + TIE/10 stainless steel AISI 304 DIN 1.4301

PROTRIM - OUTSIDE CORNER

pack 5 pcs			H							
ART.	**finishing**		**4,5**	**6**	**8**	**9**	**10**	**11**	**12,5**	**15**
TIE/	stainless steel AISI 304 - DIN 1.4301		92750	92480	92481	92751	92482	92752	92483	92484
	euro/pc									
TIES/	brushed stainless steel AISI 304 - DIN 1.4301		-	92485	92486	92753	92487	92754	92488	92489
	euro/pc		-							
TIEP/	sandblasted stainless steel AISI 304 - DIN 1.4301		-	92510	92511	92512	92513	92514	92515	-
	euro/pc		-							-
TIEX/	stainless steel AISI 316 - DIN 1.4401		92500	92501	92502	92755	92503	92756	92504	-
	euro/pc									-



RI/10 + TII/10 stainless steel AISI 304 DIN 1.4301

PROTRIM - INSIDE CORNER

pack 5 pcs			H							
ART.	**finishing**		**4,5**	**6**	**8**	**9**	**10**	**11**	**12,5**	**15**
TII/	stainless steel AISI 304 - DIN 1.4301		92759	92490	92491	92757	92492	92758	92493	92494
	euro/pc									
TIIS/	brushed stainless steel AISI 304 - DIN 1.4301		-	92495	92496	92760	92497	92761	92498	92499
	euro/pc		-							
TIIP/	sandblasted stainless steel AISI 304 - DIN 1.4301		-	92516	92517	92518	92519	92520	92521	-
	euro/pc		-							-
TIIX/	stainless steel AISI 316 - DIN 1.4401		92505	92506	92507	92762	92508	92763	92509	-
	euro/pc									-

Complete the article code with H measure
(for example RI/ for H=8 becomes RI/8)


METAL					8		10	11		
OUTSIDE CORNER - pack 5 pcs										
TIME/	polished steel effect		-	-	92960	-	92964	92966	-	-
	euro/pc		-	-		-			-	-
INSIDE CORNER - pack 5 pcs										
TIMI/	polished steel effect		-	-	92970	-	92974	92976	-	-
	euro/pc		-	-		-			-	-

no partial packaging

Protrim N in stainless steel is a line of profiles with rounded shape, specially designed to edge and protect the external corners of ceramic coverings and also recommended for floors, steps, worktops and platforms. The AISI 304 versions are recommended for food industries, kitchens, hospitals and outdoor spaces, while the AISI 316 versions are recommended for applications in areas subject to greater stresses.



RIN/10 stainless steel AISI 304 - DIN 1.4301



RIN/
RINS/
RINX/

PROTRIM N

length = 270 cm - pack 20 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
STAINLESS STEEL					
RIN/	stainless steel AISI 304 - DIN 1.4301		92353	92356	92359
	euro/m				
RINS/	brushed stainless steel AISI 304 - DIN 1.4301		92354	92357	92360
	euro/m				
RINX/	stainless steel AISI 316 - DIN 1.4401		92355	92358	92361
	euro/m				

individually packed



TIEN/ stainless steel AISI 304 - DIN 1.4301

PROTRIM N - OUTSIDE CORNER

pack 5 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
TIEN/	stainless steel AISI 304 - DIN 1.4301		92813	92816	92819
	euro/pc				
TIENS/	brushed stainless steel AISI 304 - DIN 1.4301		92814	92817	92820
	euro/pc				
TIENX/	stainless steel AISI 316 - DIN 1.4401		92815	92818	92821
	euro/pc				



TIIN/ stainless steel AISI 304 - DIN 1.4301

PROTRIM N - INSIDE CORNER

pack 5 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
TIIN/	stainless steel AISI 304 - DIN 1.4301		92828	92831	92834
	euro/pc				
TIINS/	brushed stainless steel AISI 304 - DIN 1.4301		92829	92832	92835
	euro/pc				
TIINX/	stainless steel AISI 316 - DIN 1.4401		92830	92833	92836
	euro/pc				


Complete the article code with H measure (for example RIN/ for H=8 becomes RIN/8)

cerfix® protrim

Protrim in polished brass is classic and modern at the same time and can be easily combined to handles, taps and other furniture accessories of the same material and finish.
The chromium-plated version stands out for its brilliance and is perfect as decorative element in spaces characterized by elegance and attention to details.



RKN/10 chromium-plated brass



RLN/
RKN/

PROTRIM

length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**6**	**8**	**10**	**12,5**
POLISHED BRASS						
RLN/	polished		92465	92466	92467	92468
	euro/m					
CHROMIUM-PLATED BRASS						
RKN/	chromium plated		92469	92470	92471	92472
	euro/m					

individually packed - art. RLN/10, RLN/12,5, RKN/10, RKN/12,5 packaging of 10 pcs



TIEL/

PROTRIM - OUTSIDE / INSIDE CORNERS

pack 5 pcs			H			
ART.	**finishing**		**6**	**8**	**10**	**12,5**
OUTSIDE CORNERS FOR RLN/ ARTICLES						
ALUMINIUM						
TB/	bright polished gold		92700	92702	92704	92706
	euro/pc					
INSIDE CORNERS FOR RLN/ ARTICLES						
ALUMINIUM						
TIB/	bright polished gold		92585	92586	92587	92588
	euro/pc					

no partial packaging



TIIL/

pack 5 pcs			H			
ART.	**finishing**		**6**	**8**	**10**	**12,5**
OUTSIDE CORNERS FOR RKN/ ARTICLES						
STAINLESS STEEL						
TIE/	stainless steel AISI 304 - DIN 1.4301		92480	92481	92482	92483
	euro/pc					
INSIDE CORNERS FOR RKN/ ARTICLES						
STAINLESS STEEL						
TII/	stainless steel AISI 304 - DIN 1.4301		92490	92491	92492	92493
	euro/pc					


Complete the article code with H measure
(for example RLN/ for H=8 becomes RLN/8)

cerfix® protrim

Protrim in coextruded PVC is a line of profiles with rounded shape, specially designed to edge and protect the external corners of ceramic coverings. Their shape also acts as symmetric and rounded finishing. Thanks to the special section with soft PVC inserts, these profiles absorb the micro-movements that discharge on the corner due to the tension of the wall coverings. Mass-dye coloured, they are available in many different colours and can be used in the most varied spaces.



RPA/8 white co-extruded PVC



RPA/

PROTRIM

length = 270 cm - pack 20/100 pcs			H		
			CO-EXTRUDED PVC		
ART.	**finishing**		**6**	**8**	**10**
RPA/	snow white		80640	80641	80642
	white		80644	80645	80646
	cream white RAL 9001		80648	80649	80650
	ivory RAL 1015		80652	80653	80654
	beige grey RAL 1019		80656	80657	80658
	stone grey RAL 7030		80660	80661	80662
	ash grey RAL 7038		80664	80665	80666
	light grey RAL 7035		80668	80669	80670
	beige bahama		80680	80681	80682
	brown		80692	80693	80694
pack 20 pcs ***euro/m***					
pack 100 pcs ***euro/m***					

no partial packaging


To order profiles in packs of 100 pcs, mark /100 after article code (for example code 80640 becomes 80640/100)

PROTRIM

pack 12 pcs		H					
		TPAE/			TPAI/		
		ABS					
		OUTSIDE CORNER			INSIDE CORNER		
finishing		**6**	**8**	**10**	**6**	**8**	**10**
snow white		80700	80701	80702	80753	80751	80752
white		80703	80704	80705	80750	80754	80755
cream white RAL 9001		80706	80707	80708	80756	80757	80758
ivory RAL 1015		80709	80710	80711	80759	80760	80761
beige grey RAL 1019		80712	80713	80714	80762	80763	80764
stone grey RAL 7030		80715	80716	80717	80765	80766	80767
ash grey RAL 7038		80718	80719	80720	80768	80769	80770
light grey RAL 7035		80721	80722	80723	80771	80772	80773
beige bahama		80730	80731	80732	80780	80781	80782
brown		80739	80740	80741	80789	80790	80791
euro/pc							

Complete the article code with H measure
(for example RPA/ for H=8 becomes RPA/8)

cerfix® protrim



RE/



RE/8 PVC-U red RAL 3002

Complete the article code with H measure
(for example RE/ for H=8 becomes RE/8)

PROTRIM


lengt = 270 cm - pack 20/100 pcs			H			
			PVC-U			
ART.	**finishing**		**6**	**8**	**10**	**12,5**
RE/	snow white		79996	79997	79998	79999
	white		80100	80101	80102	80103
	cream white RAL 9001		80104	80105	80106	80107
	ivory RAL 1015		80108	80109	80110	-
	beige grey RAL 1019		80112	80113	80114	-
	stone grey RAL 7030		80116	80117	80118	-
	ash grey RAL 7038		80120	80121	80122	-
	light grey RAL 7035		80124	80125	80126	80127
	anthracite		80175	80176	80177	-
	blue		80160	80161	80162	-
	pastel blue		80140	80141	80142	-
	light green		80179	80180	80181	-
	red RAL 3002		80128	80129	80130	-
	black RAL 9005		80132	80133	80134	-
	yellow RAL 1023		80136	80137	80138	-
	pastel pink		80144	80145	80146	-
	beige bahama		80150	80151	80152	-
	peach		80154	80155	80156	-
	caramel		80164	80165	80166	-
	brown		80168	80169	80170	-
	dark brown		80172	80173	80174	-
	coral red		80187	80188	80189	-
	raw sienna		80191	80192	80193	-
	terracotta		80195	80362	80194	-
pack 20 pcs - *euro/m*						
pack 100 pcs - *euro/m*						

no partial packaging - to order the pack of 100 pcs, mark /100 after article code

PROTRIM

pack 12 pcs		H				H			
ART.		TE/				TEI/			
finishing		ABS							
		OUTSIDE CORNER				INSIDE CORNER			
		6	**8**	**10**	**12,5**	**6**	**8**	**10**	**12,5**
snow white		80396	80397	80398	80399	79800	79801	79802	79803
white		80400	80401	80402	80403	79804	79805	79806	79807
cream white RAL 9001		80404	80405	80406	80407	79808	79809	79810	79811
ivory RAL 1015		80408	80409	80410	-	79812	79813	79814	-
beige grey RAL 1019		80412	80413	80414	-	79816	79817	79818	-
stone grey RAL 7030		80416	80417	80418	-	79820	79821	79822	-
ash grey RAL 7038		80420	80421	80422	-	79824	79825	79826	-
light grey RAL 7035		80424	80425	80426	80427	79828	79829	79830	79831
anthracite		80479	80480	80481	-	79875	79876	79877	-
blue		80470	80471	80472	-	79848	79849	79850	-
pastel blue		80440	80441	80442	-	79844	79845	79846	-
light green		80475	80476	80477	-	79879	79880	79881	-
red RAL 3002		80428	80429	80430	-	79832	79833	79834	-
black RAL 9005		80432	80433	80434	-	79836	79837	79838	-
yellow RAL 1023		80436	80437	80438	-	79840	79841	79842	-
pastel pink		80444	80445	80446	-	79852	79853	79854	-
beige bahama		80448	80449	80450	-	79856	79857	79858	-
peach		80452	80453	80454	-	79860	79861	79862	-
caramel		80458	80459	80460	-	79864	79865	79866	-
brown		80462	80463	80464	-	79868	79869	79870	-
dark brown		80466	80467	80468	-	79872	79873	79874	-
coral red		80483	80484	80485	-	79887	79888	79889	-
raw sienna		80487	80488	80489	-	79891	79892	79893	-
terracotta		80491	80492	80493	-	79895	79896	79897	-
euro/pc									

no partial packaging




RECO/

PROTRIM

length = 260 cm - pack 80 pcs			H		
ART.	**finishing**		PVC-U		
			6	**8**	**10**
RECO/ /80	snow white		79400	79401	79402
	white		79403	79404	79405
	cream white RAL 9001		79406	79407	79408
	ivory RAL 1015		79409	79410	79411
	ash grey RAL 7038		79412	79413	79414
	light grey RAL 7035		79415	79416	79417
	beige bahama		79418	79419	79420
	euro/m		**0,69**	**0,76**	**0,84**

no partial packaging
others colour on request for minimum 2700 meters for colour



REC/

PROTRIM

length = 260 cm - pack 100 pcs			H		
ART.	**finishing**		PVC-U		
			-	**8**	**10**
REC/ /100	snow white		-	79601/100	79602/100
	cream white RAL 9001		-	79605/100	79606/100
	ivory RAL 1015		-	-	79610/100
	beige grey RAL 1019		-	-	79614/100
	stone grey RAL 7030		-	-	79618/100
	ash grey RAL 7038		-	-	79622/100
	light grey RAL 7035		-	-	79626/100
	beige bahama		-	-	79642/100
	euro/m		-	**0,67**	**0,74**

no partial packaging
others colour on request for minimum 2700 meters for colour

Complete the article code with H measure (for example REC/ /100 for H=8 becomes REC/8/100)




REC/10 white PVC-U

cerfix® proangle F

Proangle F is a triangular profile in aluminium or stainless steel indicated as a decorative element and closing of the outside corners of the tiles. The stainless steel version with reduced base is rather suitable for the protection and finishing of the interior angles of ceramic coverings.



FMB/10 + FMBE/10 bright polished silver aluminium




FMA/
FMB/

PROANGLE F

length = 270 cm - pack 20 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
ALUMINIUM					
FMA/	silver anodised ***euro/m***		93025	93026	93027
FMB/	bright polished silver ***euro/m***		93028	93029	93030

individually packed



FMI/
FMIS/

PROANGLE F

length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**8**		**10**	
STAINLESS STEEL						
			with base	without base	with base	without base
FMI/	stainless steel AISI 304 - DIN 1.4301 ***euro/m***		93050	93051	93052	93053
FMIS/	brushed stainless steel AISI 304 - DIN 1.4301 ***euro/m***		93054	93055	93056	93057

individually packed

OUTSIDE CORNER					
pack 5 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
ALUMINIUM					
FMAE/	silver anodised ***euro/pc***		93031	93032	93033
FMBE/	bright polished silver ***euro/pc***		93040	93041	93042
INSIDE CORNER					
pack 5 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
ALUMINIUM					
FMAI/	silver anodised ***euro/pc***		93034	93035	93036
FMBI/	bright polished silver ***euro/pc***		93043	93044	93045
END CAP					
pack 5 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
ALUMINIUM					
FMAC/	silver anodised ***euro/pc***		93037	93038	93039
FMBC/	bright polished silver ***euro/pc***		93046	93047	93048

OUTSIDE CORNER				
pack 5 pcs			H	
ART.	**finishing**		**8**	**10**
STAINLESS STEEL				
FMIE/	stainless steel AISI 304 - DIN 1.4301 ***euro/pc***		93058	93059
FMIES/	brushed stainless steel AISI 304 - DIN 1.4301 ***euro/pc***		93064	93065
INSIDE CORNER				
pack 5 pcs			H	
ART.	**finishing**		**8**	**10**
STAINLESS STEEL				
FMII/	stainless steel AISI 304 - DIN 1.4301 ***euro/pc***		93060	93061
FMIIS/	brushed stainless steel AISI 304 - DIN 1.4301 ***euro/pc***		93066	93067
END CAP				
pack 5 pcs			H	
ART.	**finishing**		**8**	**10**
STAINLESS STEEL				
FMIC/	stainless steel AISI 304 - DIN 1.4301 ***euro/pc***		93062	93063
FMICS/	brushed stainless steel AISI 304 - DIN 1.4301 ***euro/pc***		93068	93069

no partial packaging for aluminium accessories


Complete the article code with H measure (for example FMA/ for H=8 becomes FMA/8)

cerfix® proangle AX - pronivel M

Proangle AX M Design is a profile in anodised or colour-coated aluminium, which finishes the vertical edge of the coverings, accentuating the discontinuity between the wall in an elegant way.



AX/2/ silver anodised aluminium



AX/2/

PROANGLE AX- M DESIGN


length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**6**	**10**	**12,5**
ALUMINIUM					
AX/2/	silver anodised		13208	13209	13210
	euro/m				
	titanium anodised		13211	13213	13212
	colour-coated polished white RAL 9010		13215	13216	13214
	euro/m				

individually packed

Pronivel M is a line of profiles designed to connect floors of different heights during the installation. Thanks to its shape, MIN/ can be also used as edging profile for the protection of 135-degress external corners of tile coverings.



MIN/10 polished stainless steel AISI 304 DIN 1.4301




MIN/10

PRONIVEL M

length = 270 cm - pack 10 pcs			H	
ART.	**finishing**		**8**	**10**
MIN/	polished stainless steel AISI 304 - DIN 1.4301		93023	93024
	euro/m			

individually packed



MIN/10
application
for floors of
different height


Complete the article code with H measure
(for example MIN/ for H=10 becomes MIN/10)

cerfix® procorner M

Procorner M is a line of profiles in aluminium, stainless steel or brass for the protection of the outside corners of wall coverings, to be applied on already laid tiles or on wall coverings. Procorner profiles are also available in self-adhesive version for a quick and easy installation.
210H/A boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.



210/A silver anodised aluminium




210/
210H/A

PROCORNER M

length = 300 cm - pack 30 pcs			LxL	
			25x25	
ART.	**finishing**		**/SF**	**/A**
ALUMINIUM				
	silver anodised		76068	76098
	gold anodised		-	76108
210/	***euro/m***			
	colour-coated white RAL 9003		76128	76208
	euro/m			

SF = not drilled **A** = adhesive

individually packed




220/

PROCORNER M

length = 300 cm - pack 30 pcs			LxL
ART.	**finishing**		**25x25**
ALUMINIUM			
210H/A	colour-coated antibacterial white RAL 9003		76209
	euro/m		

A = adhesive

individually packed



277/

PROCORNER M

length = 300 cm - pack 30 pcs			LxL	
			25x25	
ART.	**finishing**		**/SF**	**/A**
ALUMINIUM				
	silver anodised		77888	77894
	euro/m			
220/	colour-coated white RAL 9003		77900	-
	euro/m			-

SF = not drilled **A** = adhesive

individually packed

PROCORNER M

SILVER ANODISED ALUMINIUM			
length = 300 cm - pack 30 pcs			
ART.	**measure LxL**	code	***euro/m***
277/SF/	**20x20**	76308	
277/A/ adhesive	**20x20**	76309	
277/SF/	**25x25**	76318	
277/A/ adhesive	**25x25**	76319	
277/SF/	**30x30**	76328	
277/A/ adhesive	**30x30**	76329	


individually packed

Complete the article code with L measure
(for example 277/SF/ for L= 20 becomes 277/SF/20)


Upon request, we can produce Cerfix® Procorner M in different LxL dimensions than those included in the price list.
Please contact our technical department for further information.




775/A/40 polished stainless steel AISI 304 DIN 1.4301




777/
776/



775/



774/



779/SF

Complete the article code with L measure (for example 777/SF/ for L=15 becomes 777/SF/15)

Upon request, we can produce Cerfix® Procorner M in different LxL dimensions than those included in the price list.
Please contact our technical department for further information.

PROCORNER M

POLISHED STAINLESS STEEL AISI 430 DIN 1.4016

length = 300 cm - thickness = 0,60 mm

ART.	measure LxL	code	*euro/m*	pack
777/SF/	**15x15**	76888		30
777/A/ adhesive	**15x15**	76938		30
777/SF/	**20x20**	76898		30
777/A/ adhesive	**20x20**	76948		30
777/SF/	**25x25**	76908		15
777/A/ adhesive	**25x25**	76958		15
777/SF/	**30x30**	76918		20
777/A/ adhesive	**30x30**	76968		20

length = 200 cm - thickness = 1 mm

ART.	measure LxL	code	*euro/m*	pack
776/SF/	**30x30**	77004		20
776/A/ adhesive	**30x30**	77044		20
776/SF/	**40x40**	77014		10
776/A/ adhesive	**40x40**	77054		10
776/SF/	**50x50**	77024		10
776/A/ adhesive	**50x50**	77064		10

length = 270 cm - thickness = 1 mm

ART.	measure LxL	code	*euro/m*	pack
776/SF/	**30x30**	77008		10
776/A/ adhesive	**30x30**	77048		10
776/SF/	**40x40**	77018		10
776/A/ adhesive	**40x40**	77058		10
776/SF/	**50x50**	77028		5
776/A/ adhesive	**50x50**	77068		5

POLISHED STAINLESS STEEL AISI 304 DIN 1.4301

length = 270 cm - thickness = 1 mm

ART.	measure LxL	code	*euro/m*	pack
775/SF/	**30x30**	77108		10
775/A/ adhesive	**30x30**	77148		10
775/SF/	**40x40**	77118		10
775/SF/	**50x50**	77128		5
775/A/ adhesive	**50x50**	77168		5

BRUSHED STAINLESS STEEL AISI 304 DIN 1.4301

length = 270 cm - thickness = 1 mm

ART.	measure LxL	code	*euro/m*	pack
775/SF/	**30x30**	77110		10
775/SF/	**50x50**	77130		5

POLISHED STAINLESS STEEL AISI 304 DIN 1.4301

length = 270 cm - thickness = 1 mm

ART.	measure LxL	code	*euro/m*	pack
774/SF	**30x30**	77954		10

BRUSHED STAINLESS STEEL AISI 304 DIN 1.4301

length = 270 cm - thickness = 1 mm


ART.	measure LxL	code	*euro/m*	pack
779/SF	**30x30**	77106		10

SF = not drilled **A** = adhesive

cerfix® procorner M - procorner P



076/A/30 polished brass



076/SF/
076/A/

PROCORNER M

POLISHED BRASS

length = 270 cm - thickness = 1,00 mm


ART.	measure LxL	code	*euro/m*	pack
076/SF/	**15x15**	76800		30
076/A/ adhesive	**15x15**	76840		15
076/SF/	**20x20**	76802		15
076/A/ adhesive	**20x20**	76842		15
076/SF/	**25x25**	76806		15
076/A/ adhesive	**25x25**	76846		10
076/SF/	**30x30**	76808		10
076/A/ adhesive	**30x30**	76848		10

SF = not drilled **A** = adhesive

Procorner P is a soft PVC corner protection profile, available in bright colours to visually highlight wall corners. Recommended for public environments such as schools, offices or kindergartens.



IP/40 blue soft PVC



IP/40

PROCORNER P

length = 270 cm - pack 20 pcs			LxL
ART.	**finishing**		**42x42**
SOFT PVC			
IP/40	white		95010
	yellow		95011
	red		95012
	blu		95013
	euro/m		

Complete the article code with L measure (for example 076/SF/ for L=15 becomes 076/SF/15)


Upon request, we can produce Cerfix® Procorner M in different LxL dimensions than those included in the price list.
Please contact our technical department for further information.

Article IP/40 in PVC must be stored horizontally.

Procorner P 8610 and 8611 are a line of impact-resistant, quick and easy-to-install expanded PVC-U corner protection profiles. Available in a range of wood-effect finishes or solid colours, they are ideal for environments such as schools, kindergartens and public spaces in general.



8610 white dec. 555



8610


PROCORNER P

length 300 cm - pack 20/50 pcs

EXPANDED PVC-U

ART.		decors	code		decors	code		decors	code
8610		518	29810		536	29830		yellow 561	29848
		520	29812		540	29832		green 562	29850
		524	29814		542	29834		light blue 563	29847
		525	29816		544	29836		red 564	29849
		528	29818		545	29838			
		530	29820		white 555	29840			
		531	29822		light grey 556	29842			
		532	29824		black 557	29844			
		534	29828		anthracite 558	29846			
pack 20 pcs									
euro/m									
pack 50 pcs									
euro/m									

no partial packaging



8611

PROCORNER P

length 300 cm - pack 20/50 pcs


EXPANDED PVC-U

ART.		decors	code		decors	code		decors	code		decors	code
8611		518	29910		white 555	29940		yellow 561	29946		silver dec. 559	29949
		532	29924		light grey 556	29942		green 562	29948			
		542	29934		black 557	29944		light blue 563	29945			
		545	29938					red 564	29947			
pack 20 pcs												
euro/m												
pack 50 pcs												
euro/m												

no partial packaging



8610 dec. 532



8611 silver dec. 559


Skirting board available with the same decors on page. 231

cerfix® probord

Probord ILN in stainless steel is a profile for protecting the external corners of ceramic coverings. It can be combined with Proround M profiles and is recommended for environments where high hygiene standards are required, such as kitchens, food factories, schools, etc. The AISI 316 stainless steel version is suitable for areas subject to greater stresses.



ILN/10 polished stainless steel AISI 304 DIN 1.4301



ILN/
ILNS/
ILNX/

PROBORD


length = 270 cm - pack 5 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
STAINLESS STEEL					
ILN/	polished stainless steel AISI 304 - DIN 1.4301 *euro/m*		94997	94998	94999
ILNS/	brushed stainless steel AISI 304 - DIN 1.4301 *euro/m*		94984	94985	94986
ILNX/	stainless steel AISI 316 - DIN 1.4401 *euro/m*		94987	94988	94989

individually packed

Probord IL, ILE and ILES have a rounded angle (compared to the model ILN). The fixing system with a single flange favors the correct alignment of the profile even in the presence of corners and uneven surfaces.



IL/10 polished stainless steel AISI 304 DIN 1.4301




IL/

PROBORD

length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
STAINLESS STEEL					
IL/	polished stainless steel AISI 304 - DIN 1.4301 *euro/m*		94994	94995	94996

individually packed



ILE/
ILES/

PROBORD

length = 270 cm - pack 5 pcs			H
ART.	**finishing**		**10**
STAINLESS STEEL			
ILE/10	polished stainless steel AISI 304 - DIN 1.4301 *euro/m*		95002
ILES/10	brushed stainless steel AISI 304 - DIN 1.4301 *euro/m*		95003

individually packed

Complete the article code with H measure (for example ILN/ for H=8 becomes ILN/8)


Upon request, we can produce Cerfix® Probord in different H dimensions than those included in the price list. Please contact our technical department for further information.

cerfix® protop

Cerfix® Protop is an aluminium profile for protecting and finishing external corners of worktops and ceramic-covered kitchens. Also recommended for platforms and steps made with tiles.



TOP/A/10 silver anodised aluminium



TOP/A/
TOP/TM/

PROTOP

length = 270 cm - pack 10 pcs			H	
ART.	**finishing**		**10**	**12**
ALUMINIUM				
TOP/A/	silver anodised		86050	86060
	euro/m			
	titanium anodised		86052	86062
	euro/m			
TOP/TM/	bright brushed titanium		86051	86061
	euro/m			
individually packed				

OUTSIDE CORNER - pack 2 pcs						
ART.	**finishing**		**90°**	**135°**	**90°**	**135°**
ALUMINIUM						
TOP/ /E	silver anodised		86074	86072	86074	86072
	titanium anodised		86080	86082	86080	86082
	euro/pc					
TOP/ETM	bright brushed titanium		86075	86073	86075	86073
	euro/pc					

INSIDE CORNER - pack 2 pcs						
ART.	**finishing**		**90°**	**135°**	**90°**	**135°**
ALUMINIUM						
TOP/ /I	silver anodised		86078	86076	86078	86076
	titanium anodised		86081	86083	86081	86083
	euro/pc					
TOP/ITM	bright brushed titanium		86079	86077	86079	86077
	euro/pc					
no partial packaging						

Complete the article code with H measure (for example TOP/A/ for H=10 becomes TOP/A/10)



TOP/A/10 + TOP/90/E + TOP/135/I silver anodised aluminium





listellos and decorative profiles


The line of decorative listellos provides a wide variety of finishes, suitable for endless combinations and multiple aesthetic architectural tastes, from classic to contemporary; they are applicable to all environments with ceramic tiles from kitchen to bathroom, from living rooms to large commercial spaces.

cerfix® prolist

Prolist is a range of decorative listellos designed to create stylish and eyecatching aesthetic effects of wall coverings. They are available in aluminium or stainless steel in different finishes and can be combined with Proangle, Proangle Q and Protrim profiles to obtain elegant and sophisticated effects.




LDB/20 bright polished silver aluminium




PROLIST

length = 270 cm - pack 20 pcs			L x H			
ART.	**finishing**		**10x7**	**15x7**	**20x7**	**25x7**
ALUMINIUM						
LDA/	silver anodised		93255	93215	93220	93256
	euro/m					
LDB/	bright polished silver		93258	93219	93224	93259
	bright polished titanium		93198	93199	93201	93203
	euro/m					
LDS/	bright brushed silver		93240	93216	93221	93244
	bright brushed gold		93241	93217	93222	93245
LDTM/	bright brushed titanium		93266	93211	93225	93246
LDRS/	bright brushed copper		93242	93267	93229	93269
	euro/m					
LDAG/	bright scratched silver		93263	93214	93228	93243
	euro/m					
COLOUR-COATED ALUMINIUM						
LDV/	white stone		-	-	93207	-
	black stone		-	-	93209	-
	euro/m		-	-		-

individually packed



LB/B/10




LB/A
LB/B/25

PROLIST

length = 270 cm - pack 20 pcs			L x H	
ART.	**finishing**		**10x7**	**25x7**
ALUMINIUM				
LB/A	silver anodised		-	93270
	euro/m		-	
LB/B/	bright polished silver		93252	93272
	bright polished gold		93253	93273
	euro/m			

individually packed



LA/I/
LA/IS/

PROLIST

length = 270 cm - pack 10 pcs			L x H		
ART.	**finishing**		**10x10**	**15x10**	**25x10**
STAINLESS STEEL					
LA/I/	polished stainless steel AISI 304 DIN 1.4301		93283	93284	93285
	euro/m				
LA/IS/	brushed stainless steel AISI 304 DIN 1.4301		93296	93297	93298
	euro/m				

individually packed

Complete the article code with L measure (for example LDA/ for L=10 becomes LDA/10)


Stainless steel listellos: different LxH dimensions available upon request, with a minimum order of 108 meters.

metal line AF - prolist x design

Metal Line AF M Design is a decorative listello in aluminium characterized by modern and minimalist lines that, thanks to its special shape, creates an elegant shadow that crosses the ceramic covering.



AF/1 silver anodised aluminium



AF/1/

METAL LINE AF - M DESIGN


length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**6**	**10**	**12,5**
ALUMINIUM					
AF/1/	silver anodised		13198	13199	13200
	euro/m				
	titanium anodised		13201	13203	13202
	colour-coated polished white RAL 9010		13196	13197	13204
	euro/m				

individually packed

Prolist is available in five original finishes X Design. In anodised aluminium, X Design is characterized by a special scratched finish and original colours that allow different chromatic combinations, created for interior designers and architects by following the latest trends of modern design.



LDAD carbon anodised aluminium



LDAD

PROLIST - X DESIGN

length = 270 cm - pack 10 pcs			L x H
ART.	**finishing**		**25x7**
ANODISED ALUMINIUM			
LDAD	platinum		31320
	titanium		31322
	brown		31324
	dark brown		31326
	carbon		31328
	euro/m		

individually packed



LED-light decorative listellos on page 245




cerfix® C design

C Design is a line of high-end brass profiles, embellished with crystals from Swarovski®. The combination of the chromium-plated or gold-plated profile and the crystal enhances the brightness of the lines and makes elegant any space.



UKC/10 chromium-plated brass with crystals from Swarovski®



DJKC/10

PRODECOR - C DESIGN

length = 270 cm - pack 5 pcs		H
ART.	**finishing**	**10**
CHROMIUM-PLATED BRASS		
DJKC/10	chromium-plated + crystals from Swarovski®	13300
	euro/m	
	chromium-plated + crystals from Swarovski®	13302
	euro/m	


individually packed



DJKC/10 chromium-plated brass with crystals from Swarovski® (cod. 13300)



DJKC/10 chromium-plated brass with crystals from Swarovski® (cod. 13302)



UKC/10


PROSTYLE - C DESIGN

length = 270 cm - pack 5 pcs		H
ART.	**finishing**	**10**
CHROMIUM-PLATED BRASS		
UKC/10	chromium-plated + crystals from Swarovski®	13310
	euro/m	

individually packed



UKC/10 chromium-plated brass with crystals from Swarovski®



DJKGC/10


PRODECOR - C DESIGN

length = 270 cm - pack 5 pcs		H
ART.	**finishing**	**10**
BRASS		
DJKGC/10	24 kt gold plated + crystals from Swarovski®	13402
	euro/m	

individually packed



DJKGC/10 24 kt gold plated brass + crystals from Swarovski®



UKGC/10


PROSTYLE - C DESIGN

length = 270 cm - pack 5 pcs		H
ART.	**finishing**	**10**
BRASS		
UKGC/10	24 kt gold plated + crystals from Swarovski®	13410
	euro/m	

individually packed



UKGC/10 24 kt gold plated brass + crystals from Swarovski®




DJKG/10

PRODECOR - C DESIGN

length = 270 cm - pack 5 pcs		H
ART.	**finishing**	**10**
BRASS		
DJKG/10	24kt gold plated	12902
	euro/m	

individually packed



UKG/10

PROSTYLE - C DESIGN

length = 270 cm - pack 5 pcs		H
ART.	**finishing**	**10**
BRASS		
UKG/10	24kt gold plated	12910
	euro/m	

individually packed





internal corner profiles


A line of profiles that fits the perimetric junction between floor and wall. Created for the elimination of 90° corners and applicable to installed or to be installed floors, ensure high hygienic efficiency in private and public environments such as hospitals, food industries, SPA and industrial kitchens.

cerfix® proround


Proround M in aluminum is a connection profile between floor and wall. The current health and sanitary maintenance requirements imposed by European standards require the elimination of the 90° angles to prevent the accumulation of dirt and possible sources of bacteria, creating a curve that facilitates cleaning.



GA/10 silver anodised aluminium



GA/4



GA/8-10-12
GV/

PROROUND M

length = 270 cm - pack 10 pcs			H			
ART.	**finishing**		**4,5**	**8**	**10**	**12**
ALUMINIUM						
GA/	silver anodised		95730	95031	95032	95033
	euro/m					
GV/	colour-coated white RAL 9003	☐	-	95071	95072	95073
	euro/m		-			

individually packed- GA/4 packaging 20 pcs

OUTSIDE CORNER

pack 5 pcs			H	
ART.	**finishing**		**4,5**	**8 - 10 - 12**
ALUMINIUM				
GTA/E	silver anodised		-	95075
	euro/pc		-	
GTV/E	colour-coated white RAL 9003	☐	-	95083
	euro/pc		-	

INSIDE CORNER

pack 5 pcs			H	
ART.	**finishing**		**4,5**	**8 - 10 - 12**
ALUMINIUM				
GTA/I	silver anodised		-	95077
	euro/pc			
GTV/I	colour-coated white RAL 9003	☐	-	95085
	euro/pc		-	

no partial packaging

Complete the article code with H measure (for example GA/ for H=8 becomes GA/8)

Items GV available in different colours on demand - minimum quantity 540 meters per colour.



GTA/E silver anodised aluminium



GTA/I silver anodised aluminium




GA/4 silver anodised aluminium

Proround M GAN/ is a profile in aluminum for the connection between floor and wall covering, characterized by a 17-mm radius.
The current health and sanitary maintenance requirements imposed by European standards require the elimination of the 90° angles to prevent the accumulation of dirt and possible sources of bacteria, creating a curve that facilitates cleaning.
GVNH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.



GAN/10 silver anodised aluminium



GAN/
GVNH/

PROROUND M

length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
ALUMINIUM					
GAN/	silver anodised		95034	95035	95036
	euro/m				
GVNH/	colour-coated white RAL 9003 antibacterial		95037	95038	95039
	euro/m				


individually packed

OUTSIDE/INSIDE/TRIAXIAL CORNER/END CAP

pack 12 pcs			for all H			
ART.	**finishing**		**GTP/E**	**GTP/I**	**GTP/T**	**GTP/C**
ABS						
colour-coated silver			95121	95122	95123	95124
euro/pc						
colour-coated white RAL 9003			95125	95126	95127	95128
euro/pc						

no partial packaging

Complete the article code with H measure (for example GAN/ with H=8 becomes GAN/8).





GTP/E silver colour-coated ABS




GTP/T silver colour-coated ABS

cerfix® proround

Proround M in stainless steel is a connection profile for use in situations where particular attention to hygiene is required (e.g. in clinics, food industry, swimming pools, wellness centres, industrial kitchens, hospitals, etc.).
The current health and sanitary maintenance requirements imposed by European standards require the elimination of the 90° angles to prevent the accumulation of dirt and possible sources of bacteria, creating a curve that facilitates cleaning.
In particular, the AISI 316 DIN 1.4401 quality version offers superior corrosion resistance and is therefore recommended for applications in areas subject to higher stresses.



GIN/10 + ILN/10 polished stainless steel AISI 304 DIN 1.4301




GIN 8/10/11

PROROUND M

length = 270 cm - pack 10 pcs		H				
ART.	**finishing**	**8**	**10**	**11**	**12,5**	**15**
STAINLESS STEEL						
GIN/	polished stainless steel AISI 304 DIN 1.4301	95046	95047	95045	-	-
	euro/m				-	-
GINS/	brushed stainless steel AISI 304 DIN 1.4301	95050	95051	95057	-	-
	euro/m				-	-
GINX/	stainless steel AISI 316 DIN 1.4401	95054	95055	-	-	-
	euro/m			-	-	-

individually packed




GIN/ /SA

PROROUND M

length = 270 cm - pack 10 pcs		H				
ART.	**finishing**	**8**	**10**	**11**	**12,5**	**15**
STAINLESS STEEL						
GIN/ /SA	polished stainless steel AISI 304 DIN 1.4301	-	95044	-	95048	95049
	euro/m	-		-		
GINS/ /SA	brushed stainless steel AISI 304 DIN 1.4301	-	-	-	95052	-
	euro/m	-	-	-		-
GINX/ /SA	stainless steel AISI 316 DIN 1.4401	-	-	-	95056	-
	euro/m	-	-	-		-

individually packed



OUTSIDE CORNER-E

pack 5 pcs		for all H
ART.	**finishing**	
STAINLESS STEEL		
GTIN/E	polished stainless steel AISI 304 DIN 1.4301	95059
	euro/pc	
GTINS/E	brushed stainless steel AISI 304 DIN 1.4301	95063
	euro/pc	
GTINX/E	stainless steel AISI 316 DIN 1.4401	95067
	euro/pc	

INSIDE CORNER-I

pack 5 pcs	for all H
ART.	
GTIN/I	95058
GTINS/I	95062
GTINX/I	95066

TRIAXIAL CORNER-T

pack 5 pcs		for all H
ART.	**finishing**	
GTIN/T	polished stainless steel AISI 304 DIN 1.4301	95060
	euro/pc	
GTINS/T	brushed stainless steel AISI 304 DIN 1.4301	95064
	euro/pc	
GTINX/T	stainless steel AISI 316 DIN 1.4401	95068
	euro/pc	

JUNCTION-G

pack 5 pcs	for all H	
ART.		
GTIN/G	95061	
GTINS/G	95065	
GTINX/G	95069	

END CAPS

for all H	
ART.	
GTIN/C	95040
GTINS/C	95041
GTINX/C	95042

no partial packaging


Complete the article code with H measure (for example GIN/ for H=8 becomes GIN/8)

Cerfix® Proround M in stainless steel: other measures on demand - minimum quantity 540 meters


Proround P in impact-resistant PVC-U is a connection profile between floor and wall covering. The current health and sanitary maintenance requirements imposed by European standards require the elimination of the 90° angles to prevent the accumulation of dirt and possible sources of bacteria, creating a curve that facilitates cleaning. Models with a single anchoring flange can be used as a connection between floors and wall coverings of different thicknesses.



GP/10 white co-extruded PVC-U



GP/



GPU/

PROROUND P

length = 270 cm - pack 20 pcs		H		H	
ART.		**GP/**		**GPU/**	
finishing		**8**	**10**	**10**	**12,5**
CO-EXTRUDED PVC-U					
white		95800	95801	95804	95803
light grey RAL 7035		95805	95806	-	-
stone grey RAL 7030		95810	95811	-	-
beige grey RAL 1019		95815	95816	-	-
euro/m					

INSIDE/OUTSIDE/TRIAXIAL CORNER/END CAP

pack 12 pcs		for all H			
ART.		**GTP/E**	**GTP/I**	**GTP/T**	**GTP/C**
finishing					
ABS					
white		95852	95851	95850	95853
light grey RAL 7035		95862	95861	95860	95863
stone grey RAL 7030		95872	95871	95870	95873
beige grey RAL 1019		95882	95881	95880	95883
euro/pc					

no partial packaging


Complete the article code with H measure
(for example GP/ for H=8 becomes GP/8)



GTP/E light grey RAL 7035 ABS



GTP/T light grey RAL 7035 ABS




cerfix® proround

Proround M GIC/ and Proint PIN/ are two stainless steel connection profiles with a rounded, cove-shaped design for use in situations where special hygiene protection is required.
The closed shape of GIC/ is particularly versatile thanks to the internal fixing flange.
The special section of Proint PIN/ allows installation on existing floors or coverings.




GIC/8 polished stainless steel AISI 304 DIN 1.4301



GIC/

PROROUND M

length = 270 cm - pack 5 pcs		H
ART.	**finishing**	**8**
STAINLESS STEEL		
GIC/	polished stainless steel AISI 304 DIN 1.4301	95140
	euro/m	



OUTSIDE CORNER FOR GIC/

pack 5 pcs		
ART.	**finishing**	
STAINLESS STEEL		
GTIN/E	polished stainless steel AISI 304 DIN 1.4301	95059
	euro/pc	

no partial packaging

INSIDE CORNER FOR GIC/

pack 5 pcs	
ART.	
GTIN/I	95058

TRIAXIAL CORNER FOR GIC/

pack 5 pcs		
ART.	**finishing**	
STAINLESS STEEL		
GTIN/T	polished stainless steel AISI 304 DIN 1.4301	95060
	euro/pc	


no partial packaging

JUNCTION FOR GIC/


pack 5 pcs	
ART.	
GTIN/G	95061

END CAPS FOR GIC/

ART.	
GTIN/C	95040



PIN/



PIN/

PROINT

length = 270 cm - pack 10 pcs		H	
ART.	**finishing**	**10**	**12,5**
STAINLESS STEEL			
PIN/	polished stainless steel AISI 304 - DIN 1.4301	85392	85394
	euro/m		

individually packed

Complete the article code with H measure (for example GIC/ for H=8 becomes GIC/8)

Upon request, we can produce Cerfix® Proround GIC/ in different H dimensions for floors and coverings of different thickness. Please contact our technical department for further information.




PIN/10 polished stainless steel AISI 304 DIN 1.4301


Proint PIA/ and PI/ are a line of aluminium and PVC-U profiles ideal as perimeter connections between wall coverings and floors or as perimeter joints.
Proint PIA/ and PI/ eliminate the need for silicone, creating an attractive finish and ensuring a high level of hygiene.
The special sections of the Proint line facilitate corner connections between wall covering and floors, ensuring corner expansion between the two surfaces.



PIA/9 silver anodised aluminium



PIA/3



PIA/
PI/

PROINT

length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**3,5**	**7**	**9**	**12**
ALUMINIUM						
PIA/	silver anodised		95431	95430	95432	95429
	euro/m					

individually packed

PROINT

length = 270 cm - pack 20 pcs			H	
ART.	**finishing**		**7**	**9**
PVC-U				
PI/	snow white		95396	95398
	white		95400	95402
	cream white RAL 9001		-	95406
	ivory RAL 1015		-	95418
	beige grey RAL 1019		-	95410
	stone grey RAL 7030		-	95422
	ash grey RAL 7038		-	95433
	light grey RAL 7035		-	95414
pack 20 pcs ***euro/m***				
pack 100 pcs ***euro/m***				

no partial packaging - to order the pack of 100 pcs, mark /100 after article code

Complete the article code with H measure (for example PIA/ for H=7 becomes PIA/7)

Items PI/ available in different colours on demand - minimum quantity 2700 meters per colour



PI/9 white co-extruded PVC-U




PIA/3 silver anodised aluminium

cerfix® proround


Proround B in aluminium or PVC are perimetral connection profiles to be used between floors and walls, specially designed for the application on already-laid surfaces. These profiles are the best solution for renovations and to be compliant with health and sanitary regulations. BLAH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.




BLA/20 silver anodised aluminium




BLA/
BLAH/



BL/20



BL/40



BL/50

PROROUND B

length = 270 cm - pack 20 pcs			LxL		
ART.	**finishing**		**20x20**	**40x40**	**50x50**
ALUMINIUM					
BLA/	silver anodised		95570	95580	-
	euro/m				-
ANTIBACTERIAL COLOUR-COATED ALUMINIUM					
BLAH/	colour-coated white RAL 9003 antibacterial	☐	95572	95582	-
	euro/m				-

individually packed

PROROUND B

length = 270 cm - pack 20 pcs			LxL		
ART.	**finishing**		**20x20**	**40x40**	**50x50**
CO-EXTRUDED PVC					
BL/	white	☐	95550	95500	95551
	euro/m				

ABS ACCESSORIES - PACK			8 pcs	4 pcs	4 pcs
OUTSIDE CORNER IN ABS					
GBL/ /E	silver		95574	95584	-
	white	☐	95556	95510	95552
	euro/pc				
INSIDE CORNER IN ABS					
GBL/ /I	silver		95576	95586	-
	white	☐	95557	95512	95553
	euro/pc				
TRIAXIAL CORNER IN ABS					
GBL/ /T	silver		-	95588	-
	white	☐	-	95511	95554
	euro/pc		-		
RIGHT-LEFT END CAPS IN ABS					
GBL/ /C	silver		95578	95590	-
	white	☐	95558	95513	95555
	euro/pc				

no partial packaging - article GBL/ /C pack of 16 pcs (20x20) and 8 pcs (40x40 and 50x50)






accessories in ABS

Complete the article code with L measure (for example BLA/ for L= 20 becomes BLA/20)

Proround B in stainless steel are perimetral connection profiles to be used between floors and walls, specially designed for the application on already-laid surfaces. These profiles are the best solution for renovations and to be compliant with health and sanitary regulations. Stainless steel is particularly resistant to the attack of organic and inorganic agents and, therefore, it is suitable in spaces such as hospitals, food and chemical industries.



BI/40 stainless steel AISI 304 DIN 1.4301



BI/40
BI/40/A

PROROUND B

length = 270 cm - pack 20 pcs			LxL
ART.	**finishing**		**40x40**
STAINLESS STEEL			
BI/40	stainless steel AISI 304 DIN 1.4301		94992
	euro/m		
BI/40/A adhesive	stainless steel AISI 304 DIN 1.4301		94993
	euro/m		

ACCESSORIES IN POLISHED STEEL-EFFECT ABS - PACK 4 PCS			
OUTSIDE CORNER IN ABS			
GTL/E	polished steel effect		95515
	euro/pc		
INSIDE CORNER IN ABS			
GTL/I	polished steel effect		95517
	euro/pc		
TRIAXIAL CORNER IN ABS			
GTL/T	polished steel effect		95516
	euro/pc		
RIGHT-LEFT END CAPS IN ABS			
GTL/C	polished steel effect		95518
	euro/pc		

no partial packaging



outside corner triaxial corner



inside corner rh-lh end caps





linear shower drains and systems for bathrooms

Profilpas offers a wide range of solutions for bathrooms which combine functionality and modern design. In particular, Profilpas bathroom systems allow the creation of floor-level showers, with a wide selection of linear shower drains - like PP Drain Aqua, PP Drain Varioguard, Thin Drain, Slim Drain and Smart Drain, all customizable with different grates - and Q-Drain, available in several models. Profilpas bathroom range also includes Glass Profile, a line of profiles for the insertion of glass walls and the finishing of the shower surface, designed to compensate the 2% slope.

PP Drain Aqua

PPdrain | Aqua

The linear shower drains PP Drain Aqua, made of stainless steel AISI 316 DIN 1.4401 and provided with a patented removable siphon in antibacterial ABS, are a perfect synthesis of beauty and practicality. Profilpas has taken care of every aspect of their design, production and quality control, to offer a product that is always efficient and aesthetically perfect.

The linear shower drains PP Drain Aqua, composed of a single piece without welds, distinguish for their design and functionality that make them elegant, simple to install and easy to clean. Each part of the shower drain is studied in detail, to contain in few components all that is needed to guarantee the maximum ease of installation and maintenance.

Aesthetics

Elegant and exclusive design, customisable with a wide range of covers and finishes.

Removable siphon

The siphon is simple to remove and can be easily inspected, for the maximum efficiency.

Ease of installation

The assembly and the adjustment of the shower drain are simplified, for a simple and quick installation.


Cleanliness and hygiene

The removable siphon in antibacterial ABS simplifies the maintenance and allows a quick and efficient cleanliness.



PP Drain Aqua

The essentiality of the linear shape of the shower drain, combined to the beauty of the multiple finishes, allows to offer an aesthetically perfect solution, able to adapt to any kind of design and to any material (porcelain stoneware, marble, mosaic, natural stone...).





PP Drain Aqua

With PP Drain Aqua linear shower drains, maintenance and cleaning are fully simplified. The siphon, made of antibacterial ABS, can be removed and inspected completely. Furthermore, the AISI 316 stainless steel shower drain base is composed of a single piece without welds and sharp edges for the best hygiene and efficience. Studied to minimize installation times, they are equipped with a pre-glued waterproofing membrane, supports from 6 to 18 mm for the height adjustment of the covers and bases in polystyrene foam.



PP Drain Aqua



pp drain aqua PP/



pp drain aqua PP50/



pp drain aqua PP360/

PP DRAIN AQUA - shower drain base with siphon

			L					
ART.	**finishing**		**60 cm**	**70 cm**	**80 cm**	**90 cm**	**100 cm**	**120 cm**
STAINLESS STEEL								
PP/	stainless steel AISI 316 DIN 1.4401 ***euro/pc***		22100	22101	22102	22103	22104	22105

PP DRAIN AQUA - shower drain base with direct drainage diam. 50 mm (without siphon)

			L					
ART.	**finishing**		**60 cm**	**70 cm**	**80 cm**	**90 cm**	**100 cm**	**120 cm**
STAINLESS STEEL								
PP50/	stainless steel AISI 316 DIN 1.4401 ***euro/pc***		22106	22107	22108	22109	22110	22111

Shower drain base with direct drainage diam. 40 mm available upon request.

PP DRAIN AQUA 360 - shower drain base with 360° swivelling siphon

			L					
ART.	**finishing**		**60 cm**	**70 cm**	**80 cm**	**90 cm**	**100 cm**	**120 cm**
STAINLESS STEEL								
PP360/	stainless steel AISI 316 DIN 1.4401 ***euro/pc***		22180	22181	22182	22183	22184	22185

cover [1]

frame [2]

ABS supports

hair catcher filter

removable top in antibacterial ABS


removable siphon in antibacterial ABS

waterproofing membrane

single-piece base in stainless steel AISI 316

base in polystyrene

drain in antibacterial ABS



1 Different types of cover available.
2 The frame is present in Classic Cover model. The other covers are not equipped with frame.

Complete the article code with L measure (for example PP/ for L = 70 becomes PP/70)

PP Drain Aqua

Classic Cover, in polished or brushed stainless steel AISI 316 DIN 1.4401, is available in different lengths (from 60 to 120 cm). It includes the frame and the adjustment supports from 6 to 18 mm, and it is reversible: if turned upside down, it becomes tileable (up to 12 mm), thus creating aesthetic continuity with the bathroom covering.



PP Drain Aqua - Classic Cover polished stainless steel AISI 316 - DIN 1.4401



Classic Cover



Classic Cover tileable

CLASSIC COVER - tiles thickness from 6 to 18 mm

			L					
ART.	**finishing**		**60 cm**	**70 cm**	**80 cm**	**90 cm**	**100 cm**	**120 cm**
STAINLESS STEEL								
XPC/	polished stainless steel AISI 316 DIN 1.4401		22112	22113	22114	22115	22116	22117
	brushed stainless steel AISI 316 DIN 1.4401		22118	22119	22120	22121	22122	22123
	euro/pc							

Classic Cover is reversible, if turned upside down it becomes tileable (with a thickness up to 12 mm).



Classic Cover brushed stainless steel AISI 316 DIN 1.4401



PP Drain Aqua - Design Cover brushed stainless steel AISI 316 DIN 1.4401

Complete the article code with L measure (for example XPC/ for L = 70 becomes XPC/70)

PP Drain Aqua


Flat Cover, available in several finishes and different lengths (from 60 to 120 cm), stands out for the perfectly flat and linear design. It is provided with adjustment supports that allow it to be adapted to tiles with thickness from 6 to 18 mm.



PP Drain Aqua - Flat Cover matt black colour-coated aluminium



Flat Cover aluminium



Flat Cover aluminium + stainless steel



Flat Cover brushed stainless steel

FLAT COVER - tiles thickness from 6 to 18 mm

			L					
ART.	**finishing**		**60 cm**	**70 cm**	**80 cm**	**90 cm**	**100 cm**	**120 cm**
ALUMINIUM + STAINLESS STEEL								
XPF/	polished stainless steel AISI 316 DIN 1.4401		22136	22137	22138	22139	22140	22141
	brushed stainless steel AISI 316 DIN 1.4401		22142	22143	22144	22145	22146	22147
	euro/pc							
COLOUR-COATED ALUMINIUM								
XPF/	matt white		22148	22149	22150	22151	22152	-
	matt black		22154	22155	22156	22157	22158	-
	euro/pc							-
ALUMINIUM + STAINLESS STEEL								
XPF/	polished nickel		22226	22227	22228	22229	22230	-
	brushed nickel		22231	22232	22233	22234	22235	-
	polished pink gold		22236	22237	22238	22239	22240	-
	euro/pc							-
	polished graphite		22241	22242	22243	22244	22245	-
	brushed graphite		22246	22247	22248	22249	22250	-
	euro/pc							
	polished gold		22251	22252	22253	22254	22255	-
	brushed gold		22256	22257	22258	22259	22260	-
	euro/pc							-



Flat Cover


Complete the article code with L measure
(for example XPF/ for L = 70 becomes XPF/70)

PP Drain Aqua

Design Cover stands out for the absolute elegance of its design and for the central drain. In polished or brushed stainless steel AISI 316, it is available in different lengths, from 60 to 120 cm.



PP Drain Aqua - Design Cover brushed stainless steel AISI 316 DIN 1.4401



Design Cover



Design Cover

DESIGN COVER - tiles thickness from 6 to 18 mm

			L					
ART.	**finishing**		**60 cm**	**70 cm**	**80 cm**	**90 cm**	**100 cm**	**120 cm**
STAINLESS STEEL								
XPD/	polished stainless steel AISI 316 DIN 1.4401		22214	22215	22216	22217	22218	22219
	brushed stainless steel AISI 316 DIN 1.4401		22220	22221	22222	22223	22224	22225
	euro/pc							

With Invisible Cover, the shower tray and the linear shower drain become as one and blend perfectly with the bathroom covering. In natural aluminium and different lengths (from 60 to 120 cm), it disappears under the tile for a completely invisible aesthetic effect.



PP Drain Aqua - Invisible Cover



Invisible Cover



Invisible Cover

INVISIBLE COVER

			L					
ART.	**finishing**		**60 cm**	**70 cm**	**80 cm**	**90 cm**	**100 cm**	**120 cm**
ALUMINIUM								
XPI/	natural aluminium		22130	22131	22132	22133	22134	22135
	euro/pc							

Complete the article code with L measure
(for example XPD/ for L = 70 becomes XPD/70)


PP Drain Varioguard

PP drain | varioguard

PP Drain Varioguard is a floor-level shower drain made of AISI 304 stainless steel. Adjustable in both length and height, this drain offers maximum flexibility, meeting any technical and aesthetic requirement. It is also easy to clean thanks to the removable siphon.

PP Drain Varioguard is an extremely practical and versatile linear drain, adaptable to any installation method. From start to finish, this product adapts flexibly to different situations. Furthermore, everything you need is included in the package.

Adjustable length




The linear drain can be cut to lengths ranging from 120 to 30 cm, adapting perfectly to any shower space.

360° rotatable




The drain body can be rotated 360°, ensuring perfect adaptation to the drainage system.

Flexible height



The height of the linear drain can be adjusted from 60 to 150 mm, allowing for perfect installation on any type of substrate.

Adaptable positioning



The position of the linear drain can be adjusted before final installation.



PP Drain Varioguard


The system consists of:
- ✔ linear shower drain with cover 68x1200 mm in stainless steel AISI 304 - DIN 1.4301;
- ✔ cover removal tool;
- ✔ immersion pipe H 50 mm, can be cut to size, in PP;
- ✔ siphon H 50 mm, 40 mm, 25 mm in PP;
- ✔ extension element in PP with integrated membrane;
- ✔ drain body with PP drain connection (adjustable by 8°);

Everything needed for installation is included in the package (marker pen and cutting aid).



PP DRAIN VARIOGUARD

ART.	finishing	120 cm
STAINLESS STEEL		
PPVG/120	brushed stainless steel AISI 304 DIN 1.4301	22190
	euro/pc	



thin drain



thindrain

Thin Drain is a line of flush with the floor shower drains for a quick and easy installation, which allows to customize the shower with any kind of covering. Thanks to the syphon with low thickness and the height of the shower drain of just 55 mm, they are particularly suitable for refurbishments or in spaces where lightness and versatility are the main features.

ADVANTAGES

- ✔ Installation flush with the floor (it eliminates architectural barriers)
- ✔ Possibility of installation close to the wall
- ✔ Height of the shower drain of 55 mm (laying surface)
- ✔ Suitable for tiles with thickness up to 12 mm
- ✔ Possibility of laying tiles with thickness up to 12 mm with Tile Cover
- ✔ Drain with minimum flow rate 24 l/min (EN 1253-1)
- ✔ Supports for quick installation
- ✔ Integrated waterproof membrane to reduce the risk of seepages
- ✔ Possibility of inspection of the syphon for periodic cleaning
- ✔ Filter for cleaning/hair
- ✔ Quick installation
- ✔ Drain adapter from 4 to 50 mm included




classic cover - polished stainless steel AISI 304 - DIN 1.4301



classic cover - brushed stainless steel AISI 304 - DIN 1.4301



cube cover - brushed stainless steel AISI 304 - DIN 1.4301



single line cover - polished stainless steel AISI 304 - DIN 1.4301



THIN DRAIN - BASE - pack 10 pcs

ART.	finishing	60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL							
THIN/	stainless steel AISI 304 DIN 1.4301	19400	19401	19402	19403	19404	19405
	euro/pc						



CLASSIC COVER - pack 10 pcs

ART.	finishing	60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL							
XTC/	brushed stainless steel AISI 304 DIN 1.4301	19410	19412	19414	19416	19418	19420
	polished stainless steel AISI 304 DIN 1.4301	19411	19413	19415	19417	19419	19421
	euro/pc						



CUBE COVER - pack 10 pcs

ART.	finishing	60 cm	70 cm	80 cm	90 cm
STAINLESS STEEL					
XTCC/	brushed stainless steel AISI 304 DIN 1.4301	19430	19431	19432	19433
	euro/pc				




SINGLE LINE COVER - pack 10 pcs


ART.	finishing	60 cm	70 cm	80 cm	90 cm
XTL/	polished stainless steel AISI 304 DIN 1.4301	19440	19441	19442	19443
	euro/pc				





TILE COVER - pack 10 pcs

ART.	finishing	60 cm	70 cm	80 cm	90 cm
XTT/	stainless steel AISI 304 DIN 1.4301	19450	19451	19452	19453
	euro/pc				











slimdrain

Slim Drain is a line of flush with the floor shower drains for a quick and easy installation, which allows to customize the shower with any kind of covering and any tile thickness by choosing Slim Drain Invisible. Thanks to the syphon with low thickness and the height of the shower drain of just 65 mm, they are particularly suitable for refurbishments or in spaces where lightness and versatility are the main features.

ADVANTAGES

- ✔ Installation flush with the floor (it eliminates architectural barriers)
- ✔ Possibility of installation close to the wall
- ✔ Height of the shower drain of 65 mm (laying surface)
- ✔ Suitable for any tile thickness (Slim Invisible version)
- ✔ Adjustable frame (thickness 7-12,5 mm), Slim Invisible excluded
- ✔ Drain with minimum flow rate 24 l/min (EN 1253-1)
- ✔ Integrated adjusting supports for an easy levelling
- ✔ Integrated waterproof membrane to reduce the risk of seepages
- ✔ Possibility of inspection of the syphon for periodic cleaning
- ✔ Filter for cleaning/hair
- ✔ Quick installation
- ✔ Drain adapter from 40 to 50 mm included




classic cover - polished stainless steel AISI 304 DIN 1.4301



classic cover - brushed stainless steel AISI 304 DIN 1.4301



cube cover - brushed stainless steel AISI 304 DIN 1.4301



single line cover - polished stainless steel AISI 304 DIN 1.4301



slim invisible - stainless steel AISI 304 DIN 1.4301

SLIM DRAIN - BASE - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL								
SLIM/	stainless steel AISI 304 DIN 1.4301		19504	19506	19508	19510	19512	19514
	euro/pc							



CLASSIC COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL								
XSC/	brushed stainless steel AISI 304 DIN 1.4301		19524	19526	19528	19530	19532	19534
	polished stainless steel AISI 304 DIN 1.4301		19523	19525	19527	19529	19531	19533
	euro/pc							



CUBE COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm
STAINLESS STEEL						
XSCC/	brushed stainless steel AISI 304 DIN 1.4301		19544	19546	19548	19550
	euro/pc					



SINGLE LINE COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm
XSL/	polished stainless steel AISI 304 DIN 1.4301		19563	19565	19567	19569
	euro/pc					



SLIM INVISIBLE - BASE + COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm
SLIM-I/	stainless steel AISI 304 DIN 1.4301		19505	19507	19509	19511
	euro/pc					

Slim Invisible does not include the adjustable frame





smartdrain

Smart Drain is a line of flush with the floor shower drains for a quick and easy installation, which allows to customize the shower with any kind of covering and any tile thickness by choosing Smart Drain Invisible. With high aesthetic level, varied sizes available and the height of the shower drain of 75 mm, they are particularly suitable for large size of tiles in every space.

ADVANTAGES

- ✔ Installation flush with the floor (it eliminates architectural barriers)
- ✔ Possibility of installation close to the wall
- ✔ Height of the shower drain of 75 mm (laying surface)
- ✔ Suitable for tiles with every tiles thickness (Smart Invisible version)
- ✔ Adjustable frame (thickness 7-12,5 mm), excluded Smart Invisible
- ✔ Orientable siphoned body
- ✔ Drain with minimum flow rate 24 l/min (EN 1253-1)
- ✔ Integrated regular supports for a simple set - aside at the same level
- ✔ Integrated waterproof membrane to reduce the risk of seepages
- ✔ Suitable Inox stain steel AISI 316 - DIN 1.4401 version
- ✔ 180° Ruotatable classic cover for tiles (maximum thickness 10 mm)
- ✔ Possibility of inspection of the syphon for periodic cleaning
- ✔ Filter for cleaning/hair
- ✔ Quick installation



classic cover - polished stainless steel AISI 304 DIN 1.4301



classic cover - brushed stainless steel AISI 304 DIN 1.4301




cube cover - brushed stainless steel AISI 304 DIN 1.4301



double line cover - polished stainless steel AISI 304 DIN 1.4301



smart invisible - stainless steel AISI 304 DIN 1.4301



SMART DRAIN - BASE - pack 10 pcs

ART.	finishing	70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL							
SMART/	stainless steel AISI 304 DIN 1.4301	19704	19706	19708	19710	19712	19714
	euro/pc						
SMART3/	stainless steel AISI 316 DIN 1.4401	19715	19716	19717	19718	-	-
	euro/pc					-	-

CLASSIC COVER - pack 10 pcs

ART.	finishing	70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL							
XLC/	brushed stainless steel AISI 304 DIN 1.4301	19724	19726	19728	19730	19732	19734
	polished stainless steel AISI 304 DIN 1.4301	19723	19725	19727	19729	19731	19733
	euro/pc						
XLC3/	brushed stainless steel AISI 316 DIN 1.4401	19741	19742	19743	19744	-	-
	euro/pc					-	-

CUBE COVER - pack 10 pcs

ART.	finishing	70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL							
XLCC/	brushed stainless steel AISI 304 DIN 1.4301	19764	19766	19768	19770	19772	19774
	euro/pc						

DOUBLE LINE COVER - pack 10 pcs


ART.	finishing	70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL							
XLL/	polished stainless steel AISI 304 DIN 1.4301	19783	19785	19787	19789	19791	19793
	euro/pc						

SMART INVISIBLE - BASE + COVER - pack 10 pcs

ART.	finishing	70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL							
SMART-I/	stainless steel AISI 304 DIN 1.4301	19703	19705	19707	19709	19711	19713
	euro/pc						

Smart Invisible does not include the adjustable frame

All Smart shower drains and covers are available until stock is depleted.



Q drain



q-drain

Q-Drain is a line of point drainages for flush with the floor showers which are quick and easy to install and allow to customize the shower with any kind of covering. Provided with insulating flange and with a height of 72/78 mm, they are the ideal solution for traditional showers flush with the floor.

ADVANTAGES

- ✔ Installation flush with the floor (it eliminates architectural barriers)
- ✔ Height of the point drainage of 72/78 mm (laying surface)
- ✔ Directable syphon
- ✔ Drain with minimum flow rate 24 l/min (EN 1253-1)
- ✔ Integrated waterproof membrane to reduce the risk of seepages
- ✔ Possibility of laying tiles with thickness up to 10 mm with Q Drain Tile
- ✔ Possibility of inspection of the syphon for periodic cleaning
- ✔ Filter for cleaning/hair
- ✔ Quick installation



Q Drain Cube



Q Drain Line









Q DRAIN CLASSIC - pack 10 pcs

ART.	finishing	10x10 cm
STAINLESS STEEL		**floor thickness of 12,5 mm**
QDC/1010	brushed stainless steel AISI 304 DIN 1.4301	19850
	polished stainless steel AISI 304 DIN 1.4301	19851
	euro/pc	

Q DRAIN CUBE - pack 10 pcs


ART.	finishing	10x10 cm
STAINLESS STEEL		**floor thickness of 12,5 mm**
QDCC/1010	brushed stainless steel AISI 304 DIN 1.4301	19852
	polished stainless steel AISI 304 DIN 1.4301	19853
	euro/pc	


Q DRAIN LINE - pack 10 pcs


ART.	finishing	10x10 cm
STAINLESS STEEL		**floor thickness of 12,5 mm**
QDL/1010	brushed stainless steel AISI 304 DIN 1.4301	19854
	polished stainless steel AISI 304 DIN 1.4301	19855
	euro/pc	

Q DRAIN TILE - pack 10 pcs

ART.	finishing	10x10 cm
STAINLESS STEEL		**floor thickness of 10 mm**
QDI/1010	stainless steel AISI 304 DIN 1.4301	19856
	euro/pc	







Glass Profile

The floor-level shower is a trendy and design element that represents a real opportunity for designing bathrooms of every dimension, highlighting their practicality and beauty. Removing the traditional shower tray, the floor-level shower can be made with the same covering of the bathroom, thus creating a uniform and elegant surface. Moreover, the absence of architectural barriers makes the access easier for children, elderly people or disabled.

Profilpas offers a series of integrated solutions for floor-level showers: a system of linear floor-level drains in stainless steel, with the possibility of also opting for the invisible version, thus creating a whole with the shower ceramic covering, which is completed by a wide range of stainless steel profiles for the insertion of glass walls and for finishing the sloping surface.






glass profile


Glass Profile is a line of stainless steel profiles designed to cover the difference in height of the surface with 2% slope and create a coplanar surface with a modern and linear design. The range includes two finishes: brushed stainless steel and matt black colour coated stainless steel. The versatility of these two colours become guarantee of elegance, assuring a minimalist and trendy effect.












glass profile


Glass Profile GPS1/ is a stainless steel profile for the insertion of glass walls of floor-level showers. GPS1/ is provided with a 2% slope on the shower inner side for a perfect aesthetic solution of the sloped surface.
On completion of the profile, there is GPS/6, the end cap for hiding the section of the glass wall.



GPS1/DX/19 brushed stainless steel AISI 304 DIN 1.4301



GPS1/DX/19




GPS1/SX/19

GLASS PROFILE

pack 5 pcs

ART.		GPS1/ /19							
		DX	SX	DX	SX	DX	SX	DX	SX
length cm		98		120		148		200	
H2 mm		34		37		42		60	
STAINLESS STEEL									
brushed stainless steel AISI 304 DIN 1.4301		31505	31507	31515	31517	31525	31527	31535	31537
euro/pc									
MATT BLACK COLOUR-COATED STAINLESS STEEL									
matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		31506	31508	31516	31518	31526	31528	-	-
euro/pc								-	-

individually packed



GPS/6

GLASS PROFILE - END CAP FOR GPS1/ /19

pack 5 pcs

ART.		GPS/6
STAINLESS STEEL		
brushed stainless steel AISI 304 DIN 1.4301		31564
euro/pc		
MATT BLACK COLOUR-COATED STAINLESS STEEL		
matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		31566
euro/pc		

no partial packaging



transparent pvc glass gasket

TRANSPARENT PVC GLASS GASKET

pack 5 mt

ART.	measuresf	
GG/2	thickness 2 mm	31590
	euro/pack	
GG/3	thickness 3 mm	31592
	euro/pack	
GG/4	thickness 4 mm	31594
	euro/pack	

no partial packaging

For 8 mm thick glass, we recommend GG/2 on both sides.
For 10 mm thick glass, we recommend GG/3 on the inside of the shower.


Complete the article code with DX and SX (DX = RH and SX = LH) - for example GPS1/ /19 RH becomes GPS1/DX/19.

glass profile

Glass Profile GPS2/ and GPS14/12 are two stainless steel profiles for inserting glass walls on the wall covering. GPS2/ is simple to install, is suitable for tiles of any thickness and does not require drilling. GPS/6 is the end cap to complete the profile, to hide the visible section of the glass wall. GPS14/12 can be fixed directly onto the already-laid wall covering.



GPS2/19 brushed stainless steel AISI 304 DIN 1.4301



GPS2/

GLASS PROFILE


length = 210 cm - pack 5 pcs			H	
ART.	**finishing**	**10**	**12,5**	**19**
STAINLESS STEEL				
GPS2/	brushed stainless steel AISI 304 DIN 1.4301	31541	31542	31543
	euro/pc			
MATT BLACK COLOUR-COATED STAINLESS STEEL				
GPS2/	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301	31546	31547	31545
	euro/pc			

individually packed

GLASS PROFILE

length = 250 cm - pack 5 pcs			H	
ART.	**finishing**	**10**	**12,5**	**19**
STAINLESS STEEL				
GPS2/	brushed stainless steel AISI 304 DIN 1.4301	31548	31549	31544
	euro/pc			

individually packed




GPS/6

GLASS PROFILE - END CAP FOR GPS2/19

pack 5 pcs		
ART.		**GPS/6**
STAINLESS STEEL		
brushed stainless steel AISI 304 DIN 1.4301		31564
euro/pc		
MATT BLACK COLOUR-COATED STAINLESS STEEL		
matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		31566
euro/pc		

no partial packaging



GPS14/12

GLASS PROFILE


pack 5 pcs		
ART.	**GPS14/12**	
STAINLESS STEEL		
length cm	210	250
brushed stainless steel AISI 304 DIN 1.4301	32000	32001
euro/pc		

individually packed


Complete the article code with H measure
(for example GPS2/ for H=10 becomes GPS2/10).

glass profile


Glass Profile GPS3/ is a stainless steel profile provided with a 2% slope on the shower inner side for a perfect aesthetic solution of the sides of the sloped surface.



GPS3/SX/10 brushed stainless steel AISI 304 DIN 1.4301



GPS3/DX/



GPS3/SX/

GLASS PROFILE

length = 98 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS3/ /10	brushed stainless steel AISI 304 DIN 1.4301		10	25	31615	31617
	euro/pc					
GPS3/ /11	brushed stainless steel AISI 304 DIN 1.4301		11	26	31619	31620
	euro/pc					
GPS3/ /12	brushed stainless steel AISI 304 DIN 1.4301		12,5	27,5	31625	31627
	euro/pc					
MATT BLACK COLOUR-COATED STAINLESS STEEL						
GPS3/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		10	25	31616	31618
	euro/pc					
GPS3/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		11	26	31629	31630
	euro/pc					
GPS3/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		12,5	27,5	31626	31628
	euro/pc					

individually packed

GLASS PROFILE

length = 120 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS3/ /10	brushed stainless steel AISI 304 DIN 1.4301		10	28	31645	31647
	euro/pc					
GPS3/ /11	brushed stainless steel AISI 304 DIN 1.4301		11	29	31649	31650
	euro/pc					
GPS3/ /12	brushed stainless steel AISI 304 DIN 1.4301		12,5	30,5	31655	31657
	euro/pc					
MATT BLACK COLOUR-COATED STAINLESS STEEL						
GPS3/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		10	28	31646	31648
	euro/pc					
GPS3/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		11	29	31652	31654
	euro/pc					
GPS3/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		12,5	30,5	31656	31658
	euro/pc					

individually packed

GPS3/ is also available in 8 mm height on request, with a minimum order of 30 pcs.

Complete the article code with DX and SX (DX = RH and SX = LH) - for example GPS3/ /10 RH becomes GPS3/DX/10)

GLASS PROFILE

length = 148 cm - pack 5 pcs

ART.	finishing	H	H2	DX	SX
STAINLESS STEEL					
GPS3/ /10	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	10	33	31675	31677
GPS3/ /11	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	11	34	31679	31680
GPS3/ /12	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	12,5	35,5	31685	31687
MATT BLACK COLOUR-COATED STAINLESS STEEL					
GPS3/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 ***euro/pc***	10	33	31676	31678
GPS3/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 ***euro/pc***	11	34	31682	31684
GPS3/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 ***euro/pc***	12,5	35,5	31686	31688

individually packed

GLASS PROFILE

length = 200 cm - pack 5 pcs

ART.	finishing	H	H2	DX	SX
STAINLESS STEEL					
GPS3/ /10	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	10	51	31694	31695
GPS3/ /11	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	11	52	31709	31710
GPS3/ /12	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	12,5	53,5	31698	31699

individually packed




GPS3/DX/10 matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301

glass profile


Glass Profile GPS4/ is a stainless steel profile provided with a 2% slope on the shower inner side. It connects the sloped floor and the covering perfectly, thus avoiding the oblique cut of the tiles.



GPS4/DX/10 matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301



GPS4/DX/



GPS4/SX/

GLASS PROFILE

length = 98 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS4/ /10	brushed stainless steel AISI 304 DIN 1.4301		10	23	31715	31717
	euro/pc					
GPS4/ /11	brushed stainless steel AISI 304 DIN 1.4301		11	23	31716	31718
	euro/pc					
GPS4/ /12	brushed stainless steel AISI 304 DIN 1.4301		12,5	23	31725	31727
	euro/pc					
MATT BLACK COLOUR-COATED STAINLESS STEEL						
GPS4/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		10	23	31719	31720
	euro/pc					
GPS4/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		11	23	31722	31724
	euro/pc					
GPS4/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		12,5	23	31726	31728
	euro/pc					

individually packed

GLASS PROFILE

length = 120 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS4/ /10	brushed stainless steel AISI 304 DIN 1.4301		10	26	31745	31747
	euro/pc					
GPS4/ /11	brushed stainless steel AISI 304 DIN 1.4301		11	26	31746	31748
	euro/pc					
GPS4/ /12	brushed stainless steel AISI 304 DIN 1.4301		12,5	26	31755	31757
	euro/pc					

GPS4/ is also available in 8 mm height on request, with a minimum order of 30 pcs.

Completare codice articolo con DX e SX
(for example GPS4/ /8 DX becomes GPS4/DX/8)

MATT BLACK COLOUR-COATED STAINLESS STEEL						
GPS4/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 ***euro/pc***		10	26	31749	31750
GPS4/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 ***euro/pc***		11	26	31752	31754
GPS4/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 ***euro/pc***		12,5	26	31756	31758

individually packed

GLASS PROFILE

length = 148 cm - pack 5 pcs

ART.	finishing	H	H2	DX	SX
STAINLESS STEEL					
GPS4/ /10	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	10	31	31775	31777
GPS4/ /11	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	11	31	31776	31778
GPS4/ /12	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	12,5	31	31785	31787
MATT BLACK COLOUR-COATED STAINLESS STEEL					
GPS4/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 ***euro/pc***	10	31	31779	31780
GPS4/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 ***euro/pc***	11	31	31782	31784
GPS4/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 ***euro/pc***	12,5	31	31786	31800


individually packed

GLASS PROFILE

length = 200 cm - pack 5 pcs

ART.	finishing	H	H2	DX	SX
STAINLESS STEEL					
GPS4/ /10	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	10	49	31794	31795
GPS4/ /11	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	11	49	31806	31808
GPS4/ /12	brushed stainless steel AISI 304 DIN 1.4301 ***euro/pc***	12,5	49	31798	31799


individually packed




GPS4/SX/10 brushed stainless steel AISI 304 DIN 1.4301

glass profile

Glass Profile GPS5/ is a stainless steel profile to be positioned on the wall covering, above the shower drain with sloped surface, in order to avoid the cut of the tiles. GPS5/ allows you to complete the look of the floor-level shower perimeter.



GPS5/ brushed stainless steel AISI 304 DIN 1.4301



GPS5/

GLASS PROFILE

length = 125 cm - pack 5 pcs

ART.	finishing		H	H2		
STAINLESS STEEL				**23**	**33**	**45**
GPS5/10/	brushed stainless steel AISI 304 DIN 1.4301		10	31551	31553	31559
	euro/pc					
GPS5/11/	brushed stainless steel AISI 304 DIN 1.4301		11	31563	31572	-
	euro/pc					-
GPS5/12/	brushed stainless steel AISI 304 DIN 1.4301		12,5	31555	31557	31561
	euro/pc					
MATT BLACK COLOUR-COATED STAINLESS STEEL						
GPS5/10/	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		10	31567	31568	-
	euro/pc					-
GPS5/11/	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		11	31570	31571	-
	euro/pc					-
GPS5/12/	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		12,5	31573	31574	-
	euro/pc					-

individually packed



GPS5/ matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301

GPS5/ is also available in 8 mm height on request, with a minimum order of 30 pcs.


Complete the article code with H2 measure (for example GPS5/10/ for H2 = 23 becomes GPS5/10/23).

glass profile

GU/ and TGU/ are anodised aluminium profiles suitable for the insertion of glass walls on the floor and on the wall of floor-level showers.



GU/40/12 + TGU/12 silver anodised aluminium




TGU/

GLASS PROFILE

length = 270 cm - pack 10 pcs			L	
ART.	**finishing**		**12**	**14**
ALUMINIUM				
TGU/	silver anodised		67760	67762
	euro/m			

individually packed




GU/30/

GLASS PROFILE

length = 270 cm - pack 10 pcs			L	
ART.	**finishing**		**12**	**14**
ALUMINIUM				
GU/30/	silver anodised		67770	67772
	euro/m			
GU/40/	silver anodised		67780	67782
	euro/m			

individually packed



GU/40/

Complete the article code with L measure (for example GU/30/ for L = 12 becomes GU/30/12)

sanibord


Sanibord BP/22 and BP/25 are technical profiles in coextruded PVC to be installed between the covering and the bath tub or shower tray during the laying. These profiles allow to avoid the use of silicone and, besides the aesthetic advantages, guarantee a high hygienic level over time.



BP/22



BP/25




BP/22

SANIBORD

length = 270 cm - pack 20 pcs			
ART.	**finishing**		
CO-EXTRUDED PVC			
BP/22	anti-mould white	☐	95520
	euro/m		

no partial packaging




BPT/22

INSIDE CORNER AND RIGHT/LEFT END CAPS FOR BP/22

pack 6 blister			
ART.	**finishing**		
ABS			
BPT/22	white	☐	95530
	euro/blister		

no partial packaging




BP/25

SANIBORD

length = 270 cm - pack 20 pcs			
ART.	**finishing**		
CO-EXTRUDED PVC			
BP/25	anti-mould white	☐	95540
	euro/m		

no partial packaging



BPT/25

INSIDE CORNER AND RIGHT/LEFT END CAPS FOR BP/25

pack 6 blister			
ART.	**finishing**		
ABS			
BPT/25	white	☐	95545
	euro/blister		

no partial packaging

KIT: 1 PC OF 180 CM + 2 PCS OF 90 CM + 2 INSIDE CORNERS AND RIGHT/LEFT END CAPS


pack 10 pcs			
ART.	**finishing**		
CO-EXTRUDED PVC			
BPK/25	anti-mould white	☐	95494
	euro/kit		

no partial packaging


Sanibord BH/20 and BP/20 are technical profiles in colour-coated aluminium or coextruded PVC to be installed between the wall and the bath tub or the shower tray. These profiles allow to avoid the use of silicone and, besides the aesthetic advantages, guarantee a high hygienic level over time.
BH/20 in colour-coated aluminium is provided with the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which allows to reduce the presence of the most dangerous bacteria up to 99%.




BP/20 anti-mould white co-extruded PVC



BH/20



BP/20



BPT/20

SANIBORD

length = 270 cm - pack 20 pcs

ART.	finishing		
ANTIBACTERIAL COLOUR-COATED ALUMINIUM			
BH/20	colour-coated white antibacterial RAL 9003 ***euro/m***	☐	95459
BH/20/A adhesive	colour-coated white antibacterial RAL 9003 ***euro/m***	☐	95460

individually packed

SANIBORD

length = 270 cm - pack 20 pcs

ART.	finishing		
CO-EXTRUDED PVC			
BP/20	anti-mould white ***euro/m***	☐	95490
BP/20/A adhesive	anti-mould white ***euro/m***	☐	95470

no partial packaging

INSIDE CORNER, OUTSIDE CORNER, RIGHT/LEFT END CAPS FOR BH/20 AND BP/20

pack 6 blister

ART.	finishing		
ABS			
BPT/20	white ***euro/blister***	☐	95480

no partial packaging

KIT: 1 PC OF 180 CM + 2 PCS OF 90 CM + 2 INSIDE CORNERS AND RIGHT/LEFT END CAPS

pack 10 pcs

ART.	finishing		
CO-EXTRUDED PVC			
BPK/20	anti-mould white ***euro/kit***	☐	95544

no partial packaging

RECOMMENDED ADHESIVE

ART.			
MAPEFLEX MS 45	white	☐	6PB010043
MAPEFLEX MS 55	white	☐	6PV010043

For further information, please visit mapei.com.





profiles for floors of same height


The range of profiles is designed to combine different materials with elegance and simplicity. The coupling of different materials thus becomes interior style and not visual limit.

cerfix® proangle

Proangle is a line of profiles to finish, protect and decorate floors of same level in ceramic, marble, granite, wood or other glued materials. It is also ideal as separation and decoration joint between floors made of different materials, as finishing and protection element for the edges of steps, platforms and worktops and as perimeter profile for the shaping of dirt barriers.
Proangle B in natural aluminium is particularly suitable where it is necessary to proceed to polishing of marble, resin and wood surfaces.



Al/10 stainless steel AISI 304 DIN 1.4301




ZG/
ZA/
ZN/
ZK/

PROANGLE

length = 270 cm - pack 20 pcs			H				
ART.	**finishing**		**2**	**2,5**	**3**	**4,5**	**6**
ALUMINIUM							
ZG/	natural aluminium		90207	90206	90208	90210	88159
	euro/m						
ZA/	silver anodised		90336	90337	90338	90340	88204
	euro/m						
BRASS							
ZN/	natural brass		-	-	90078	90080	88024
	euro/m		-	-			
ZK/	chromium plated		-	-	-	90081	88114
	euro/m		-	-	-		

individually packed - ZA/ H 10 and ZG/ H 8 - 10 - 12 are available in length of 90 cm euro/m + art. ZN/22,5 pack 5 pcs



Al/
AIS/
AIX/

PROANGLE

length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**3**	**4,5**	**6**	**8**
STAINLESS STEEL						
Al/	stainless steel AISI 304 DIN 1.4301		91636	91638	91642	91644
	euro/m					
AIS/	brushed stainless steel AISI 304 - DIN 1.4301		-	91671	91673	91674
	euro/m		-			
AIX/	stainless steel AISI 316 DIN 1.4401		-	-	91684	91685
	euro/m		-	-		

individually packed - Al/ H 10 is available in length of 90 cm euro/m +

Profiles PROANGLE sandblasted stainless steel finish see page 30

Complete the article code with H measure (for example ZG/ for H=10 becomes ZG/10)

Items AIX/ in other heights, on demand for minimun 540 meters for each height



ZG/10 natural aluminium



ZBG/10 natural aluminium




ZN/10 natural brass



ZK/10 brass chromium plated

H												
8	**9**	**10**	**11**	**12,5**	**14**	**15**	**17,5**	**20**	**22,5**	**25**	**27,5**	**30**
88160	88155	88161	88156	88162	88157	88163	88164	88165	88166	88167	-	-
											-	-
88205	88217	88206	88218	88207	-	88208	88209	88210	88211	88212	-	-
					-						-	-
88025	-	88026	88038	88027	-	88028	88029	88030	88031	-	-	-
	-				-					-	-	-
88115	-	88116	88118	88117	-	-	-	-	-	-	-	-
	-				-	-	-	-	-	-	-	-

H											
9	**10**	**11**	**12,5**	**14**	**15**	**17,5**	**20**	**22,5**	**25**	**27,5**	**30**
91645	91646	91647	91648	91649	91650	91652	91654	91656	91658	91660	91662
-	91675	91677	91676	-	91678	-	91679	-	-	-	-
-				-		-		-	-	-	-
-	91686	91688	91687	-	-	-	-	-	-	-	-
-				-	-	-	-	-	-	-	-



ZBG/

PROANGLE B

length = 270 cm - pack 20 pcs			H					
ART.	**finishing**		**8**	**10**	**12,5**	**15**	**20**	**22,5**
ALUMINIUM								
ZBG/	natural aluminium		90010	90012	90014	90016	90018	90020
	euro/m							

individually packed


Complete the article code with H measure (for example ZBG/ for H=10 becomes ZBG /10)

proflex line

Proangle is also available in the Flex version, specially studied for those situations where there is the need to curve the profile.
Proangle Flex can be curved by hand or through the specific tool Proflex Machine.



AIF/10 stainless steel AISI 304 DIN 14301




ZGF/
ZNF/


PROANGLE FLEX

length = 270 cm - pack 20 pcs			H						
ART.	**finishing**		**3**	**4,5**	**6**	**8**	**10**	**12,5**	**15**
ALUMINIUM									
ZGF/	natural aluminium		88720	88721	88722	88723	88724	88725	88726
	euro/m								
BRASS									
ZNF/	natural brass		88701	-	88703	88704	88705	88706	-
	euro/m			-					-
length = 270 cm - pack 10 pcs									
STAINLESS STEEL									
AIF/	stainless steel AISI 304 DIN 14301		-	-	91622	91623	91624	91625	-
	euro/m		-	-					-

Proangle Flex is available in other heights on request.



AIF/




ZBGF/

PROANGLE FLEX

length = 270 cm - pack 20 pcs			H					
ART.	**finishing**		**8**	**10**	**12,5**	**15**	**20**	**22,5**
ALUMINIUM								
ZBGF/	natural aluminium		90011	90013	90015	90017	90019	90021
	euro/m							

individually packed



PROFLEX MACHINE - hand machine to bend proflex line profiles, see page 262


Complete the article code with H measure
(for example ZGF/ for H=8 becomes ZGF/8)

cerfix® prodecor

Prodecor and Prodecor DJ are two lines of profiles for finishing and protecting floors of same level in ceramic, marble, granite, wood or other materials. They are also ideal as separation and decoration joints between floors made of different materials, as perimeter profiles for the shaping of doormats or as protection and finishing of platforms and ceramic steps.
The visible thickness makes the profile an elegant separation element perfectly integrated into the floor.



DJK/15 chromium-plated brass




DJG/
DJA/
DJN/
DJK/

PRODECOR DJ

length = 270 cm - pack 20 pcs			H				
ART.	**finishing**		**8**	**10**	**12,5**	**15**	**20**
ALUMINIUM							
DJG/	natural aluminium		95670	95672	95674	-	-
	euro/m					-	-
DJA/	silver anodised		95680	95682	95684	-	-
	euro/m					-	-
BRASS							
DJN/	natural brass		95690	95692	95694	95691	95693
	euro/m						
CHROMIUM-PLATED BRASS							
DJK/	chromium plated		95700	95702	95704	95703	95705
	euro/m						


individually packed - art. DJN/20 and DJK/20 pack 10 pcs



OUTSIDE AND INSIDE CORNERS

pack 5 pcs			H				
ART.	**finishing**		**8**	**10**	**12,5**	**15**	**20**
ALUMINIUM							
DJG/ /EI	natural aluminium		95676	95677	95678	-	-
	euro/pc					-	-
DJA/ /EI	silver anodised		95686	95687	95688	-	-
	euro/pc					-	-
BRASS							
DJN/ /EI	natural brass		95696	95697	95698	95715	95716
	euro/pc						
CHROMIUM-PLATED BRASS							
DJK/ /EI	chromium plated		95706	95707	95708	95709	95710
	euro/pc						

no partial packaging




DJAF/
DJNF/

PRODECOR DJ FLEX

length = 270 cm - pack 10 pcs			H				
ART.	**finishing**		**8**	**10**	**12,5**	**15**	**20**
ALUMINIUM							
DJAF/	silver anodised		-	95685	95689	-	-
	euro/m						
BRASS							
DJNF/	natural brass		-	95695	95699	-	-
	euro/m						

individually packed
DJNF in height 8, 15 and 20 mm is available upon request, with a minimum order of 100 pcs per height



DI/


PRODECOR

length = 270 cm - pack 20 pcs			H				
ART.	**finishing**		**8**	**10**	**12,5**	**15**	**20**
STAINLESS STEEL							
DI/	polished stainless steel AISI 304 DIN 1.4301		95906	95908	95910	95911	95907
	euro/m						


art. DI/20 pack 10 pcs

cerfix® prostyle


Prostyle is a line of multi-purpose profiles for the finishing and decoration of floors of same level in ceramic, marble, granite or other types of materials. It is also ideal as separation and decoration joint between floors of different materials and, in the stainless steel version, it is suitable for the protection of ceramic steps and for the surfaces subject to the passage of heavy and frequent loads.




UK/12 chromium-plated brass



UG/
UA/
UN/
UK/



UI/
UIS/



PROSTYLE

length = 270 cm - pack 20 pcs			H					
ART.	**finishing**		**8**	**10**	**11**	**12,5**	**15**	**20**
ALUMINIUM								
UG/	natural aluminium		93368	93370	-	93372	93377	-
	euro/m				-			-
UA/	silver anodised		93378	93380	-	93382	93387	-
	euro/m				-			-
length = 270 cm - pack 10 pcs								
STAINLESS STEEL								
UI/	polished stainless steel AISI 304 DIN 1.4301		93400	93401	-	93402	93403	93404
	euro/m				-			
UIS/	brushed stainless steel AISI 304 DIN 1.4301		93348	93350	-	93352	93360	93361
	euro/m				-			
BRASS								
UN/	natural brass		93300	93302	93311	93304	93306	93308
	euro/m							
UK/	chromium plated		93325	93327	93312	93329	93338	93340
	euro/m							

individually packed

OUTSIDE AND INSIDE CORNERS

pack 5 pcs			H					
ART.	**finishing**		**8**	**10**	**11**	**12,5**	**15**	**20**
ALUMINIUM								
UG/ /EI	natural aluminium		93373	93374	-	93375	93376	-
UA/ /EI	silver anodised		93383	93384	-	93385	93386	-
	euro/pc				-			-
STAINLESS STEEL								
UI/ /EI	polished stainless steel AISI 304 DIN 1.4301		93405	93406	-	93407	93408	93409
	euro/pc				-			
UIS/ /EI	brushed stainless steel AISI 304 DIN 1.4301		93353	93354	-	93355	93356	93357
	euro/pc				-			
BRASS								
UN/ /EI	natural brass		93301	93303	93341	93305	93307	93309
	euro/pc							
UK/ /EI	chromium plated		93334	93335	93342	93336	93337	93339
	euro/pc							

no partial packaging


Complete the article code with H measure
(for example UG/ for H=8 becomes UG/8)

projoint

Projoint U and Projoint they are a range of separation joints in stainless steel and brass, especially suitable in case of transit of high and frequent loads. The version 799 / in case of need can be inserted and polished even after the installation after the cutting of the flooring.



799/U/12 polished stainless steel AISI 304 DIN 1.4301




799/U/
399/U

PROJOINT U

length = 270 cm - pack 20 pcs

	H		10	12,5
ART.	**finishing**			
STAINLESS STEEL				
799/U/	polished stainless steel AISI 304 DIN 1.4301		75078	75072
	euro/m			
BRASS				
399/U	polished brass		75077	-
	euro/m			-

individually packed




799/

PROJOINT

length = 270 cm - pack 20 pcs

	H		10
ART.	**finishing**		
STAINLESS STEEL			
799/	stainless steel AISI 304 DIN 1.4301		74966
	euro/m		



380/8

PROJOINT

length = 270 cm - pack 20 pcs

measures LxH			8x10
ART.	**finishing**		
BRASS			
380/8	natural brass		75047
	euro/m		


Complete the article code with H measure
(for example 799/U/ for H=10 becomes 799/U/10)

projoint

Projoint T is a line of profiles for the separation, protection and decoration of same-level floors in ceramic, marble, granite, wood or other glued materials. It is also ideal to cover any imperfections due to the cutting or the laying of floors of different materials. Its special section allows to cover slight height differences (2÷3 mm) between two different types of floor. It is also easy to install, thanks to the arrow shape which allows a perfect fixing with sealants or adhesives.



99/T/14 silver anodised aluminium




99/T/
399/T/
399/TC/

PROJOINT T

length = 270 cm - pack			50 pcs	50 pcs	30 pcs	20 pcs
	width		**8**	**14**	**20**	**26**
ART.	**finishing**					
ALUMINIUM						
99/T/	silver anodised		75075	75080	63600	75082
	euro/m					
	gold anodised		-	75083	75084	75085
	euro/m		-			
	titanium anodised		-	75099	-	-
	euro/m		-		-	-
length = 270 cm - pack			-	10 pcs	-	-
	width		**-**	**14**	**-**	**-**
ART.	**finishing**					
ALUMINIUM decors ALCROM® PLUS						
99/T/	black 97		-	75095	-	-
	euro/m		-		-	-


individually packed



99/T/14 silver anodised aluminium

PROJOINT T

length = 90 cm - pack 10 pcs / blister			**L**
ART.	**finishing**		**14**
ALUMINIUM			
499/T	silver anodised		20008
	euro/pc		
	gold anodised		20010
	euro/pc		



99/TR/26

PROJOINT T


length = 270 cm - pack 20 pcs			**LxH**
ART.	**finishing**		**26 X 4,5**
ALUMINIUM			
99/TR/26	silver anodised		75081
	euro/m		

individually packed

Projoint T 99/T/ can be bent with Proflex Machine (except 99/T/14 black 97).

Complete the article code with L measure(for example 99/T/ for L=14 becomes 99/T/14)

packaging in blister - no partial packaging



799/T/
799/TS/


PROJOINT T

length = 270 cm - pack			30 pcs	20 pcs
	width		**14**	**26**
ART.	**finishing**			
STAINLESS STEEL				
799/T/	polished stainless steel AISI 304 DIN 1.4301		75092	75096
	euro/m			
799/TS/	brushed stainless steel AISI 304 DIN 1.4301		75093	75097
	euro/m			

individually packed

PROJOINT T

length = 90 cm - pack 10 pcs / blister			**L**	
ART.	**finishing**		**14**	
4799/T	polished stainless steel AISI 304 DIN 1.4301		20001	-
	euro/pc			-
4799/TS	brushed stainless steel AISI 304 DIN 1.4301		20002	-
	euro/pc			-



399/T/
399/TC/

PROJOINT T

length = 270 cm - pack			50 pcs	20 pcs	20 pcs	20 pcs
	width		**8**	**14**	**20**	**26**
ART.	**finishing**					
BRASS						
399/T/	polished		75070	75087	75090	75088
	euro/m					
	pack		30 pcs	30 pcs	-	10 pcs
399/TC/	chromium plated		75071	75086	-	75089
	euro/m				-	

individually packed

PROJOINT T

length = 90 cm - pack 10 pcs / blister			**L**
ART.	**finishing**		**14**
4399/T	polished		20016
	euro/pc		



799/T/26 polished stainless steel AISI 304 DIN 1.4301



399/T/14 polished brass

Projoint T 399/T/ and 399/TC/ can be bent with Proflex Machine.


Complete the article code with L measure (for example 799/T/ for L=14 becomes 799/T/14)

projoint

Projoint R is a line of profiles in aluminium or brass for subdivision and / or decoration of floors of the same level in ceramic, marble, granite, wood or other glued materials. The thickness of the upper part makes it particularly suitable for the polishing of wood, marble, etc..



399/R/10 natural brass



99/R/
399/R/


PROJOINT R

length = 270 cm - pack 50 pcs			H	
ART.	**finishing**		**10**	**14**
ALUMINIUM				
99/R/	natural aluminium		75006	75016
	euro/m			
length = 270 cm - pack 20 pcs			H	
BRASS				
399/R/	natural brass		75007	75017
	euro/m			
length = 90 cm - pack 10 pcs				
BRASS				
4399/R/10	natural brass		20006	-
	euro/pc			-

Projoint M is ideal as a separation joint and / or renovation and decoration between floors of the same level laid with glue or mortar. Used between materials of different thickness or type, it could also be polished both in the aluminium and brass version.



399/M natural brass



99/M
399/M
399/10

PROJOINT M

length = 270 cm - pack			50 pcs	
	measures		**5x3x25**	**10x4x25**
ART.	**finishing**			
ALUMINIUM				
99/M	natural aluminium		75005	-
	euro/m			-
	pack		20 pcs	10 pcs
BRASS				
399/M	natural brass		74975	-
	euro/m			-
399/10	natural brass		-	74906
	euro/m		-	


Complete the article code with H measure
(for example 99/R/ for H=10 becomes 99/R/10)

packaging in blister - no partial packaging


Proclassic R is a line of profiles specially designed as threshold cover and to hide junctions and possible imperfections due to the cutting or the laying between floors of different materials.
The rounded shape allows to compensate a slight height difference (2÷3 mm) between two different types of floor.
Installation is also particularly simple, thanks to the possibility of fixing with adhesive or, in case of heavy traffic, with screws.



30/A silver anodised aluminium



21/



30/

PROCLASSIC R

length = 270 cm - pack 20 pcs


ART.	finishing		A
ALUMINIUM			
21/	silver anodised		71037
	euro/m		
	gold anodised		71047
	euro/m		

individually packed


PROCLASSIC R

pack		30 pcs		10 pcs / blister							
length cm		270		83		93		103		166	
ART.		**30/**		**430/**							
finishing		**F**	**A**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**
ALUMINIUM											
silver anodised		71067	71097	20128	20148	20132	20152	-	20156	20140	20160
gold anodised		71077	71107	-	-	20133	20153	-	20157	-	20161
euro/m				-	-	-	-	-	-	-	-
euro/pc		-	-					-			
titanium anodised		-	71098	-	-	-	-	-	-	-	-
euro/m		-		-	-	-	-	-	-	-	-
euro/pc		-	-	-	-	-	-	-	-	-	-
bronze anodised		-	71117	-	-	-	20154	-	-	-	-
euro/m		-		-	-	-	-	-	-	-	-
euro/pc		-	-	-	-	-		-	-	-	-
colour-coated anthracite grey RAL 7016		-	71101	-	-	-	-	-	-	-	-
euro/m		-		-	-	-	-	-	-	-	-

individually packed



35/



41/

PROCLASSIC R

length = 270 cm - pack 20 pcs

ART.		35/	
finishing		**F**	**A**
ALUMINIUM			
silver anodised		71387	71417
euro/m			

individually packed

PROCLASSIC R

pack		20 pcs		10 pcs / blister
length cm		270		90
ART.		**41/**		**441/**
finishing		**F**	**A**	**AD**
ALUMINIUM				
silver anodised		71587	71617	20552
euro/m				-
euro/pc		-	-	
gold anodised		-	71627	20553
titanium anodised		-	71618	20555
euro/m		-		-
euro/pc		-	-	
bronze anodised		-	71637	-
euro/m		-		-
euro/pc		-	-	-

individually packed

Complete the article code with F= drilled, A-A-D=adhesive, CV=with screws (for example 30/ becomes 30/F)


packaging in blister - no partial packaging

proclassic

Proclassic R in stainless steel is particularly suitable in public spaces and in the case of passage of frequent and heavy loads. The sparkle of polished stainless steel also matches perfectly the modern floors and furnishings.
Proclassic R in polished brass is classic and modern at the same time and can be easily combined to handles, taps and other furniture accessories of the same material and finish.



720/A polished stainless steel AISI 430 DIN 1.4016



720/
722/
020/

PROCLASSIC R

pack		20 pcs		20 pcs									
length cm		270		73		83		93		103		166	
ART.		**720/**		**720/**									
finishing		**F**	**A**	**F**	**A**	**F**	**A**	**F**	**A**	**F**	**A**	**F**	**A**
STAINLESS STEEL (thickness 10/10)													
polished stainless steel AISI 430 - DIN 1.4016		71287	71297	71280	71290	71281	71291	71282	71292	-	-	-	71294
euro/m				-	-	-	-	-	-	-	-	-	-
euro/pc		-	-							-	-	-	

				10 pcs / blister									
ART.				**4720/**									
finishing				**CV**	**AD**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**
polished stainless steel AISI 430 - DIN 1.4016		-	-	20287	20293	20288	20294	20289	20295	20290	20296	20291	20297
euro/pc		-	-										
brushed stainless steel AISI 430 - DIN 1.4016		-	71298	-	-	-	-	-	-	-	-	-	-
euro/m		-		-	-	-	-	-	-	-	-	-	-

individually packed

PROCLASSIC R

pack		20 pcs		10 pcs / blister									
length cm		270		73		83		93		103		166	
ART.		**722/**		**4722/**									
finishing		**-**	**A**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**
STAINLESS STEEL (thickness 10/10)													
brushed stainless steel AISI 304 - DIN 1.4301		-	71268	-	-	-	-	-	20300	-	-	-	-
euro/m		-		-	-	-	-	-	-	-	-	-	-
euro/pc		-	-	-	-	-	-	-		-	-	-	-

individually packed



020/A polished brass


PROCLASSIC R

pack		20 pcs		10 pcs / blister									
length cm		270		73		83		93		103		166	
ART.		**020/**		**4020/**									
finishing		**F**	**A**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**	**CV**	**AD**
BRASS (thickness 10/10)													
polished		71187	71207	20207	20213	20208	20214	20209	20215	20210	20216	20211	20217
euro/m				-	-	-	-	-	-	-	-	-	-
euro/pc		-	-										

individually packed

Complete the article code with F= drilled, A=adhesive, CV=with screws (for example 720/ drilled becomes 720/F)

packaging in blister - no partial packaging




726/

PROCLASSIC R

pack		20 pcs		20 pcs					
length		**270**		**83**		**93**		**166**	
ART.		**726/**				**726/**			
finishing		**F**	**A**	**F**	**A**	**F**	**A**	**F**	**A**
STAINLESS STEEL (thickness 10/10)									
polished stainless steel AISI 430 - DIN 1.4016		71507	71517	-	-	71502	71512	-	-
euro/m				-	-	-	-	-	-
euro/pc		-	-	-	-			-	-

				10 pcs / blister					
ART.				**4726/**					
finishing				**CV**	**AD**	**CV**	**AD**	**CV**	**AD**
polished stainless steel AISI 430 - DIN 1.4016		-	-	-	26016	26010	26017	-	26019
euro/pc		-	-	-				-	
brushed stainless steel AISI 430 - DIN 1.4016		-	71518	-	-	-	-	-	-
euro/m		-		-	-	-	-	-	-

individually packed




026/

PROCLASSIC R

pack		20 pcs		10 pcs / blister	
length cm		**270**		**93**	
ART.		**026/**		**4026/**	
finishing		**F**	**A**	**CV**	**AD**
BRASS (thickness 10/10)					
polished		71447	71457	20409	20415
euro/m				-	-
euro/pc		-	-		

individually packed



729/

PROCLASSIC R

pack		20 pcs		5 pcs / blister	
length		**270**		**93**	
ART.		**729/**		**4729/**	
finishing		**F**	**A**	**CV**	**AD**
STAINLESS STEEL (thickness 12/10)					
polished stainless steel AISI 430 - DIN 1.4016		71667	71677	-	40220
euro/m				-	-
euro/pc		-	-	-	
brushed stainless steel AISI 430 - DIN 1.4016		-	71678	-	-
euro/m		-		-	-

individually packed

Complete the article code with F= drilled, A-A-D=adhesive, CV=with screws (for example 726/ drilled becomes 726/F)

packaging in blister - no partial packaging




722/A brushed stainless steel AISI 304 DIN 1.4301

proclassic

Proclassic F is a line of threshold cover profiles with a thickness that allows the application under the doors. 19/ and 25/ are provided with a useful non-slip knurled surface. Installation is also particularly simple, thanks to the possibility of fixing with adhesive or, in case of heavy traffic, with screws.



25/A silver anodised aluminium




19/

PROCLASSIC F

pack		30 pcs		10 pcs / blister	
length cm		**270**		**93**	
ART.		**19/**		**419/**	
finishing		**F**	**A**	**CV**	**AD**
ALUMINIUM					
silver anodised		71867	71897	27074	27092
euro/m				-	-
euro/pc		-	-		
gold anodised		-	71907	-	27099
euro/m		-		-	-
euro/pc		-	-	-	

individually packed




25/

PROCLASSIC F

pack		20 pcs			10 pcs / blister	
length cm		**270**			**93**	
ART.		**25/**			**425/**	
finishing		**F**	**D**	**A**	**CV**	**AD**
ALUMINIUM						
silver anodised		71947	71948	71977	22533	22553
euro/m					-	-
euro/pc		-	-	-		
gold anodised		71957	-	71987	22534	22554
euro/m			-		-	-
euro/pc		-	-	-		
bronze anodised		-	-	71997	-	22555
euro/m		-	-		-	-
euro/pc		-	-	-	-	

individually packed



22/A
422/AD


PROCLASSIC F

pack		10 pcs	10 pcs / blister
length cm		**270**	**90**
ART.		**22/A**	**422/AD**
finishing			
ALUMINIUM			
silver		44000	43790
euro/m			-
euro/pc		-	
titanium		44001	43791
euro/m			-
euro/pc		-	
ALUMINIUM - decors ALCROM® PLUS			
black 97		43996	-
euro/m			-
euro/pc		-	-

Wood-effect decors available on page 184-185

Complete the article code with F=drilled, A/AD=adhesive, CV=with screws (for example 19/ drilled becomes 19/F)

packaging in blister - no partial packaging




723/ 724/ 730/ 740/

PROCLASSIC F

pack		20 pcs		10 pcs / blister	10 pcs
length cm		270		90	270
measures LxH	**15x1,8**	**20x1,8**	**30x2,5**	**30x2,5**	**40x2,5** thickness 10/10
ART.	**723/A**	**724/A**	**730/A**	**4730/AD**	**740/A**
STAINLESS STEEL					
polished stainless steel AISI 430 - DIN 1.4016	71717	71777	72117	20692	72377
euro/m				-	
euro/pc	-	-	-		-

art. 723/ no individually packed - art. 730/ and 740/ individually packed



023/ 024/ 030/ 040/

PROCLASSIC F

pack		20 pcs		10 pcs / blister	10 pcs
thickness 10/10 - length cm		270		90	270
measures LxH	**15x1,8**	**20x1,8**	**30x2,5**	**30x2,5**	**40x2,5**
ART.	**023/A**	**024/A**	**030/A**	**4030/AD**	**040/A**
BRASS					
polished	71697	71757	72057	20612	72317
euro/m				-	
euro/pc	-	-	-		-

art. 030/ and 040/ individually packed - art. 023/ and 024/ not individually packed



packaging in blister - no partial packaging

22/A aluminium covered with Alcrom® Plus black 97


Proclassic Fire

Proclassic Fire is a line of AISI 316 stainless steel profiles designed for use as thresholds for REI fire doors and all doors requiring a non-combustible threshold. This element is recommended in hospitals, nursing homes, hotels and other places where there are resilient floors and REI fire doors that require a non-combustible threshold.

Proclassic Fire is available in two versions:
- Level version: 2,5 mm thick, to be installed during floor laying to ensure perfect flatness between the threshold and the resilient flooring.
- Top version: 2 mm thick, applicable on existing flooring, whether resilient, textile or wooden.

Proclassic Fire profiles are produced on request, in the dimensions specified by the customer and according to the clear opening of the REI fire door.

Non-combustible threshold




Suitable for fire doors.

In AISI 316 stainless steel



High resistance to the main chemical agents.

Dimensions on request



Lengths can be customised based on the dimensions provided by the customer.

Available on request, for further information please contact the technical department.



proclassic fire

Advantages:

- ✔ The AISI 316 stainless steel used for the thresholds is highly resistant to the main chemical agents;
- ✔ High melting point of the threshold (1350°C in line with the REI steel door);
- ✔ With Proclassic Fire Level, perfect flatness between the threshold and the resilient flooring;
- ✔ The shape with guides of Proclassic Fire Top minimises the impact of wheels when trolleys, stretchers, etc. pass over it;
- ✔ Countersunk holes for solid mechanical anchoring with dowel and Torx screw at threshold level;
- ✔ In case of damage, the threshold can be removed and replaced;
- ✔ At its end of life, the threshold can be reintroduced into the production chain as an active compound for the production of new steel.





Proclassic Fire Level



Proclassic Fire Top






profiles for floors of different height


The range of profiles for floors of different height is made with a sloping section and allows to connect floors with different thicknesses. Products made of stainless steel, brass or aluminium, are chosen according to the target environment.

cerfix® pronivel


Pronivel NZS/ is a line of aluminium connection profiles for floors of different level, consisting of a supporting profile and two connection wings of different size. When combined, the two pieces eliminate the step between floors of different thicknesses.
The articulated connection allows for many combinations and the laying of a new flooring on the connection side even after the profile has been installed.




NZS/B/12 + NZS/S2 silver anodised aluminium



NZS/B/



NZS/S1




NZS/S2

PRONIVEL N

length = 270 cm - pack 10 pcs			H			
ART.	**finishing**		**10**	**12,5**	**15**	**20**
ALUMINIUM						
NZS/B/	silver anodised		99905	99906	99907	99908
	euro/m					
			L			
			38		**50**	
NZS/S1	connection silver anodised		99900		-	
NZS/S2	connection silver anodised		-		99901	
	euro/m					

individually packed




Complete the article code with H measure (eg. NZS/B/ for H=10 becomes NZS/B/10)

cerfix® pronivel


Pronivel P is a line of aluminium, stainless steel or brass profiles to be used during the installation of ceramic or marble flooring and is suitable for connecting flooring of different thicknesses.
The steel and brass versions are designed to withstand heavy loads.



PNI/10 polished stainless steel AISI 304 DIN 1.4301



PA/4,5 PA/8 PA/10 PN/10 PA/11 PA/12,5 - PN/12,5



PNI/8 - PNIS/8 PNI/10 - PNIS/10 PNI/11 - PNIS/11 PNI/12,5 - PNIS/12,5 PNI/15 - PNIS/15 PNI/20 - PNIS/20

PRONIVEL P

length = 270 cm - pack 10 pcs			H						
ART.	**finishing**		**4,5**	**8**	**10**	**11**	**12,5**	**15**	**20**
ALUMINIUM									
PA/	silver anodised		93175	93181	93182	93185	93183	-	-
	euro/m							-	-
STAINLESS STEEL									
PNI/	polished stainless steel AISI 304 DIN 1.4301		-	93092	93094	93090	93096	93098	93100
	euro/m		-						
PNIS/	brushed stainless steel AISI 304 DIN 1.4301		-	93093	93095	93091	93097	93099	93101
	euro/m		-						
BRASS									
PN/	natural brass		-	-	93122	-	93123	-	-
	euro/m		-	-		-		-	-

individually packed


Complete the article code with H measure
(eg. PA/ for H=8 becomes PA/8)

cerfix® pronivel

Pronivel L is an aluminium profile suitable for connecting floors of different levels. Applicable on already laid flooring, it is fixed to the floor with adhesive.



45/SF silver anodised aluminium



45/


PRONIVEL L

length = 270 cm - pack 20 pcs			H	
ART.	**finishing**		**10**	
			SF	**A**
ALUMINIUM				
45/	silver anodised		73550	73552
	euro/m			
individually packed				

Pronivel PB is an aluminium profile for connecting two floors of different levels that are subject to stress. The moderate slope makes it easier for trolleys or wheelchairs to pass over.



PBA/10 silver anodised aluminium



PBA/

PRONIVEL PB

length = 270 cm - pack 10 pcs			H			
ART.	**finishing**		**5**	**10**	**12,5**	**15**
ALUMINIUM						
PBA/	silver anodised		93204	93206	93208	93210
	euro/m					
individually packed						

Complete the article code with SF=undrilled, A=adhesive, (eg. 45/ adhesive becomes 45/A)


Complete the article code with H measure (eg. PBA/ for H=10 becomes PBA/10)

cerfix® pronivel

Pronivel PL is a line of aluminium profiles to be used during the installation of ceramic or glued wood flooring and is suitable for connecting flooring of different thicknesses.



PLA/10 silver anodised aluminium



PLA/

PRONIVEL PL


length = 270 cm - pack 10 pcs			H	
ART.	**finishing**		**8**	**10**
ALUMINIUM				
PLA/	silver anodised		93191	93193
	euro/m			

individually packed

Pronivel M is a line of stainless steel profiles designed to connect floors of different levels during installation. The special section is ideal for connecting carpet or LVT flooring, whether glued or loose-laid.



MIN/10 polished stainless steel AISI 304 DIN 1.4301




MIN/

PRONIVEL M

length = 270 cm - pack 10 pcs			H	
ART.	**finishing**		**8**	**10**
STAINLESS STEEL				
MIN/	polished stainless steel AISI 304 DIN 1.4301		93023	93024
	euro/m			

individually packed



MIN/

Complete the article code with H measure
(for example PLA/ for H=8 becomes PLA/8)


Complete the article code with H measure
(for example MIN/ for H=10 becomes MIN/10)

prolevel

Prolevel High 61/ is a line of aluminium profiles to be applied after installation, capable of compensating for differences in height ranging from 6.5 to 13 mm.



61/A silver anodised aluminium




61/


PROLEVEL HIGH			
pack	20 pcs	10 pcs / blister	
length cm	**270**	**90**	
ART.	**61/**	**461/**	
finishing	**A**	**AD**	
ALUMINIUM			
silver anodised	73437	21200	
euro/m		-	
euro/pc	-		

art. 61/ individually packed

Prolevel High 55/ and 57/ are two profiles in aluminium that allows to remove the small step between two floors with a respective difference in height of 8 and 12 mm.




57/A silver anodised aluminium



55/

PROLEVEL HIGH					
pack	20 pcs		10 pcs / blister		
length cm	**270**		**90**		
ART.	**55/**		**455/**		
finishing	**F**	**A**	**CV**	**AD**	
ALUMINIUM					
silver anodised	73907	73937	42312	42330	
gold anodised	-	73947	-	42336	
euro/m			-	-	
euro/pc	-	-			

art. 55/ individually packed



57/

PROLEVEL HIGH					
pack	20 pcs		10 pcs / blister		
length cm	**270**		**90**		
ART.	**57/**		**457/**		
finishing	**F**	**A**	**CV**	**AD**	
ALUMINIUM					
silver anodised	73967	73997	42352	42370	
gold anodised	-	74007	-	42376	
euro/m			-	-	
euro/pc	-	-			

art. 57/ individually packed


Complete the item code with F=drilled, A-AD=adhesive, CV=screws (eg. 61/ adhesive becomes 61/A)

packaging in blister - no partial packaging

Prolevel High 711/ and 311/ are a line of self-adhesive profiles in steel or polished brass to be applied after the installation of the flooring and capable of compensating for differences in height ranging from 7 to 12 mm.



711/A polished stainless steel AISI 430 - DIN 1.4016



711/
311/

PROLEVEL HIGH				
pack		20 pcs	10 pcs / blister	
length cm		**270**	**83**	**93**
ART.		**711/**	**4711/**	
finishing		**A**	**AD**	**AD**
STAINLESS STEEL				
polished stainless steel AISI 430 - DIN 1.4016		73627	40431	40432
euro/m			-	-
euro/pc		-		
brushed stainless steel AISI 430 - DIN 1.4016		73628	-	-
euro/m			-	-


ART.	**311/**	**4311/**	
finishing	**A**	**AD**	**AD**
BRASS			
polished	73607	-	22656
euro/m		-	-
euro/pc	-	-	

art. 711/ and 311/ individually packed

Prolevel High 712/ and 312/ are a line of self-adhesive profiles in steel or polished brass to be applied after the flooring has been laid and capable of compensating for differences in height between 12 and 16 mm.



312/A polished brass



712/
312/

PROLEVEL HIGH			
pack		10 pcs	5 pcs / blister
length cm		**270**	**90**
ART.		**712/**	**4712/**
finishing		**A**	**AD**
STAINLESS STEEL			
polished stainless steel AISI 430 - DIN 1.4016		73637	40898
euro/m			-
euro/pc		-	

ART.	**312/**	**4312/**
finishing	**A**	**AD**
BRASS		
polished	73617	40868
euro/m		-
euro/pc	-	

art. 712/ and 312/ individually packed


Complete the item code with A - AD=adhesive (eg. 711/ adhesive becomes 711/A) - packaging in blister - no partial packaging

prolevel

Prolevel High 732/ is a line of profiles for the protection of the perimetral border of floors. Available in stainless steel, it can be also used as stair nosing.



732/SF/10 polished stainless steel AISI 430 DIN 1.4016



732/SF/

PROLEVEL HIGH


length = 270 cm - pack 15 pcs		H	
ART.	**finishing**	**10**	**12,5**
STAINLESS STEEL			
732/SF/	polished stainless steel AISI 430 DIN 1.4016	74217	74227
	euro/m		

individually packed


Prolevel Medium 700/, 701/ and 300/ are a line of stainless steel or brass connection profiles for low-thickness flooring that has already been laid.



700/A polished stainless steel AISI 430 DIN 1.4016



700/
300/



701/

PROLEVEL MEDIUM

pack		20 pcs		10 pcs / blister
length cm	**270**	**270**		**93**
ART.	**700/**	**701/**		**4701/**
finishing	**A**	**F**	**A**	**AD**
STAINLESS STEEL				
polished stainless steel AISI 430 DIN 1.4016	72877	-	72957	21135
euro/m		-		-
euro/pc	-	-	-	

art. 700/ and 701/ individually packed

PROLEVEL MEDIUM

pack	20 pcs	10 pcs / blister
length cm	**270**	**93**
ART.	**300/**	**4300/**
finishing	**A**	**AD**
BRASS		
polished	72857	21035
euro/m		-
euro/pc	-	

art. 300/ individually packed


Complete the article code with F=drilled, A-AD=adhesive, CV=screws (eg. 700/ drilled becomes 700/F)

packaging in blister - no partial packaging

Prolevel Medium 6/ is a line of aluminium connection profiles for low-thickness flooring that has already been laid.



6/A silver anodised aluminium



6/

PROLEVEL MEDIUM


pack		30 pcs		10 pcs / blister			
length cm		**270**		**93**		**166**	
ART.		**6/**		**46/**			
finishing		**F**	**A**	**CV**	**AD**	**CV**	**AD**
ALUMINIUM							
silver anodised		72727	72757	20932	20952	20940	20960
gold anodised		72737	72767	20933	20953	-	-
euro/m				-	-	-	-
euro/pc		-	-				
bronze anodised		-	72777	-	-	-	-
euro/m		-		-	-	-	-

art. 6/ individually packed

Prolevel Medium 10/ and Prolevel Thin 54/ are two aluminium connection profiles for glued or loose-laid resilient floors with a thickness between 2.5 and 4.5 mm, designed to protect the edges of the flooring.



54/A gold anodised aluminium




10/

PROLEVEL MEDIUM

pack		20 pcs
length cm		**270**
ART.		**10/**
finishing		**A**
ALUMINIUM		
silver anodised		72527
euro/m		

individually packed



54/

PROLEVEL THIN

length = 270 cm - pack 20 pcs

ART.	**finishing**		**SF**	**A**
ALUMINIUM				
54/	silver anodised		72587	72617
	gold anodised		-	72627
	euro/m			

individually packed

Complete the item code with SF=undrilled, A-AD=adhesive, (eg. 54/ undrilled becomes 54/SF)

packaging in blister - no partial packaging


E8




joints


A line designed to compensate for the expansion and contraction that materials undergo as a result of seasonal temperature changes.
A wide range of finishes is available to suit the different stresses to which the floor is exposed.

cerfix® projoint

Projoint DIL NE/ is a co-extruded PVC expansion joint. Suitable for glue-down installation, it is available in three colours and four heights and is ideal for large areas with pedestrian traffic. Placed along the fractionation joints created on the screed, it absorbs compression and expansion stresses thanks to its elastic central section.



NE/10 co-extruded PVC grey + grey RAL 7035



NE/

PROJOINT DIL


length = 270 cm			H			
ART.	**finishing**		**8**	**10**	**12,5**	**15**
CO-EXTRUDED PVC						
NE/	grey+grey RAL 7035		99650	99660	99670	99680
	stone grey+ stone grey RAL 7030		99653	99663	99673	99683
	cream white+cream white RAL 9001		99652	99662	-	-
pack 20 pcs ***euro/m***						
pack 100 pcs ***euro/m***						

no partial packaging

Projoint DIL NJ/ is a co-extruded PVC expansion joint with punched side flanges. Suitable for glued floors, it is able to absorb tension and compression stresses thanks to its elastic centre section.



NJ/10 co-extruded PVC light grey RAL 7035



NJ/

PROJOINT DIL

length = 270 cm - pack 20 pcs			H				
ART.	**finishing**		**4,5**	**8**	**10**	**12,5**	**15**
CO-EXTRUDED PVC							
NJ/	light grey RAL 7035		99757	99750	99760	99770	99780
	stone grey RAL 7030		99758	99752	99762	99772	99782
	euro/m						

no partial packaging


Complete the article code with H measure (for example NE/ for H=8 becomes NE/8)

cerfix® projoint

Projoint DIL NL/ is a co-extruded PVC expansion joint with punched side flanges. Suitable for floors or marble laid with adhesive, it is able to absorb tension and compression stresses thanks to its elastic centre section. It is suitable for both pedestrian and light vehicle traffic (cars).



NL/10 co-extruded PVC grey + grey RAL 7035



NL/

PROJOINT DIL


length = 270 cm - pack 20 pcs			H				
ART.	**finishing**		**8**	**10**	**12,5**	**15**	**20**
CO-EXTRUDED PVC							
NL/	grey+grey RAL 7035		99700	99710	99720	-	-
	stone grey+ stone grey RAL 7030		99704	99714	99724	99734	99744
	black+black RAL 9005		99703	99713	99723	-	-
euro/m							

no partial packaging

Projoint DIL NF/ is a co-extruded PVC fractionation joint for mortar installation, equipped with an elastic central section. Available in three colours and three heights, it is suitable for fractionating large surfaces with pedestrian traffic.



NF/45 co-extruded PVC grey + grey RAL 7035



NF/

PROJOINT DIL

length = 270 cm			H		
ART.	**finishing**		**25**	**35**	**45**
CO-EXTRUDED PVC					
NF/	grey+grey RAL 7035		99800	99810	99820
	stone grey+ stone grey RAL 7030		99803	99813	99823
	cream white+cream white RAL 9001		99802	99812	-
pack 20 pcs ***euro/m***					
pack 40 pcs ***euro/m***			-	-	
pack 50 pcs ***euro/m***			-		-
pack 80 pcs ***euro/m***				-	-

no partial packaging


Complete the article code with H measure (for example NL/ for H=10 becomes NL/10)

cerfix® projoint

Projoint DIL NAN/ is an aluminium fractionation joint with an interchangeable plasticised PVC insert characterised by a visible section of 15 mm. The joint structure protects the edge of the tile and withstands heavy foot and vehicle traffic.



NAN/10 natural aluminium + stone grey plasticised PVC



NAN/

PROJOINT DIL

length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**10**	**12,5**	**15**
ALUMINIUM					
NAN/	natural aluminium + plasticised PVC, grey RAL 7035		99974	99975	99976
	natural aluminium + plasticised PVC, stone grey RAL 7030		99977	99978	99979
	euro/m				

individually packed - available on request NAN/ + black plasticised PVC minimum 100 pcs


SPARE INSERT IN PLASTICISED PVC FOR NAN/

length= 270 cm - pack 20 pcs			
ART.	**finishing**		
GM/I	grey RAL 7035		99993
	stone grey RAL 7030		99989
	euro/m		

Projoint DIL NPAN/ is an aluminium fractionation joint with an interchangeable plasticised PVC insert characterised by a visible section of 21 mm. The joint structure protects the edge of the tile and withstands compression and expansion caused by heavy foot and vehicle traffic.



NPAN/10 natural aluminium + stone grey plasticised PVC



NPAN/

PROJOINT DIL

length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**10**	**12,5**	**15**
ALUMINIUM					
NPAN/	natural aluminium + plasticised PVC, stone grey RAL 7030		99984	99985	99986
	euro/m				

individually packed - available on request NPAN/ + black plasticised PVC minimum 100 pcs

SPARE INSERT IN PLASTICISED PVC FOR NPAN/

length= 270 cm - pack 20 pcs			
ART.	**finishing**		
GMP/I	stone grey RAL 7030		99988
	euro/m		


Complete the article code with H measure (for example NAN/ for H=10 becomes NAN/10)

cerfix® projoint

Projoint DIL NIN/ is a stainless steel fractionation joint with interchangeable plasticised PVC insert, featuring a visible section of 15 mm. The joint structure protects the edge of the tile and withstands heavy traffic, both pedestrian and vehicular (forklifts, pallet trucks and cars).



NIN/10 stainless steel + stone grey plasticised PVC



NIN/

PROJOINT DIL

length = 270 cm - pack 5 pcs			H			
ART.	**finishing**		**10**	**12,5**	**15**	**20**
STAINLESS STEEL						
NIN/	stainless steel AISI 304 DIN 1.4301 + plasticised PVC, grey RAL 7035		99915	99916	99917	99918
	stainless steel AISI 304 DIN 1.4301 + plasticised PVC, stone grey RAL 7030		99925	99926	99927	99928
	euro/m					

individually packed - available on request NIN/ + black plasticised PVC minimum 100 pcs


SPARE INSERT IN PLASTICISED PVC FOR NIN/

length= 270 cm - pack 20 pcs			
ART.	**finishing**		
GM/10	grey RAL 7035		99998
	stone grey RAL 7030		99999
	euro/m		

Projoint DIL NIL/ is a stainless steel perimeter expansion joint with interchangeable plasticised PVC insert, featuring a visible section of 14 mm. The joint structure allows the floor to be connected to the wall covering.



NIL/10 stainless steel + stone grey plasticised PVC



NIL/

PROJOINT DIL

length = 270 cm - pack 5 pcs			H			
ART.	**finishing**		**10**	**12,5**	**15**	**20**
STAINLESS STEEL						
NIL/	stainless steel AISI 304 DIN 1.4301 + plasticised PVC, stone grey RAL 7030		99896	99897	99898	99899
	euro/m					

individually packed - available on request NIL/ + black plasticised PVC minimum 100 pcs

SPARE INSERT IN PLASTICISED PVC FOR NIL/

length= 270 cm - pack 20 pcs			
ART.	**finishing**		
GM12/L	stone grey RAL 7030		99987
	euro/m		


Complete the article code with H measure (for example NIN/ for H=10 becomes NIN/10)

cerfix® projoint

Projoint NTA/, NTI/ and NTO/ are aluminium, stainless steel and brass fractionation joints for glue-down installation, with a vulcanised EPDM inner section. The metal structure easily withstands frequent pedestrian and vehicle traffic (forklifts, pallet trucks and cars).



NTA/10 natural aluminium + EPDM grey polishable RAL 7046




NTA/
NTO/

PROJOINT DIL

length = 270 cm - pack 10 pcs			H						
ART.	**finishing**		**3**	**4,5**	**8**	**10**	**12,5**	**15**	**20**
ALUMINIUM									
	natural aluminium + EPDM grey polishable RAL 7046		99421	99425	99441	99445	99449	99453	99457
	natural aluminium + EPDM black polishable RAL 9005		99422	99426	99442	99444	99450	99454	99458
NTA/	***euro/m***								
	natural aluminium + EPDM bahama polishable RAL 10070		99427	99428	-	-	-	-	-
	natural aluminium + EPDM brown polishable RAL 10071		99429	99430	-	-	-	-	-
	euro/m				-	-	-	-	-
STAINLESS STEEL									
	stainless steel AISI 304 DIN 1.4301 + EPDM grey RAL 7046		99471	99475	99481	99485	99489	99493	99497
	stainless steel AISI 304 DIN 1.4301 + EPDM black RAL 9005		99472	99474	99482	99486	99490	-	-
NTI/	***euro/m***								
	stainless steel AISI 304 DIN 1.4301 + EPDM bahama RAL 10070		99431	99432	-	-	-	-	-
	stainless steel AISI 304 DIN 1.4301 + EPDM brown RAL 10071		99433	99434	-	-	-	-	-
	euro/m				-	-	-	-	-
BRASS									
NTO/	brass natural + EPDM grey polishable RAL 7046		-	-	99401	99405	99409	99413	99417
	euro/m		-	-					

art. NTO/15 and NTO/20 pack 5 pcs




NTI/

Projoint STA/ and STI/ are fractionation joints with a vulcanised EPDM inner section, designed to divide floors laid with mortar. The metal structure easily withstands frequent pedestrian and vehicle traffic (forklifts, pallet trucks and cars), making it particularly suitable for shopping centres and areas with frequent load traffic. For correct installation, use ST/7 stainless steel hooks.



STI/40 stainless steel AISI 304 DIN 1.4301 + EPDM grey polishable RAL 7046




STA/
STI/

PROJOINT DIL

length = 250 cm - pack 10 pcs			H		
ART.	**finishing**		**30**	**40**	**50**
ALUMINIUM					
STA/	natural aluminium + EPDM grey polishable RAL 7046		99581	99585	99589
	euro/m				
STAINLESS STEEL					
STI/	stainless steel AISI 304 DIN 1.4301 + EPDM grey polishable RAL 7046		99621	99625	99629
	euro/m				

Upon request, we can make different measures and colours for articles STA/ and STI/. Please contact our technical department.



ST/7

ACCESSORIES

pack 100 pcs			
ART.	**finishing**		
STAINLESS STEEL			
ST/7	steel hook for STA/ and STI/ profiles		99640
	euro/pc (euro/pack)		


no partial packaging

cerfix® projoint

Projoint NZA/ is an aluminium fractionation joint consisting of two interlocking and sliding profiles. Suitable for ceramic floors subject to heavy traffic, it ensures high resistance to loads and heavy pedestrian and vehicular traffic (forklifts, pallet trucks and cars).



NZA/10 natural aluminium



NZA/

PROJOINT DIL

length = 270 cm - pack 20 pcs			H				
ART.	**finishing**		**3**	**5**	**8**	**10**	**12,5**
ALUMINIUM							
NZA/	natural aluminium		-	-	99910	99912	99914
	euro/m		-	-			
NZA/	silver anodised		99300	99320	-	-	-
	euro/m				-	-	-

individually packed


Projoint NZS is a high-absorption aluminium fractionation joint. Thanks to its two telescopically joined parts, the joint can absorb movements of +/- 5 mm, with articulated flanges that allow three-dimensional movements. The joint structure protects the edge of the tile, withstanding foot and vehicle traffic. NZS is also available in a joint cover version (for tiles already laid) NZS/A, or as a side joint for industrial buildings NZS/L.



NZS/10 silver anodised aluminium




NZS/A/40 silver anodised aluminium



NZS/

PROJOINT DIL


length = 270 cm - pack 5 pcs			H			
ART.	**finishing**		**10**	**12,5**	**15**	**20**
ALUMINIUM						
NZS/	silver anodised		99880	99881	99882	99883
	euro/m					



NZS/A/40

PROJOINT DIL

length = 270 cm - pack 5 pcs			H
ART.	**finishing**		**8**
ALUMINIUM			
NZS/A/40	silver anodised		99885
	euro/m		



NZS/L/

PROJOINT DIL

length = 270 cm - pack 5 pcs			H			
ART.	**finishing**		**10**	**12,5**	**15**	**20**
ALUMINIUM						
NZS/L/	silver anodised		99890	99891	99892	99893
	euro/m					


Complete the article code with H measure (for example NZA/ for H=8 becomes NZA/8)

cerfix® projoint


Projoint DIL PBE is a structural joint composed of two L-shaped profiles in natural aluminium and an expanding part in interchangeable plasticized PVC, available in black or grey. The two L-shaped profiles have drilled bases to allow the mechanical fixing with screws to the underlying structure.




PBE/30 natural aluminium + black striated plasticised PVC




PBE/20
smooth
plasticised PVC




PBE/20
striated
plasticised PVC




PBE/30
smooth
plasticised PVC



PBE/30
striated
plasticised PVC



PBE/40
smooth
plasticised PVC



PBE/40
striated
plasticised PVC

PROJOINT DIL

length = 300 cm - pack 5 pcs		H				
ART.	**finishing**	**14**	**24**	**42**	**50**	**82**
ALUMINIUM						
	natural aluminium + grey smooth plasticised PVC	99321	99322	99323	99324	99325
	natural aluminium + black smooth plasticised PVC	99326	99327	99328	99329	99330
PBE/20/	***euro/m***					
	natural aluminium + grey striated plasticised PVC	99331	99332	99333	99334	99335
	natural aluminium + black striated plasticised PVC	99336	99337	99338	99339	99340
	euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing

 smooth plasticised PVC

 striated plasticised PVC

PROJOINT DIL

length = 300 cm - pack 5 pcs		H				
ART.	**finishing**	**14**	**24**	**42**	**50**	**82**
ALUMINIUM						
	natural aluminium + grey smooth plasticised PVC	99341	99342	99343	99344	99345
	natural aluminium + black smooth plasticised PVC	99346	99347	99348	99349	99350
PBE/30/	***euro/m***					
	natural aluminium + grey striated plasticised PVC	99351	99352	99353	99354	99355
	natural aluminium + black striated plasticised PVC	99356	99357	99358	99359	99360
	euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing

 smooth plasticised PVC

 striated plasticised PVC

PROJOINT DIL

length = 300 cm - pack 5 pcs		H				
ART.	**finishing**	**14**	**24**	**42**	**50**	**82**
ALUMINIUM						
	natural aluminium + grey smooth plasticised PVC	99361	99362	99363	99364	99365
	natural aluminium + black smooth plasticised PVC	99366	99367	99368	99369	99370
PBE/40/	***euro/m***					
	natural aluminium + grey striated plasticised PVC	99371	99372	99373	99374	99375
	natural aluminium + black striated plasticised PVC	99376	99377	99378	99379	99380
	euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing


 smooth plasticised PVC

 striated plasticised PVC


The use of a black insert provides greater resistance to wear.

Delivery times to be agreed at the time of order.

Projoint DIL PBH and PAS are two structural joints composed of two L-shaped profiles in natural aluminium and an expanding part in interchangeable EPDM, available in black or grey.
Projoint DIL PHDE is a structural joint composed of two interlocking and sliding profiles in natural aluminium. All profiles have drilled bases to allow the mechanical fixing with screws to the underlying structure and are designed to withstand structural movements of big buildings.



PBH/65/ natural aluminium + black EPDM insert




PBH/65

PROJOINT DIL

length = 300 cm - pack 2 pcs			H			
ART.	**finishing**		**18**	**35**	**50**	**80**
ALUMINIUM			**L=50**	**L=40**	**L=40**	**L=40**
PBH/65/	natural aluminium + grey EPDM insert		99500	99501	99502	99503
	natural aluminium + black EPDM insert		99504	99505	99506	99507
	euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing




PBH/75

PROJOINT DIL

length = 300 cm - pack 2 pcs			H			
ART.	**finishing**		**18**	**35**	**50**	**80**
ALUMINIUM			**L=60**	**L=50**	**L=50**	**L=50**
PBH/75/	natural aluminium + grey EPDM insert		99508	99509	99510	99511
	natural aluminium + black EPDM insert		99512	99513	99514	99515
	euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing




PAS/105

PROJOINT DIL

length = 300 cm - pack 2 pcs			H			
ART.	**finishing**		**18**	**35**	**50**	**80**
ALUMINIUM			**L=95**	**L=85**	**L=85**	**L=85**
PAS/105/	natural aluminium + grey EPDM insert		99516	99517	99518	99519
	natural aluminium + black EPDM insert		99520	99521	99522	99523
	euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing



PAS/125

PROJOINT DIL


length = 300 cm - pack 2 pcs			H			
ART.	**finishing**		**18**	**35**	**50**	**80**
ALUMINIUM			**L=111**	**L=100**	**L=100**	**L=100**
PAS/125/	natural aluminium + grey EPDM insert		99524	99525	99526	99527
	natural aluminium + black EPDM insert		99528	99529	99530	99531
	euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing

The use of a black insert provides greater resistance to wear.

Delivery times to be agreed at the time of order.

cerfix® projoint




PHDE/80

PROJOINT DIL

length = 300 cm - pack 2 pcs			H			
ART.	**finishing**		**18**	**35**	**50**	**80**
ALUMINIUM			**L=60**	**L=50**	**L=50**	**L=50**
PHDE/80/	natural aluminium		99590	99591	99592	99593
	euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing




PHDE/110

PROJOINT DIL

length = 300 cm - pack 2 pcs			H	
ART.	**finishing**		**50**	**80**
ALUMINIUM				
PHDE/110/	natural aluminium		99594	99595
	euro/m			

no partial packaging - profiles are provided with accessories for mechanical fixing



PFFE/20



smooth plasticised PVC




striated plasticised PVC

PROJOINT DIL

length = 300 cm - pack 5 pcs			
ART.	**finishing**		
ALUMINIUM			
	natural aluminium + grey smooth plasticised PVC		99596
	natural aluminium + black smooth plasticised PVC		99597
PFFE/20	***euro/m***		
	natural aluminium + grey striated plasticised PVC		99598
	natural aluminium + black striated plasticised PVC		99599
	euro/m		

no partial packaging - profiles are provided with accessories for mechanical fixing



PFFE/30



smooth plasticised PVC




striated plasticised PVC

PROJOINT DIL

length = 300 cm - pack 5 pcs			
ART.	**finishing**		
ALUMINIUM			
	natural aluminium + grey smooth plasticised PVC		99600
	natural aluminium + black smooth plasticised PVC		99601
PFFE/30	***euro/m***		
	natural aluminium + grey striated plasticised PVC		99602
	natural aluminium + black striated plasticised PVC		99603
	euro/m		

no partial packaging - profiles are provided with accessories for mechanical fixing



PFFE/40



smooth plasticised PVC



striated plasticised PVC

PROJOINT DIL

length = 300 cm - pack 5 pcs			
ART.	**finishing**		
ALUMINIUM			
	natural aluminium + grey smooth plasticised PVC		99604
	natural aluminium + black smooth plasticised PVC		99605
PFFE/40	***euro/m***		
	natural aluminium + grey striated plasticised PVC		99606
	natural aluminium + black striated plasticised PVC		99607
	euro/m		

no partial packaging - profiles are provided with accessories for mechanical fixing

Delivery times to be agreed at the time of order.

The use of a black insert provides greater resistance to wear.

cerfix® procover


Procover Flex is a line of structural joint covers made of aluminium and EPDM, suitable for withstanding transverse tension and compression movements. They can withstand pedestrian and vehicular traffic with rubber wheels (cars). Procover Fix is a line of flat aluminium joint covers for coplanar walls (GJA/) and perimeter joint covers for connecting floors and wall coverings (GWA/), suitable for covering structural expansion or compression movements between two different load-bearing structures.




GJF/40 natural aluminium + EPDM black RAL 9005




GJA/70 silver anodised aluminium




GJF/40




GJF/50




GJA/50 + GJS/10



GJA/70 + GJS/10



GWA/70 + GJS/10



GJS/10

PROCOVER FLEX

length = 400 cm - pack 5 pcs			L	
ART.	**finishing**		**40**	**50**
ALUMINIUM				
GJF/	natural aluminium + EPDM black insert RAL 9005		74490	74492
	euro/m			

SPARE INSERT

length = 400 cm			L	
ART.	**finishing**		**40**	**50**
ALUMINIUM				
GM/	EPDM black RAL 9005		74491	74493
	euro/m			

PROCOVER FIX

length = 300 cm - pack 10 pcs			L	
ART.	**finishing**		**50**	**70**
ALUMINIUM				
GJA/	silver anodised		74550	74610
	euro/m			
GWA/	silver anodised		-	74552
	euro/m		-	

SPRING CLIP

from 15 to 35 mm - pack 50 pcs			
STAINLESS STEEL			
GJS/10	harmonic steel		74730
	euro/pc		

no partial packaging


Complete the article code with L measure (es. GJF/ for L=40 becomes GJF/40)

cerfix® procover


Procover G in anodised aluminium are joint covers suitable for creating continuity on structures with continuous spans. These joint covers are available in self-adhesive and non-adhesive versions. The SF version (without holes) must be drilled on one side and fixed to a single structure, allowing free movement on the other.




G/80/A silver anodised aluminium




G/40/



G/60/



G/80/



GR/80/SF

PROCOVER						
pack	20 pcs	20 pcs		6 pcs / blister	20 pcs	
length cm	**300**	**300**		**100**	**300**	
ART.	**G/40/**	**G/60/**		**G/460/**	**G/80/**	
finishing	**A**	**SF**	**A**	**AD**	**SF**	**A**
ALUMINIUM						
silver anodised	74528	74558	74588	21982	74618	74648
euro/m				-		
euro/pc	-	-	-		-	-

art. G/40, G/60 and G/80 individually packed

PROCOVER	
lengt = 270 cm - pack 10 pcs	**L**
width	**80**
ART.	**GR/80/**
finishing	**SF**
ALUMINIUM	
silver anodised	71855
euro/m	

individually packed



GR/80/SF silver anodised aluminium

Complete the article code with A-AD=adhesive, SF=undrilled (for example G/40/ adhesive becomes G/40/A)


packaging in blister - no partial packaging

cerfix® procover


Procover G in stainless steel or polished brass are joint covers designed to create continuity on structures with continuous spans. These joint covers are available in self-adhesive and non-adhesive versions. The SF version (without holes) must be drilled on one side and fixed to a single structure, allowing free movement on the other. These versions are also suitable for vehicular traffic.



760/SF polished stainless steel AISI430-DIN 1.4016



0100/A polished brass



PROCOVER											
pack	10 pcs		6 pcs / blister	10 pcs		6 pcs / blister	5 pcs		3 pcs / blister	5 pcs	
length cm	300		100	300		100	300		100	300	
width mm	50		50	60		60	80		80	100	
thickness						12/10					
ART.	750/		4750/	760/		4760/	780/		4780/	7100/	
finishing	SF	A	AD	SF	A	AD	SF	A	AD	SF	A
STAINLESS STEEL											
polished stainless steel AISI 430 - DIN 1.4016	74818	74828	22090	74838	74848	40531	74858	74868	40553	74878	74888
euro/m			-			-			-		
euro/pc	-	-		-	-		-	-		-	-

art. 750/, 760/, 780/, 7100/ individually packed

PROCOVER											
pack	10 pcs		6 pcs / blister	5 pcs		6 pcs / blister	5 pcs		3 pcs / blister	5 pcs.	
length cm	300		100	300		100	300		100	300	
width mm	50		50	60		60	80		80	100	
thickness						13/10					
ART.	050/		4050/	060/		4060/	080/		4080/	0100/	
finishing	SF	A	AD	SF	A	AD	SF	A	AD	SF	A
BRASS											
polished	74738	74748	22050	74758	74768	40504	-	74788	40512	74798	74808
euro/m			-			-	-		-		
euro/pc	-	-		-	-		-	-		-	-

art. 050/, 060/, 080/, 0100/ individually packed

Complete the article code with A-AD=adhesive, SF=undrilled (eg. 050/ adhesive becomes 050/A)

packaging in blister - no partial packaging





profiles for balconies and terraces

A functional and stylish line for the protection of terraces, balconies and pavements. The effectiveness of the protecttion decorates and completes every architectural detail.


cerfix® protec

Protec CPCV and CPCI are a series of edge profiles for the protection and the finishing of the outside edges of terraces and balconies. Available in colour-coated aluminium and stainless steel, they have been designed with a protruding section and can be used with tiles thicknesses up to 21 mm. In addition to protecting and finishing the outside edges, they guarantee the outflow of water from the floor, avoiding the contact with the outside border.

Protec CPCV is also available in the bendable version CPCVF, provided with a special cutout that allows to bend the profile with a radius up to 1 meter.



CPCV/55/10 ancient grey colour-coated aluminium




CPCV/

PROTEC

length = 270 cm - pack 5 pcs		H								
		10	12,5	21	10	12,5	21	10	12,5	21
ART.		CPCV/55/			CPCV/75/			CPCV/95/		
finishing										
COLOUR-COATED ALUMINIUM										
white RAL 9003		87677	87678	-	87687	87688	-	87697	87698	-
ash grey RAL 7038		87681	87682	87660	87691	87692	87661	87701	87702	87662
ash grey RAL 7038 embossed		87713	87714	-	87715	87716	-	87717	87718	-
dark brown RAL 8019		87683	87684	-	87693	87694	-	87703	87704	-
rust		87616	87617	-	87618	87619	-	-	-	-
metal grey RAL 9006		87720	87721	-	87723	87724	-	87726	87727	-
aluminium grey RAL 9007		87750	87751	-	87753	87754	-	87756	87757	-
ancient grey		87707	87708	-	87709	87710	-	87711	87712	-
euro/m										

To request custom colours, please contact our technical department.



CPCI/

PROTEC

length = 270 cm - pack 5 pcs		H								
		10	12,5		10	12,5		10	12,5	
ART.		CPCI/55/			CPCI/75/			CPCI/95/		
finishing										
STAINLESS STEEL										
polished stainless steel AISI 304 DIN 1.4301		87671	87672	-	87673	87674	-	87675	87676	-
euro/m				-			-			-



CPCVF/55/10 ash grey RAL 7038 embossed colour-coated aluminium

PROTEC FLEX


length = 270 cm - pack 2 pcs		H	
		10	12,5
ART. **finishing**		CPCVF/55/	
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87790	-
ash grey RAL 7038 embossed		87791	87793
ancient grey		87792	87794
euro/m			

no partial packaging

To request custom colours and heights, please contact our technical department.

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.

Complete the article code with H measure (for example CPCV/55/ for H=10 becomes CPCV/55/10)




CPCV/ / /E
CPCI/ / /E

90° OUTSIDE CORNER

pack 5 pcs		H								
		10	12,5	21	10	12,5	21	10	12,5	21
ART.	**finishing**	**CPCV/55/ /E**			**CPCV/75/ /E**			**CPCV/95/ /E**		
COLOUR-COATED ALUMINIUM										
white RAL 9003		87817	87818	-	87827	87828	-	87837	87838	-
ash grey RAL 7038		87821	87822	87663	87831	87832	87664	87841	87842	87665
ash grey RAL 7038 embossed		87894	87895	-	87896	87897	-	87898	87899	-
dark brown RAL 8019		87825	87826	-	87835	87836	-	87845	87846	-
rust		87620	87621	-	87622	87623	-	-	-	-
metal grey RAL 9006		87730	87731	-	87733	87734	-	87736	87737	-
aluminium grey RAL 9007		87760	87761	-	87763	87764	-	87766	87767	-
ancient grey		87877	87878	-	87879	87880	-	87881	87882	-
euro/pc										

90° OUTSIDE CORNER


pack 5 pcs		H						
		10	12,5	10	12,5	10	12,5	
ART.	**finishing**	**CPCI/55/ /E**		**CPCI/75/ /E**		**CPCI/95/ /E**		
STAINLESS STEEL								
polished stainless steel AISI 304 DIN 1.4301		87801	87802	-	87803	87804	-	87805	87806	-
euro/pc				-			-			-



CPCV/55/ /I

90° INSIDE CORNER

pack 5 pcs		H				
		10	12,5			
ART.	**finishing**	**CPCV/55/ /I**				
COLOUR-COATED ALUMINIUM						
ash grey RAL 7038		87890	87891	-		
ash grey RAL 7038 embossed		87807	87808	-		
ancient grey		87892	87893	-		
euro/pc				-		



CPCV/ / /G
CPCI/ / /G

JUNCTION

width = 70 mm - pack 5 pcs		H								
		10	12,5	21	10	12,5	21	10	12,5	21
ART.	**finishing**	**CPCV/55/ /G**			**CPCV/75/ /G**			**CPCV/95/ /G**		
COLOUR-COATED ALUMINIUM										
white RAL 9003		87847	87848	-	87857	87858	-	87867	87868	-
ash grey RAL 7038		87851	87852	87666	87861	87862	87667	87871	87872	87668
ash grey RAL 7038 embossed		87748	87749	-	87758	87759	-	87768	87769	-
dark brown RAL 8019		87853	87854	-	87863	87864	-	87873	87874	-
rust		87624	87625	-	87626	87627	-	-	-	-
metal grey RAL 9006		87740	87741	-	87743	87744	-	87746	87747	-
aluminium grey RAL 9007		87770	87771	-	87773	87774	-	87776	87777	-
ancient grey		87883	87884	-	87885	87886	-	87887	87888	-
euro/pc										

no partial packaging



CPCV/55/E + CPCV/55/G ancient grey colour-coated aluminium

JUNCTION

width = 70 mm - pack 5 pcs		H						
		10	12,5	10	12,5	10	12,5	
ART.	**finishing**	**CPCI/55/ /G**		**CPCI/75/ /G**		**CPCI/95/ /G**		
STAINLESS STEEL								
polished stainless steel AISI 304 DIN 1.4301		87811	87812	-	87813	87814	-	87815	87816	-
euro/pc				-			-			-


no partial packaging

cerfix® protec

Protec CPCV/30/ is an aluminium profile designed for existing terraces. The reduced dimensions of the protruding part allow the perimeter railings to remain in place during renovation work.




CPCV/30/ ancient grey colour-coated aluminium



CPCV/30/

PROTEC


length = 270 cm - pack 5 pcs		H	
		10	12,5
ART.		**CPCV/30/10**	**CPCV/30/12**
finishing			
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87651	87652
ash grey RAL 7038 embossed		87655	87656
ancient grey		87653	87654
euro/m			



CPCV/30/ / E

90° OUTSIDE CORNER

pack 5 pcs		H	
		10	12,5
ART.	**finishing**	**CPCV/30/10/E**	**CPCV/30/12/E**
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87780	87781
ash grey RAL 7038 embossed		87784	87785
ancient grey		87782	87783
euro/pc			



CPCV/30/ /G

JUNCTION

width = 70 mm - pack 5 pcs		H	
		10	12,5
ART.	**finishing**	**CPCV/30/10/G**	**CPCV/30/12/G**
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87631	87632
ash grey RAL 7038 embossed		87635	87636
ancient grey		87633	87634
euro/pc			

no partial packaging

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.

Complete the article code with H measure (for example CPCV/30/ for H=10 becomes CPCV/30/10)




CPCV/30/ /E ancient grey colour-coated aluminium

Protec CPCVD/30/ is a draining perimeter profile, provided with a visible part that facilitates the outflow of rainwater from the tiled surface and an underlying protruding part equipped with holes for a further discharge of the water seeped under the tiles. The reduced dimensions of the visible part allow to avoid removing the perimetral balustrades in case of refurbishment.




CPCVD/30/10 ash grey RAL 7038 embossed colour-coated aluminium



CPCVD/30/

PROTEC


length = 270 cm - pack 5 pcs		H	
		10	12,5
ART.		**CPCVD/30/10**	**CPCVD/30/12**
finishing			
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87613	87628
ash grey RAL 7038 embossed		87614	87629
ancient grey		87615	87630
euro/m			



CPCVD/30/ /E

90° OUTSIDE CORNER

pack 5 pcs		H	
		10	12,5
ART.	**finishing**	**CPCVD/30/10/E**	**CPCVD/30/12/E**
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87645	87648
ash grey RAL 7038 embossed		87646	87649
ancient grey		87647	87650
euro/pc			



CPCVD/30/ /G

JUNCTION

width = 70 mm - pack 5 pcs		H	
		10	12,5
ART.	**finishing**	**CPCVD/30/10/G**	**CPCVD/30/12/G**
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87657	87669
ash grey RAL 7038 embossed		87658	87670
ancient grey		87659	87719
euro/pc			

no partial packaging

white RAL 9003, dark brown RAL 8019, rust, metal grey RAL 9006 and aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge.
To request custom colours, please contact our technical department.

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.


Complete the article code with H measure (for example CPCVD/30/ for H=10 becomes CPCVD/30/10)

cerfix® protec

Protec CPGV is an aluminium perimetral profile for the protection and finishing of the outside edges of terraces and balconies. This profile is composed of a vertical part that facilitates the outflow of rainwater from the tiled surface and protects the border of the floor, and a sloping part equipped with holes for a further discharge of the water seeped under the tiles. This technical solution and the consequent drainage reduce the problems of freezing and thawing and the unsightly efflorescences on the tiles grouts. It can be used with tiles thicknesses up to 12,5 mm.



CPGV/55/10 stone white colour-coated aluminium




CPGV/55/

PROTEC

length = 270 cm - pack 5 pcs		H	
		10	12,5
ART. finishing		**CPGV/55/10**	**CPGV/55/12**
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87580	87581
ash grey RAL 7038 embossed		87578	87579
metal grey RAL 9006		87590	87591
ancient grey		87582	87583
white stone		87547	87548
euro/m			


white RAL 9003, dark brown RAL 8019, rust, aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.



CPGV/55/ /E

90° OUTSIDE CORNER


pack 5 pcs		H	
		10	12,5
ART. finishing		**CPGV/55/10/E**	**CPGV/55/12/E**
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87584	87585
ash grey RAL 7038 embossed		87595	87596
metal grey RAL 9006		87592	87593
ancient grey		87586	87587
white stone		87536	87537
euro/pc			



CPGV/55/ /I

90° INSIDE CORNER

pack 5 pcs		H	
		10	12,5
ART. finishing		**CPGV/55/10/I**	**CPGV/55/12/I**
COLOUR-COATED ALUMINIUM			
ancient grey		87566	87567
white stone		87538	87539
euro/pc			




CPGV/55/ /G

JUNCTION

width = 70 mm - pack 5 pcs		H			
		10	12,5	10	12,5
ART. finishing		**CPGV/55/ /G**		**CPGV/N/ /G**	
COLOUR-COATED ALUMINIUM					
ash grey RAL 7038		87610	87610	87487	87492
ash grey RAL 7038 embossed		87612	87612	87488	87493
metal grey RAL 9006		87594	87594	87489	87494
ancient grey		87611	87611	87490	87495
white stone		87528	87528	87491	87496
euro/pc					

no partial packaging




CPGV/N/ /G
single piece

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.


Protec CPQV is an aluminium perimetral profile for the protection and finishing of the outside edges of terraces and balconies. This profile is composed of a vertical part that covers the border of the floor and facilitates the outflow of rainwater from the tiled surface, and a sloping part equipped with holes for a further discharge of the water seeped under the tiles. This technical solution and the consequent drainage reduce the problems of freezing and thawing and the unsightly efflorescences on the tiles grouts. It can be used with tiles thicknesses up to 12,5 mm.




CPQV/50/10 ancient grey colour-coated aluminium



CPQV



CPQV/ / /E



CPQV/ / /G



CPQV ash grey RAL 7038

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.

Complete the article code with H measure (for example CPQV/50/ for H=12,5 becomes CPQV/50/12)

PROTEC

length = 270 cm - pack 5 pcs		H			
		10	12,5	10	12,5
ART. finishing		**CPQV/50/ (H1=50)**		**CPQV/70/ (H1=70)**	
COLOUR-COATED ALUMINIUM					
ash grey RAL 7038		86960	86961	86962	86963
ash grey RAL 7038 embossed		86964	86965	86966	86967
metal grey RAL 9006		86968	86969	86970	86971
ancient grey		86972	86973	86974	86975
white stone		86976	86977	86978	86979
euro/m					

white RAL 9003, dark brown RAL 8019, rust, aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.

90° OUTSIDE CORNER

pack 5 pcs		H			
		10	12,5	10	12,5
ART. finishing		**CPQV/50/ /E**		**CPQV/70/ /E**	
COLOUR-COATED ALUMINIUM					
ash grey RAL 7038		86980	86981	86982	86983
ash grey RAL 7038 embossed		86984	86985	86986	86987
metal grey RAL 9006		86988	86989	86990	86991
ancient grey		86992	86993	86994	86995
white stone		86996	86997	86998	86999
euro/pc					

JUNCTION

width = 70 mm - pack 5 pcs		H	
ART. finishing		**CPQV/50/G**	**CPQV/70/G**
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87000	87001
ash grey RAL 7038 embossed		87002	87003
metal grey RAL 9006		87004	87005
ancient grey		87006	87007
white stone		87008	87009
euro/pc			


no partial packaging

cerfix® protec


Protec CPEV and CPEI are a series of edge reversible profiles for the protection and finishing of the outside edges of terraces and balconies. Available in stainless steel and colour-coated aluminium, they can be installed flush with the border or detached from it. They can be used with tiles or marble thicknesses from 11 to 32 mm.
The particular section is recommended to protect the stair nosing and sidewalk edge, hiding the connection between tread and riser.



CPEV/45/12 ancient grey colour-coated aluminium



CPEV/45/




CPEV/72/

PROTEC

length = 270 cm - pack 5 pcs		H				
		11	12,5	15	20	12,5
ART.		CPEV/45/				CPEV/72/
finishing						
COLOUR-COATED ALUMINIUM						
ash grey RAL 7038		87530	87550	87551	87552	87252
metal grey RAL 9006		87531	87540	87541	87542	-
ancient grey		87532	87553	87554	87555	-
euro/m						

for CPEV/72 white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ancient grey, ash grey RAL 7038 embossed and rust with minimum 270 meters, on request, without surcharge. To request custom colours, please contact our technical department. For CPEV/45 white RAL 9003, dark brown RAL 8019, aluminium grey RAL 9007, ash grey RAL 7038 embossed and rust with minimum 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.




CPEI/

PROTEC

length = 270 cm - pack 10 pcs		H		
		12,5	15	20
ART.		CPEI/45/		
STAINLESS STEEL				
polished stainless steel AISI 304 DIN 1.4301	-	87570	87571	87572
euro/m	-			

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.

Complete the article code with H measure (for example CPEV/45/ for H=12,5 becomes CPEV/45/12)




CPEV/ / /E
CPEI/ / /E

90° OUTSIDE CORNER

pack 5 pcs		H				
		11	12,5	15	20	12,5
ART.		CPEV/45/ /E				CPEV/72/ /E
finishing						
COLOUR-COATED ALUMINIUM						
ash grey RAL 7038		87533	87556	87557	87558	87255
metal grey RAL 9006		87534	87543	87544	87545	-
ancient grey		87535	87559	87560	87561	-
euro/pc						

90° OUTSIDE CORNER

pack 5 pcs		H			
		12,5	15	20	
ART.		CPEI/45/ /E			
STAINLESS STEEL					
polished stainless steel AISI 304 DIN 1.4301	-	87573	87574	87575	
euro/pc	-				



CPEV/ / /G
CPEI/ / /G

JUNCTION

width = 70 mm - pack 5 pcs		H				
		11	12,5	15	20	12,5
ART.		CPEV/45/ /G				CPEV/72/ /G
finishing						
COLOUR-COATED ALUMINIUM						
ash grey RAL 7038		87562	87562	87562	87562	87258
metal grey RAL 9006		87546	87546	87546	87546	-
ancient grey		87563	87563	87563	87563	-
euro/pc						

no partial packaging

JUNCTION

width = 70 mm - pack 5 pcs		H			
		12,5	15	20	
ART.		CPEI/45/ /G			
STAINLESS STEEL					
polished stainless steel AISI 304 DIN 1.4301	-	87576	87576	87576	
euro/pc	-				

no partial packaging

Complete the article code with H measure (for example CPEV/45/ for H=12,5 becomes CPEV/45/12)




CPEV/45/12/E + CPEV/45/12/G ancient grey colour-coated aluminium

cerfix® protec

Protec CPNV is a series of edge profiles for the protection and the finishing of the outside edges of terraces and balconies. Available in colour-coated aluminium, they can be installed flush with the border or detached from it. Their special section makes them suitable for the protection of the borders of steps or sidewalks, since it hides the junction between the tread and the riser.
Protec CPNV is also available in the bendable version CPNVF, provided with a special cutout that allows to bend the profile with a radius up to 40 cm.



CPNV/45/ ash grey RAL 7038 embossed colour-coated aluminium




CPNV/45/

PROTEC

length = 270 cm - pack 5 pcs			H			
ART.	**finishing**		**10**	**11**	**12,5**	**21**
COLOUR-COATED ALUMINIUM						
CPNV/45/	ash grey RAL 7038 embossed		87270	87271	87272	87292
	ancient grey		87273	87274	87275	87293
	euro/m					


white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ash grey RAL 7038 and rust with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.



CPNV/45/ /E

90° OUTSIDE CORNER

pack 5 pcs			H			
ART.	**finishing**		**10**	**11**	**12,5**	**21**
COLOUR-COATED ALUMINIUM						
CPNV/45/ /E	ash grey RAL 7038 embossed		87276	87277	87278	87294
	ancient grey		87279	87280	87281	87295
	euro/pc					



CPNV/45/ /G

JUNCTION

width = 70 mm - pack 5 pcs			H			
ART.	**finishing**		**10**	**11**	**12,5**	**21**
COLOUR-COATED ALUMINIUM						
CPNV/45/ /G	ash grey RAL 7038 embossed		87282	87283	87284	87296
	ancient grey		87285	87286	87287	87297
	euro/pc					

no partial packaging



CPNVF/45/10 ancient grey colour-coated aluminium

PROTEC FLEX

length = 270 cm - pack 2 pcs			H	
			10	**12,5**
ART.	**finishing**		**CPNVF/45/**	
COLOUR-COATED ALUMINIUM				
ash grey RAL 7038 embossed			87288	87290
ancient grey			87289	87291
euro/m				

no partial packaging
To request custom colours, please contact our technical department.


On request, a special coating can be applied for installation in marine areas with a 50% surcharge.

Complete the article code with H measure (for example CPNV/45/ for H=10 becomes CPNV/45/10)

Protec CPBV is a series of edge profiles for the protection and the finishing of the outside edges of terraces and balconies. Available in colour-coated aluminium, they have been designed with a protruding section. In addition to protecting and finishing the outside edges, they guarantee the outflow of water from the floor, avoiding the contact with the outside border. They can be installed with tiles or marble of any thickness.



CPBV/55 ash grey RAL 7038 colour-coated aluminium




CPBV/

PROTEC


length = 270 cm - pack 5 pcs			H1		
ART.	**finishing**		**55**	**75**	**95**
COLOUR-COATED ALUMINIUM					
CPBV/	ash grey RAL 7038		87332	87334	87336
	ancient grey		87333	87335	87337
	euro/m				

white RAL 9003, dark brown RAL 8019, rust, metal grey RAL 9006 and aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge.
To request custom colours, please contact our technical department.



90° OUTSIDE CORNER

pack 5 pcs			H1		
ART.	**finishing**		**55**	**75**	**95**
COLOUR-COATED ALUMINIUM					
CPBV/ /E	ash grey RAL 7038		87402	87404	87406
	ancient grey		87403	87405	87407
	euro/pc				



JUNCTION

width = 70 mm - pack 5 pcs			H1		
ART.	**finishing**		**55**	**75**	**95**
COLOUR-COATED ALUMINIUM					
CPBV/ /G	ash grey RAL 7038		87462	87464	87466
	ancient grey		87463	87465	87467
	euro/pc				

no partial packaging



CPBV/55/E + CPBV/55/G ash grey RAL 7038 colour-coated aluminium


Complete the article code with H1 measure (for example CPBV/ for H1=55 becomes CPBV/55)

cerfix® protec

Protec CPHA - CPHV is an edge profile in anodised and colour-coated aluminium for terraces and balconies. The shape allows the outflow of water, avoiding the direct contact with the screed. Installed along the perimeter, it allows to outline the ceramic tiles and to protect the border in many fields of use. It can be used with tiles thicknesses up to 21 mm.



CPHA/10 silver anodised aluminium




CPHA/
CPHV/

PROTEC

length = 270 cm - pack 10 pcs			H (H1)			
ART.	**finishing**		**8 (23)**	**10 (25)**	**12,5 (27)**	**21 (36)**
ALUMINIUM						
CPHA/	silver anodised		87599	87600	87601	87602
	euro/m					
COLOUR-COATED ALUMINIUM						
CPHV/	ash grey RAL 7038		-	87606	87607	87608
	ash grey RAL 7038 embossed		-	87637	87638	-
	ancient grey		-	87639	87640	-
	euro/m		-			

white RAL 9003, dark brown RAL 8019, rust, metal grey RAL 9006 and aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.



CPHA/ /E
CPHV/ /E

90° OUTSIDE CORNER

dimension = 12x12 cm - pack 5 pcs			H (H1)			
ART.	**finishing**		**8 (23)**	**10 (25)**	**12,5 (27)**	**21 (36)**
ALUMINIUM						
CPHA/ /E	silver anodised		87564	87565	87597	87598
	euro/pc					
COLOUR-COATED ALUMINIUM						
CPHV/ /E	ash grey RAL 7038		-	87603	87604	87609
	ash grey RAL 7038 embossed		-	87641	87642	-
	ancient grey		-	87643	87644	-
	euro/pc		-			



CPHA/ /E silver anodised aluminium


Complete the article code with H measure (for example CPHA/ for H=10 becomes CPHA/10)


cerfix® protec

Protec CPLV is a line of perimetral profiles in colour-coated aluminium, for the protection and finishing of the borders of outdoor raised floors, terraces or balconies. They are composed of a drilled base CPLB to be screwed to the supports, or, as an alternative, a cut base CPLB/2 for glued tiles, and a visible profile to be fixed with adhesive, available in 3 different heights according to the floor thickness. There are also special accessories for the creation of external corners and junctions.




CPLB + CPLV/60 ash grey RAL 7038 colour-coated aluminium






CPLB
base for raised floors




TREND COLOR


CPLB/2
punched base for tiled floors



CPLV/



CPLV/ /E



CPLV/ /G

PROTEC

length = 270 cm - pack 10 pcs		H
BASE		
ART.	**finishing**	**20**
ALUMINIUM		
CPLB	natural aluminium	86900
	euro/m	
CPLB/2	natural aluminium	86901
	euro/m	

CPLB with draining holes available on request, extra euro/m
CPLB and CPLB/2 in 15 and 25 mm height available on request
we recommend using noise-proof gasket PPL/GM, see Catalogue of Supports for outdoor raised floors

PROTEC

length = 270 cm - pack 10 pcs			H1	
FRONT				
ART.	**finishing**	**60**	**80**	**100**
COLOUR-COATED ALUMINIUM				
CPLV/	ash grey RAL 7038	86902	86904	86906
	ancient grey	86903	86905	86907
	stone	86908	86909	86910
	greige	86911	86912	86913
	sand	86914	86915	86916
	beige	86917	86918	86919
	euro/m			

white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ash grey RAL 7038 embossed and rust with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.

90° OUTSIDE CORNER

pack 5 pcs			H1	
ART.	**finishing**	**60**	**80**	**100**
COLOUR-COATED ALUMINIUM				
CPLV/ /E	ash grey RAL 7038	86920	86922	86924
	ancient grey	86921	86923	86925
	stone	86926	86927	86928
	greige	86929	86931	86933
	sand	86935	86936	86937
	beige	86938	86939	86940
	euro/pc			

JUNCTION

width = 70 mm - pack 5 pcs			H1	
ART.	**finishing**	**60**	**80**	**100**
COLOUR-COATED ALUMINIUM				
CPLV/ /G	ash grey RAL 7038	86930	86932	86934
	ancient grey	86941	86942	86943
	stone	86944	86945	86946
	greige	86947	86948	86949
	sand	86950	86951	86952
	beige	86953	86954	86955
	euro/pc			

no partial packaging





stair nosing profiles


Protection, finishing and safety. Protect and Prostep are two ranges of stair nosing profiles for stairs for public and private use.

cerfix® prostep

Prostep SGA, SGI, SGN and SGK are profiles for the construction and protection of ceramic, marble and stone steps. Thanks to their rounded section, they give elegance and refinement to the edges of steps. The chromium-plated brass and anodised aluminium models are not recommended for heavy traffic. The steel version is particularly suitable for protecting step edges, even in areas with heavy traffic.



SGI/11 polished stainless steel AISI 304 DIN 1.4301



PROSTEP


length = 270 cm - pack 10 pcs			H			
ART.	**finishing**		**7**	**9**	**11**	**13**
ALUMINIUM						
SGA/	silver anodised		94965	94966	94967	94968
	euro/m					
STAINLESS STEEL						
SGI/	polished stainless steel AISI 304 DIN 1.4301		-	94922	94924	-
	euro/m		-			-
BRASS						
SGN/	natural brass		94970	94971	94972	-
	euro/m					-
CHROMIUM-PLATED BRASS						
SGK/	chromium-plated brass		94980	94981	94982	-
	euro/m					-

individually packed - art. SGK/9 and SGK/11 pack 5 pcs

Prostep SMA and SM are aluminium and brass profiles for the construction and protection of ceramic, marble and stone steps.



SMA/4,5 natural aluminium



SMA/
SM/

PROSTEP

length= 270 cm - pack 10 pcs			H				
ART.	**finishing**		**4,5**	**8**	**10**	**11**	**12,5**
ALUMINIUM							
SMA/	natural aluminium		93967	93969	93970	93979	93971
	euro/m						
	silver anodised		93975	93976	93977	93980	93978
	euro/m						
BRASS							
SM/	natural brass		-	-	93972	-	93973
	euro/m		-	-		-	

individually packed


Complete the article code with H measure (for example for SGA/ for H=11 becomes SGA/11)

cerfix® prostep

Protrim IPI/ are minimal profiles in aluminium or stainless steel suitable for the edging of external corners that need the 45 degrees cut.
These profiles allow a perfect laying both on coverings and on stairs or platforms in ceramic or wood.



IPA/11 silver anodised aluminium




IPA/
IPB/

PROTRIM IP

length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**4,5**	**8**	**11**	**15**
ALUMINIUM						
IPA/	silver anodised		95006	95178	95181	95185
	euro/m					
IPB/	bright polished silver		95008	-	-	-
	euro/m			-	-	-

individually packed



IPI/

PROTRIM IP


length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**7**	**8**	**11**	**12,5**
STAINLESS STEEL						
IPI/	stainless steel AISI 304 - DIN 1.4301		95169	95170	95173	95174
	euro/m					

individually packed

Prostep SNG and SN are aluminium and brass profiles for the construction and protection of ceramic, marble and stone steps.



SNG/10 silver anodised aluminium



SNG/
SN/

PROSTEP

length = 270 cm - pack 20 pcs			H			
ART.	**finishing**		**8**	**10**	**12,5**	**15**
ALUMINIUM						
SNG/	natural aluminium		90040	90042	90044	90046
	euro/m					
	silver anodised		90041	90043	90045	90047
	euro/m					
SN/	natural brass		93991	93992	93993	-
	euro/m					-

individually packed - SN/ pack 10 pcs

Complete the article code with H measure
(for example IPA/ for H=11 becomes IPA/11)

cerfix® prostep


Prostep SAR and SIR are aluminium and stainless steel stair nosing profiles for protecting step edges. The stainless steel version is also suitable for outdoor use. Thanks to their reversible shapes, the two models can be used for ceramics of four different thicknesses.




SAR/10/12 silver anodised aluminium




SIR/10/12 stainless steel AISI 304 DIN 1.4301




SAR/8




SAR/15




SAR/10




SAR/12




SIR/8
SIRS/8



SIR/15
SIRS/15



SIR/10
SIRS/10



SIR/12
SIRS/12

PROSTEP

length = 270 cm - pack 10 pcs

ART.	finishing		
ALUMINIUM			
SAR/8/15	silver anodised		93956
	euro/m		
SAR/10/12	silver anodised		93958
	euro/m		

individually packed

PROSTEP

length = 270 cm - pack 10 pcs

ART.	finishing		
STAINLESS STEEL			
SIR/8/15	polished stainless steel AISI 304 DIN 1.4301		93952
	euro/m		
SIR/10/12	polished stainless steel AISI 304 DIN 1.4301		93954
	euro/m		
SIRS/8/15	brushed stainless steel AISI 304 DIN 1.4301		93953
	euro/m		
SIRS/10/12	brushed stainless steel AISI 304 DIN 1.4301		93955
	euro/m		


individually packed

cerfix® prostep


Prostep SIS is a stainless steel profile for the construction and protection of ceramic, marble and stone steps. Prostep SIS is particularly suitable for protecting steps subject to heavy traffic.



SIS/10 brushed stainless steel AISI 304 - DIN 1.4301



SIS/




SIS/10/SF

PROSTEP


length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**10**	**11**	**12,5**
STAINLESS STEEL					
SIS/	brushed stainless steel AISI 304 DIN 1.4301		93987	93989	93988
	euro/m				
SIS/10/SF	brushed stainless steel AISI 304 DIN 1.4301		93997	-	-
	euro/m			-	-

individually packed

Prostep SIX is a stainless steel profile for the construction and protection of ceramic, marble and stone steps. Thanks to the application of Safety-Step anti-slip strips on the tread surface, it complies with DIN 51130 standard for anti-slip surfaces and is particularly suitable for protecting steps subject to heavy traffic.



SIX/10 brushed stainless steel AISI 304 - DIN 1.4301 + black slip-resistant 25 mm



SIX/

PROSTEP

length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
STAINLESS STEEL					
SIX/	brushed stainless steel AISI 304 DIN 1.4301 + black slip-resistant 25 mm		93981	93982	93983
	euro/m				

individually packed


Complete the article code with H measure
(for example SIS/ for H=10 becomes SIS/10)

cerfix® prostep

Prostep SP is a co-extruded PVC profile with an aluminium fixing base for the construction and protection of ceramic, cotto or stone steps.



SP/10 aluminium + black co-extruded PVC



SP/


PROSTEP

length = 270 cm - pack 10 pcs			H		
ART.	**finishing**		**8**	**10**	**12,5**
SP/	aluminium + black co-extruded PVC		95200	95210	95220
	euro/m				

Prostep SA and SB are co-extruded PVC profiles with an aluminium fixing base for the construction and protection of ceramic, cotto or stone steps. The grooved co-extruded PVC insert can be replaced with a special spare part in case of wear.




SB/10 aluminium + dark grey co-extruded PVC



SA/

PROSTEP

length = 270 cm - pack 10 pcs			H			
ART.	**finishing**		**8**	**10**	**12,5**	**15**
SA/	aluminium + dark grey co-extruded PVC		94041	94101	94161	-
	euro/m					-
SPARE CO-EXTRUDED PVC - pack 10 pcs						
SA/G	dark grey co-extruded PVC			94913		
	euro/m					



SB/

length = 270 cm - pack 10 pcs			H			
ART.	**finishing**		**8**	**10**	**12,5**	**15**
SB/	aluminium + dark grey co-extruded PVC		94441	94501	94561	94621
	euro/m					
SPARE CO-EXTRUDED PVC - pack 10 pcs						
SB/G	dark grey co-extruded PVC			94963		
	euro/m					

no partial packaging with SA/G and SB/G


Complete the article code with H measure
(for example SWA/ for H=10 becomes SWA/10)

cerfix® prostep

Prostep Flex is a line of bendable aluminium profiles for protecting the edges of steps or platforms. These profiles can be bent using the special Proflex Machine.



GF/710 silver anodised aluminium



GF/

PROSTEP FLEX

length = 270 cm - pack 10 pcs			H	
ART.	**finishing**		**10**	**15**
ALUMINIUM			**710**	**715**
GF/	silver anodised		67569	67350
	euro/m			

individually packed


Protect 111 and 75 are anodised aluminium profiles for the construction and protection of ceramic, wood and laminate steps. They are also suitable for resilient glued coverings.



111/10/F silver anodised aluminium



75/F silver anodised aluminium



PROTECT

length =270 cm - pack 20 pcs			H				
ART.	**finishing**		**2,5**	**4,5**	**5**	**6**	**10**
ALUMINIUM							
111/ /F	silver anodised		75782	75784	75785	75786	75787
	euro/m						

PROTECT

length = 340 cm - pack 20 pcs			H
ART.	**finishing**		**3,5**
ALUMINIUM			
75/F	silver anodised		75388
	euro/m		


Complete the article code with H measure
(for example SA/ for H=8 becomes SA/8)

protect


Protect 73, 74 and 58 are aluminium, stainless steel or brass profiles recommended for protecting the edges of wooden, ceramic or marble steps that have already been laid. All models are available in adhesive or drilled versions for areas with heavy traffic.




74/SF silver anodised aluminium




73/




74/




58/



74/IF



87/
370/



373/

PROTECT

pack		30 pcs			10 pcs / blister			
length cm		270			90		100	-
ART.		**73/**			**473/**			**-**
finishing		**F**	**SF**	**A**	**CV**	**AD**	**CV**	**-**
ALUMINIUM								
silver anodised		75208	75209	75238	21422	21434	00337	-
euro/m					-	-	-	-
euro/pc		-	-	-				-
gold anodised		75218	-	75248	21423	21435	00338	-
euro/m			-		-	-	-	-
euro/pc		-	-					-
bronze anodised		-	-	75258	-	-	-	-
euro/m		-	-		-	-	-	-

pack	20 pcs.		30 pcs			10 pcs / blister			20 pcs
ART.	**58/**		**74/**			**474/**			**74/I**
finishing	**A**	**-**	**F**	**SF**	**A**	**CV**	**AD**	**CV**	**F**
ALUMINIUM									
silver anodised	75900	-	75268	75269	75298	21512	21524	00390	-
euro/m		-				-	-	-	-
euro/pc	-	-	-	-	-				-
gold anodised	-	-	75278	-	75308	21513	21525	00392	-
euro/m	-	-		-		-	-	-	-
euro/pc	-	-	-	-	-				-
bronze anodised	-	-	-	-	75318	-	-	-	-
euro/m	-	-	-	-		-	-	-	-
titanium anodised	-	-	-	-	75299	-	-	-	-
euro/m	-	-	-	-		-	-	-	-
length cm									270
STAINLESS STEEL									
brushed stainless steel AISI 304 DIN 1.4301	-	-	-	-	-	-	-	-	75275
euro/m	-	-	-	-	-	-	-	-	

art. 73/, 58/ and 74/ individually packed

PROTECT

pack		30 pcs			10 pcs / blister	
length cm		340			113	
ART.		**87/**			**487/**	
finishing	**F**	**SF**	**A**		**CV**	**AD**
ALUMINIUM						
silver anodised	75108	75109	75138		22615	22641
euro/m					-	-
euro/pc	-	-	-			
pack		10 pcs			5 pcs	
length cm		270			270	
ART.		**370/**			**373/**	
finishing	**F**	**SF**	**A**		**F**	**A**
BRASS						
polished	-	75169	75178		75188	75198
euro/m	-					

art. 87/ and 370/ individually packed

Complete the article code with F=drilled, A/AD=adhesive, SF=undrilled, CV=screws (eg. 73/ drilled becomes 73/F)


packaging in blister - no partial packaging

protect


Protect 70, 71 and 130 are anodised aluminium profiles recommended for protecting the edges of wooden, ceramic or marble steps that have already been laid. All models are available in adhesive or drilled versions to be used for areas with heavy traffic.




71/SF silver anodised aluminium



70/



71/



130/

PROTECT						
pack			20		10 pcs / blister	
length cm			340		113	166
ART.			**70/**		**470/**	
finishing		**F**	**SF**	**A**	**CV**	**CV**
ALUMINIUM						
silver anodised		75328	75329	75358	21560	21564
euro/m					-	-
euro/pc		-	-	-		
gold anodised		75338	-	75368	-	-
euro/m			-		-	-

art. 70/ individually packed

PROTECT					
pack		10 pcs		8 pcs	
length cm		340		270	
ART.		**71/**		**130/**	
finishing		**F**	**SF**	**F**	**SF**
ALUMINIUM					
silver anodised		64067	64066	75804	75805
euro/m					


Complete the article code with F=drilled, A/AD=adhesive, SF=undrilled, CV=with screws (eg. 87/ drilled becomes 87/F) - packaging in blister - no partial packaging

protect

Protect 76, 124, 110, 80 and 126 are anodised aluminium profiles with Safety-Step anti-slip insert or grooved PVC insert, for protecting the edges of ceramic, marble, wood or carpet steps that have already been laid.
The versions with Safety-Step anti-slip roll comply with DIN 51130 for anti-slip surfaces. The drilled versions are recommended for areas with heavy traffic.




76/F silver anodised aluminium + black slip-resistant insert




76/

PROTECT				
pack		10 pcs	5 pcs / blister	
length cm		340	113	
ART.		**76/**	**476/**	
finishing		**F**	**CV**	**AD**
ALUMINIUM				
silver anodised		75448	21680	21696
euro/m			-	-
euro/pc		-		
SLIP-RESISTANT ROLL SAFETY-STEP				
length = 1820 cm - width mm 4 rolls pack -			**19**	
black			23002	
euro/m				



124/

PROTECT		
length = 270 cm - pack 24 pcs		
ART.		**124/**
finishing		**F**
ALUMINIUM		
silver anodised		75794
euro/m		
SLIP-RESISTANT ROLL SAFETY-STEP		
length = 1820 cm - width mm 4 rolls pack -		**25**
black		23004
euro/m		



110/

PROTECT		
length = 270 cm - pack 24 pcs		
ART.		**110/**
finishing		**F**
ALUMINIUM		
silver anodised		75780
euro/m		
SLIP-RESISTANT ROLL SAFETY-STEP		
length = 1820 cm - width mm 4 rolls pack -		**19**
black		23002
euro/m		

The price per meter of 76/, 124/ and 110/ does not include the non-slip insert that must be ordered separately.

Complete the article code with F=drilled, AD=adhesive, CV=screws (eg. 110/ drilled becomes 110/F)


packaging in blister - no partial packaging



124/F silver anodised aluminium + black slip-resistant insert




110/F silver anodised aluminium + black slip-resistant insert



80/

PROTECT		
length = 340 cm - pack 10 pcs		
ART.		**80/**
finishing		**F**
ALUMINIUM		
silver anodised		64077
euro/m		
SLIP-RESISTANT ROLL SAFETY-STEP		
length = 1820 cm - width mm 2 rolls pack -		**50**
black		23006
euro/m		




126/

PROTECT		
length = 270 cm - pack 6 pcs		
ART.		**126/**
finishing		**F**
ALUMINIUM		
silver anodised		75798
euro/m		
GROOVED PVC		
length = 1700 cm - 1 rolls pack		
ART.		**GMR/44**
black		75706
euro/m		



80/F silver anodised aluminium



126/F silver anodised aluminium

The price per meter of 80/ does not include the non-slip insert that must be ordered separately.

The price per metre of 126/ does not include grooved PVC that must be ordered separately.


Complete the article code with F=drilled (for example 80/ drilled becomes 80/F)

protect

Protect 72, 79, 125 and 78 are anodised aluminium profiles with a grooved PVC insert (replaceable), recommended for protecting the edges of ceramic, marble, wood or carpet steps that have already been laid.




72/F silver anodised aluminium + GM/72 black




72/


PROTECT		
length = 340 cm - pack 10 pcs		
ART.		**72/**
finishing		**F**
ALUMINIUM		
silver anodised		75508
euro/m		
gold anodised		75518
euro/m		
GROOVED PLASTICISED PVC		
length = 3400 cm - 2 rolls pack		
ART.		**GM/72**
black		75565
euro/m		



79/F + GM/R



125/F + GM/R




GM/R

PROTECT			
pack		10	10
length cm		340	270
ART.		**79/**	**125/**
finishing		**F**	**F**
ALUMINIUM			
silver anodised		75728	75796
euro/m			
GROOVED PLASTICISED PVC			
length = 3400 cm - 2 rolls pack			
ART.		**GM/R**	
black		75705	
euro/m			

The price per metre of 72/, 79/ and 125/ does not include grooved PVC that must be ordered separately.

Complete the article code with F=drilled (for example 72/ drilled becomes 72/F)



78/

PROTECT		
length = 340 cm - pack 20 pcs		
ART.		**78/**
finishing		**F**
ALUMINIUM		
silver anodised		75578
euro/m		
GROOVED PLASTICISED PVC		
length = 1700 cm - 2 rolls pack		
ART.		**GM/78**
black		75635
euro/m		



125/F silver anodised aluminium + GM/R black



78/F silver anodised aluminium + GM/78 black

The price per metre of 78/ does not include grooved PVC that must be ordered separately.


Complete the article code with F=drilled (for example 78/ drilled becomes 78/F)

protect

Protect 150, 151, 152, 154, 155 and 156 are plasticised PVC profiles recommended for protecting stair nosings in ceramic, marble, wood, PVC, linoleum or LVT (provided it is fully glued), during or after installation.



150 black grooved plasticised PVC




150

PROTECT

length = 300 cm - pack 15 pcs			
ART.	**finishing**		
GROOVED PLASTICISED PVC			
150	black		19100
	grey		19101
	brown		19102
	euro/m		

no partial packaging




151

PROTECT

length = 300 cm - pack 15 pcs			
ART.	**finishing**		
GROOVED PLASTICISED PVC			
151	black		19110
	grey		19111
	brown		19112
	euro/m		

no partial packaging



152

PROTECT

length = 300 cm - pack 15 pcs			
ART.	**finishing**		
GROOVED PLASTICISED PVC			
152	black		19120
	grey		19121
	euro/m		

no partial packaging




151 black grooved plasticised PVC



152 grey grooved plasticised PVC

All Protect profiles in plasticised PVC must be stored horizontally.




154

PROTECT

length = 300 cm - pack 15 pcs			
ART.	**finishing**		
GROOVED PLASTICISED PVC			
	black		19140
154	grey		19141
	brown		-
	euro/m		

no partial packaging




155

PROTECT

length = 300 cm - pack 15 pcs			
ART.	**finishing**		
GROOVED PLASTICISED PVC			
	black		19150
155	grey		19151
	brown		19152
	euro/m		

no partial packaging



156

PROTECT

length = 300 cm - pack 10 pcs			
ART.	**finishing**		
GROOVED PLASTICISED PVC			
	black		19160
156	grey		19161
	brown		19162
	euro/m		

no partial packaging



154 brown grooved plasticised PVC



155 black grooved plasticised PVC



156 grey grooved plasticised PVC

All Protect profiles in plasticised PVC must be stored horizontally.

safety-step

Safety-Step is a line of self-adhesive slip-resistant strips consisting of abrasive particles bonded with synthetic resins on a dimensionally stable base, compliant with DIN 51130 standard for slip-resistant surfaces. Suitable for all surfaces subject to heavy traffic, such as stairs, office and building entrances, ramps, walkways, goods lifts, machine platforms, emergency exits, etc..



Safety-Step - slip-resistant strip

SAFETY-STEP - SLIP-RESISTANT STRIP

colour	width (mm)	length (cm)	code	*euro/pc*	pack
black	19	61	23000		50
black	25	61	23001		50
black	19	61	23100		10 blisters of 4 pcs
black	25	61	23101		10 blisters of 4 pcs
transparent	19	61	23016		50

no partial packaging




Safety-Step - slip-resistant strip

packaging in blister - no partial packaging

safety-step

Safety-Step is a line of self-adhesive slip-resistant rolls made of abrasive particles bonded with synthetic resins on a dimensionally stable base. Suitable for all surfaces subject to heavy traffic, such as stairs, office and building entrances, ramps, walkways, goods lifts, machine platforms and emergency exits. The black and transparent versions comply with DIN 51130 for slip-resistant surfaces.



Safety-Step - slip-resistant strip

SAFETY-STEP - SLIP-RESISTANT ROLL

colour	width (mm)	length (cm)	code	*euro/pc*	pack
black	19	1820	23002		4
black	25	1820	23004		4
black	50	1820	23006		2
black	19	360	23103		10 blisters of 1 pc
black	25	360	23105		10 blisters of 1 pc
transparent	19	1820	23018		4
transparent	25	1820	23020		4
transparent	50	1820	23022		2
grey	25	1820	23044		4
grey	50	1820	23046		2



Safety-Step - slip-resistant roll


packaging in blister - no partial packaging

prostair


Prostair is a complete system of profiles and related fixing accessories in aluminium or brass for anchoring carpets on stairs. The fixing accessories allow quick removal of the carpets for cleaning and/or replacement.




155/16 bright polished gold aluminium + 177/16




151/11



150/



163/



155/16

art. 163/ available in different lengths on request, extra €/pc

Complete the article code with the diameter measure (for example 150/ for diameter=11 becomes 150/11)

PROSTAIR

length = 380 cm - diameter 11 - pack 20 pcs			
ART.	**finishing**		
ALUMINIUM			
151/11	bright polished silver		78430
	euro/m		

PROSTAIR

pack 20 pcs

length cm			**80**	**90**	**100**	**120**	**380**
ART.	**finishing**						
ALUMINIUM		**diameter**					
		11	78311	78312	78313	78314	78319
		euro/pc					-
		euro/m	-	-	-	-	
150/	bright polished gold	**13**	78321	-	78323	-	78329
		euro/pc		-		-	-
		euro/m	-	-	-	-	
		16	-	-	-	-	78339
		euro/m	-	-	-	-	
pack 10 pcs / blister							
4150/11/S	bright polished gold	**11**	21810	21811	21812	-	-
		euro/blister				-	-

items 150/11, 150/13, 150/16 from 80 to 120 cm cannot be unpacked and are equipped with 2 knobs
items 150/11, 150/13, 150/16 from 380 cm can be unpacked and do not have knobs
item 150/13 from 380 cm, pack of 40 pcs - item 150/16, 380 cm, pack of 25 pcs
item 4150/11/S cannot be unpacked and equipped with 2 knobs

PROSTAIR

pack			10 pcs	10 pcs	10 pcs
length = 380 cm					
finishing					
BRASS		**diameter**	**11**	**13**	**16**
163/	polished		78801	78802	78803
	euro/m				

OTHER PROFILES


length = 300 cm - pack 20 pcs			
ART.	**finishing**	**16x16**	
ALUMINIUM			
155/16	bright polished gold	78379	
	euro/m		




163/13 polished brass + 170/13




155/16 bright polished gold aluminium + 168/16 + 178/16




175/11 + 174/




177/16




178/16



171/ + 170/



161/11 + 169/



168/16

ACCESSORIES - BRACKETS

pack 20 pcs			diameter		
ART.	**finishing**		**11**	**13**	**16**
BRASS					
175/11	chromium plated		78445	-	-
	euro/pc			-	-
pack 20 pcs					
174/	polished		78410	-	78412
	euro/pc			-	
pack 10 couples 2 pcs dx/sx					
177/16	polished		-	-	78415
	euro/couple		-	-	
pack 20 pcs				**measures**	
				16x16	
178/16	polished			78420	
	euro/pc				

ACCESSORIES - RINGS

pack 20 pcs			diameter		
ART.	**finishing**		**11**	**13**	**16**
BRASS					
171/11	chromium plated		78440	-	-
	euro/pc			-	-
pack 20 pcs					
170/	polished		78400	78401	78402
	euro/pc				
10 blister packs/ 4 pcs/blister					
4170/ /S	polished		21852	-	-
	euro/blister			-	-

no partial packaging

ACCESSORIES - KNOBS

pack 20 pcs			diameter		
ART.	**finishing**		**11**	**13**	**16**
BRASS					
161/11	chromium plated		78435	-	-
	euro/pc			-	-
pack 20 pcs					
169/	brass (for aluminium and brass profiles)		78395	78396	78397
	euro/pc				
pack 20 pcs					
				16x16	
168/16	polished			78418	
	euro/pc				

no partial packaging

Complete the article code with diameter measure (eg. 174/ for diameter=11 becomes 174/11)



KEITH HARING
Party Of Life



profiles for wooden, laminate and resilient floors

A complete range of profiles for wood, laminate and resilient floors. A series of professional systems and solutions available in various colours of anodised aluminium and in exclusive Alcrom® Plus finishes, with the possibility of further customisation thanks to PDS technology.

unisystem plus




Unisystem Plus is a floating installation system for wood, laminate and resilient floors with thicknesses ranging from 6.5 mm to 22.6 mm. Composed of junction profiles, connection profiles, perimeter profiles and stair nosing profiles, Unisystem Plus is easy to install and simple to remove. The system consists of a top profile, an aluminium base and a fixing clip: after inserting the fixing clip into the top profile, simply apply a little pressure to the latter to fix it to the base.




fix the aluminium base to the subfloor with screws or glue




bring the floor boards close together, leaving enough space for expansion



insert the clips in the top profile



put the top profile in the base



push the top profile in the base




installation completed

Unisystem Plus line



Junction profiles for floors of same level






Connection profiles for floors of different level





Perimetral profiles





Stair nosing profiles




unisystem plus


Unisystem Plus is a system for the floating installation of wooden, laminate and resilient floors from 6,5 to 22,6 mm thickness, composed of junction profiles for same level floors (Z/ series), connection profiles for different level floors (C/ series) and perimetral profiles (S/ series). The system is composed of a natural aluminium base and a top profile to be fixed on the base through a specific clip. The top profile is available in different finishes of anodised aluminium or covered with wood-effect Alcrom® Plus film for matching the floor perfectly.




Unisystem Plus S/9/SF, Z/1/SF and C/7/SF



Z/1/SF



C/7/SF



S/9/SF

Profiles of 270 cm length: please order the base separately.

Customized PDS decors on request, see page 198

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs

ART.	finishing	Z/1/SF	C/7/SF	S/9/SF
floor thickness from / to mm		6,5/22,6	6,5/10	6,5/22,6
ALUMINIUM covered with ALCROM® PLUS film				
	02	66301	66001	65701
	05	66306	66006	65706
	08	66304	66004	65704
	10	66307	66007	65707
	11	66308	66008	65708
	12	66309	66009	65709
	13	66310	66010	65710
	14	66311	66011	65711
	18	66316	66016	65716
	19	66318	66018	65718
	20	66317	66017	65717
	26	66321	66021	65721
	31	66328	66028	65728
	32	66329	66029	65729
	34	66331	66031	65731
	35	66332	66032	65732
	36	66333	66033	65733
	37	66334	66034	65734
	38	66335	66035	65735
	39	66336	66036	65736
	40	66337	66037	65737
	41	66338	66038	65738
	42	66339	66039	65739
	43	66340	66040	65740
	44	66341	66041	65741
	47	66344	66044	65744
	65	66365	66065	65765
	71	66368	66068	65768
	72	66369	66069	65769
	73	66370	66070	65770
	74	66371	66071	65771
	76	66374	66074	65774
	77	66372	66072	65772
	78	66376	66076	65776
	79	66373	66073	65773
	80	66377	66077	65777
	81	66378	66078	65778
	89	66386	66086	65784
euro/m				

individually packed

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs


ART.	finishing	Z/1/SF	C/7/SF	S/9/SF
floor thickness from / to mm		6,5/22,6	6,5/10	6,5/22,6
ALUMINIUM covered with ALCROM® PLUS film				
	91	66388	66088	65786
	92	66389	66089	65789
	93	66390	66090	65790
	94	66391	66091	65791
	95	66392	66092	65792
	351	66393	66093	-
	363	66394	66094	-
	372	66395	66095	-
	490	66397	66097	-
	560	66398	66098	-
	580	66399	66099	65793
	590	66400	66100	-
	665	66401	66101	65794
	670	66402	66102	65795
	951	66408	66108	65797
	975	66409	66109	65798
	1024	66410	66110	65799
	1033	66411	66111	65800
	1042	66412	66112	65801
	1090	66414	66114	65803
	1202	66416	66116	65805
	1203	66417	66117	65806
	1204	66418	66118	65807
	1205	66419	66119	65808
	1206	66420	66120	65809
	1207	66421	66121	65810
	1208	66422	66122	65811
	1209	66423	66123	65812
	1210	66424	66124	65813
	1211	66425	66125	65814
	1212	66426	66126	65815
	1213	66427	66127	65816
	1214	66428	66128	65817
	1215	66429	66129	65818
	1216	66430	66130	65819
	1217	66431	66131	65820
	100	66432	66132	-
	black 97	66433	66133	65821
euro/m				

individually packed

UNISYSTEM PLUS

length = 270 cm - pack 20 pcs				
ART.	**finishing**	**Z/1/SF**	**C/7/SF**	**S/9/SF**
floor thickness from / to mm		6,5/22,6	6,5/10	6,5/22,6
ANODISED ALUMINIUM				
silver		67217	67007	65680
euro/m				
titanium		67238	67000	65691
gold		67227	67017	65685
gold sand		67234	67024	65688
bronze		67237	67027	65690
euro/m				

Other models for thicker floors available on page 178
individually packed




TPU/

UNISYSTEM PLUS - BASES

length = 270 cm - pack 20 pcs - each piece includes 15 TU/6 clips		H				
ART.	**finishing**	**6**	**10**	**13**	**15**	**22**
floor thickness from / to mm		6,5/10	9,6/12,5	12,6/15,5	15/19	19,6/22,6
ALUMINIUM						
TPU/	natural aluminium	67437	67447	67457	67460	67467
	euro/m					

individually packed (art. TPU/22 pack 10 pcs)



TU/6

SPARE CLIPS

pack of 150 pcs	H
	6
TU/6	68812/150
euro/pack	

no partial packaging



Z/1/SF aluminium covered with Alcrom® Plus film




C/7/SF aluminium covered with Alcrom® Plus film




S/9/SF aluminium covered with Alcrom® Plus film


unisystem plus




Z3/30/SF




C/10/SF




C/13/SF



C/22/SF



S/15/SF



TPU/

UNISYSTEM PLUS

length = 270 cm		pack 20 pcs	pack 20 pcs	pack 10 pcs	pack 10 pcs	pack 10 pcs
ART.	**finishing**	**Z3/30/SF**	**C/10/SF**	**C/13/SF**	**C/22/SF**	**S/15/SF**
floor thickness from / to mm		6,5/22,6	9,6/12,5	12,6/15,5	15/22,6	9,6/22,6
ANODISED ALUMINIUM						
silver		63700	67077	67147	66907	65480
euro/m						
gold		63702	67087	67157	-	-
gold sand		63704	-	-	-	65488
euro/m					-	

individually packed

UNISYSTEM PLUS - BASES

length = 270 cm - pack 20 pcs - each piece includes 15 TU/6 clips		H				
ART.	**finishing**	**6**	**10**	**13**	**15**	**22**
floor thickness from / to mm		6,5/10	9,6/12,5	12,6/15,5	15/19	19,6/22,6
ALUMINIUM						
TPU/	natural aluminium	67437	67447	67457	67460	67467
	euro/m					

individually packed (art. TPU/22 pack 10 pcs)

SPARE CLIPS


pack of 150 pcs	H
	6
TU/6	68812/150
euro/pack	

no partial packaging



Z3/30/SF silver anodised aluminium

Customized PDS decors on request, see page 198



TPZ/



TPZ/47/CV silver anodised aluminium and aluminium covered with Alcrom® Plus film

UNISYSTEM PLUS


length = 90 cm - pack 10 pcs / blister - for floor thicknesses from 6,5 to 10 mm

ART.	finishing								
ALUMINIUM covered with ALCROM® PLUS film									
TPZ/47/CV	05	43005		77	43011		1208	43027
	10	43020		78	43066		1209	43029
	14	43006		80	43068		1210	43030
	19	43007		89	43012		1211	43031
	20	43028		91	43013		1212	43033
	26	43008		580	43014		1213	43035
	31	43009		1202	43016		1214	43037
	38	43034		1203	43017		1215	43039
	39	43010		1204	43018		1216	43041
	40	43036		1205	43019		1217	43043
	42	43038		1206	43025			
	65	43056		1207	43026			
	euro/pc							
	individually packed							

UNISYSTEM PLUS

length = 90 cm - pack 10 pcs / blister

ART.	finishing	TPZ/47/CV	TPZ/410/CV	TPZ/413/CV
floor thickness from / to mm		6,5 / 10	9,6 / 12,5	12,6 / 15,5
ANODISED ALUMINIUM				
silver		43000	43072	43144
gold		43004	43076	43148
euro/pc				
individually packed - gold anodised extra euro/pc				



TPC/

UNISYSTEM PLUS


length = 90 cm - pack 10 pcs / blister - for floor thicknesses from 6,5 to 10 mm

ART.	finishing								
ALUMINIUM covered with ALCROM® PLUS film									
TPC/47/CV	05	43219		77	43225		1208	43239
	10	43234		78	43280		1209	43240
	14	43220		80	43282		1210	43241
	19	43221		89	43226		1211	43243
	20	43242		91	43227		1212	43244
	26	43222		580	43228		1213	43245
	31	43223		1202	43231		1214	43247
	38	43248		1203	43232		1215	43249
	39	43224		1204	43233		1216	43251
	40	43250		1205	43235		1217	43253
	42	43252		1206	43236			
	65	43270		1207	43237			
	euro/pc							
	individually packed							

UNISYSTEM PLUS

length = 90 cm - pack 10 pcs / blister

ART.	finishing	TPC/47/CV	TPC/410/CV	TPC/413/CV
floor thickness from / to mm		6,5 / 10	9,6 / 12,5	12,6 / 15,5
ANODISED ALUMINIUM				
silver		43214	43286	43358
gold		43218	43290	43362
euro/pc				
individually packed - gold anodised extra euro/pc				



TPS/

UNISYSTEM PLUS

length = 90 cm - pack 10 pcs / blister

ART.	finishing	TPS/47/CV	TPS/410/CV	TPS/413/CV
floor thickness from / to mm		6,5 / 10	9,6 / 12,5	12,6 / 15,5
ANODISED ALUMINIUM				
silver		43430	43502	43574
euro/pc				
individually packed				


The blister pack contains base, clips and profile.

unisystem plus

G/2/SF is a stair nosing profile of Unisystem Plus line. Composed of a base and a top profile, it is suitable for the installation of floating wooden, laminate and resilient with thicknesses from 6,5 to 12,5 mm.



G/2/SF aluminium covered with Alcrom® Plus film




G/2/SF + TPU/

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs - for floor thicknesses from 6,5 to 12,5 mm

ART.	finishing								
ALUMINIUM covered with ALCROM® PLUS film									
G/2/SF	05	43645		41	43656		1208	43669
	08	43646		77	43657		1209	43670
	12	43647		89	43658		1210	43671
	13	43648		91	43659		1211	43672
	14	43649		93	43660		1212	43673
	19	43650		580	43661		1213	43674
	26	43651		1202	43663		1214	43675
	31	43679		1203	43664		1215	43676
	32	43652		1204	43665		1216	43677
	36	43653		1205	43666		1217	43678
	39	43654		1206	43667			
	40	43655		1207	43668			
	euro/m							

individually packed



TPU/

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs - for floor thicknesses from 6,5 to 12,5 mm


ART.	finishing		
ANODISED ALUMINIUM			
G/2/SF	silver		43690
	euro/m		
	titanium		43691
	euro/m		

individually packed

UNISYSTEM PLUS - BASES

length = 270 cm - pack 20 pcs - each piece includes 15 TU/6 clips		H	
ART.	**finishing**	**6**	**10**
floor thickness from / to mm		6,5/10	9,6/12,5
ALUMINIUM			
TPU/	natural aluminium	67437	67447
	euro/m		

individually packed



TU/6

SPARE CLIPS

pack 150 pcs	H
	6
TU/6	68812/150
euro/pack	

no partial packaging


Customized PDS decors on request, see page 198

Profiles of 270 cm length: please order the base separately.

G/4/SF is a stair nosing profile of Unisystem Plus range, composed of a base and a top profile, for the floating installation of wooden and laminate floors with thicknesses from 6,5 to 15,5 mm.



G/4/SF aluminium covered with Alcrom® Plus film




G/4/SF + TPU/

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs - for floor thicknesses from 6,5 to 15,5 mm

ART.	finishing								
ALUMINIUM covered with ALCROM® PLUS film									
G/4/SF	02	63905	40	63920	93	63944
	08	63907	41	63926	95	63946
	11	63911	43	63927		
	12	63913	65	63931		
	13	63916	71	63951		
	18	63914	72	63952		
	32	63917	73	63953		
	34	63923	76	63956		
	35	63924	77	63937		
	36	63942	78	63934		
	37	63943	79	63938		
	38	63919	92	63941		
	euro/m					

individually packed




TPU/

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs - for floor thicknesses from 6,5 to 15,5 mm

ART.	finishing		
ANODISED ALUMINIUM			
G/4/SF	silver		63900
	euro/m		
	gold sand		63904
	euro/m		

individually packed



TU/6

UNISYSTEM PLUS - BASES

length = 270 cm - pack 20 pcs - each piece includes 15 TU/6 clips			H	
ART.	**finishing**		**6**	**10**	**13**
floor thickness from / to mm			6,5/10	9,6/12,5	12,6/15,5
ALUMINIUM					
TPU/	natural aluminium		67437	67447	67457
	euro/m				

individually packed

SPARE CLIPS

pack 150 pcs	H
	6
TU/6	68812/150
euro/pack	

no partial packaging

Profiles of 270 cm length: please order the base separately.


Customized PDS decors on request, see page 198

profix thin


Profix Thin is a system designed to allow the expansion of LVT and SPC floors, both click and loose-laid. Profix Thin is suitable for floors from 4 to 7 mm thick and is composed of junction profiles for same level floors (Z/4), connection profiles for different level floors (C/4) and perimetral profiles (S/4). The system is composed of PVC-U base and a top profile available in different finishes of anodised aluminium or covered with wood-, stone- or concrete-effect Alcrom® Plus film for matching the floor perfectly.




Profix Thin S/4, Z/4 and C/4



Z/4 + PT/4



C/4 + PT/4/SA



S/4 + PT/4/SA

PROFIX THIN


length = 270 cm - pack 20 pcs		for floor thickness (from 4 to 7 mm)		
ALUMINIUM covered with ALCROM® PLUS film				
		Z/4	**C/4**	**S/4**
	1003	85101	85201	85301
	1006	85102	85202	85302
	1009	85103	85203	85303
	1012	85104	85204	85304
	1021	85107	85207	85307
	1024	85108	85208	85308
	1030	85110	85210	85310
	1033	85111	85211	85311
	1036	85112	85212	85312
	1042	85114	85214	85314
	1045	85115	85215	85315
	1051	85117	85217	85317
	1054	85118	85218	85318
	1057	85119	85219	85319
	1060	85120	85220	85320
	1063	85121	85221	85321
	1066	85122	85222	85322
	1069	85123	85223	85323
	1081	85127	85227	85327
	1084	85128	85228	85328
	1090	85130	85230	85330
	1105	85135	85235	85335
	1108	85136	85236	85336
	1111	85137	85237	85337
	euro/m			

individually packed

PROFIX THIN

length = 270 cm - pack 20 pcs		for floor thickness (from 4 to 7 mm)		
ART.		**Z/4**	**C/4**	**S/4**
finishing				
ANODISED ALUMINIUM				
silver		85050	85060	85070
euro/m				
gold sand		85052	85062	85072
titanium		85054	85064	85074
euro/m				
bronze elox		85056	85066	85076
euro/m				

Customized PDS decors on request, see page 198




PT/4
PT/4/SA

PROFIX THIN - BASI

length = 270 cm - pack 20 pcs	for floor thickness (from 4 to 5,70 mm)	
ART.	**PT/4**	**PT/4/SA**
finishing		
PVC-U		
green	85081	85083
euro/m		

To order PT/4 and PT/4/SA in pack of 100 pcs mark /100 after the article code (for example code 85081 becomes 85081/100). Pack of 100 pcs of PT/4 and PT/4/SA €/m




PT/6
PT/6/SA

PROFIX THIN - BASES

length = 270 cm - pack 20 pcs	for floor thickness (from 6 to 7 mm)	
ART.	**PT/6**	**PT/6/SA**
finishing		
PVC		
green	85086	85088
euro/m		


To order PT/6 and PT/6/SA in pack of 100 pcs mark /100 after the article code (for example code 85086 becomes 85086/100). Pack of 100 pcs of PT/6 and PT/6/SA €/m



Z/4 + PT/4



C/4 + PT/4/SA




S/4 + PT/4/SA

prestowood


Prestowood 22/A, 50/A and 63/A are adhesive profiles for wooden, laminate and resilient floors of same level, different level and stairs that have been already installed. In anodised aluminium, or covered with Alcrom® Plus film, they are particularly easy and quick to install.




22/A aluminium covered with Alcrom® Plus film



422/AD
22/A



450/AD
50/A



63/A

PRESTOWOOD

pack	10 pcs / blister	10 pcs	10 pcs / blister	10 pcs	10 pcs
length cm	90	270	90	270	270
ART.	**422/AD**	**22/A**	**450/AD**	**50/A**	**63/A**
ALUMINIUM covered with ALCROM® PLUS film					
05	43700	43932	44949	45031	45140
08	43701	43933	44950	45032	45141
12	43702	43934	44951	45033	45142
13	43703	43935	44952	45034	45143
14	43704	43936	44953	45035	45144
19	43705	43937	44954	45036	45145
26	43706	43938	44955	45037	45146
31	43707	43939	44956	45038	-
32	43708	43940	44957	45039	45147
34	43709	43941	44958	45040	-
36	43710	43942	44959	45041	45148
39	43711	43943	44960	45042	45149
40	43712	43944	44961	45043	45150
41	43713	43945	44962	45044	45151
73	43714	43946	44963	45045	-
74	43715	43947	44964	45046	-
77	43716	43948	44965	45047	45152
79	43717	43949	44966	45048	-
81	43718	43950	44967	45049	-
89	43719	43951	44968	45050	45153
91	43720	43952	44969	45051	45154
92	43721	43953	44970	45052	-
93	43762	43995	45013	45094	45155
94	43722	43954	44971	45053	-
351	43723	43955	44972	45054	-
363	43724	43956	44973	45055	-
372	43725	43957	44974	45056	-
490	43727	43959	44976	45058	-
560	43728	43960	44977	45059	-
580	43729	43961	44978	45060	45156
590	43730	43962	44979	45061	-
665	43731	43963	44980	45062	-
670	43732	43964	44981	45063	-
951	43738	43970	44987	45069	-
975	43739	43971	44988	45070	-
1024	43740	43972	44989	45071	-
1033	43741	43973	44990	45072	-
1042	43742	43974	44991	45073	-
1090	43744	43976	44993	45075	-

packaging in blister - no partial packaging

Customized PDS decors on request, see page 198

pack	10 pcs / blister	10 pcs	10 pcs / blister	10 pcs	10 pcs
length cm	90	270	90	270	270
ART.	**422/AD**	**22/A**	**450/AD**	**50/A**	**63/A**
ALUMINIUM covered with ALCROM® PLUS film					
1202	43746	43978	44995	45077	45158
1203	43747	43979	44996	45078	45159
1204	43748	43980	44997	45079	45160
1205	43749	43981	44998	45080	45161
1206	43750	43982	44999	45081	45162
1207	43751	43983	45000	45082	45163
1208	43752	43984	45001	45083	45164
1209	43753	43985	45002	45084	45165
1210	43754	43986	45003	45085	45166
1211	43755	43987	45004	45086	45167
1212	43756	43988	45005	45087	45168
1213	43757	43989	45007	45088	45169
1214	43758	43990	45008	45089	45170
1215	43759	43991	45009	45090	45171
1216	43760	43992	45010	45091	45172
1217	43761	43993	45011	45092	45173
100	-	43994	-	45093	-
black 97	-	43996	-	45095	45175
euro/pc		-		-	-
euro/m	-		-		

individually packed

PROCLASSIC F / PROLEVEL HIGH / PROTECT

pack	10 pcs / blister	10 pcs	10 pcs / blister	10 pcs	10 pcs
length cm	90	270	90	270	270
ART.	**422/AD**	**22/A**	**450/AD**	**50/A**	**63/A**
ANODISED ALUMINIUM					
silver	43790	44000	45019	45100	45190
euro/pc		-		-	-
euro/m	-				
titanium	43791	44001	45020	45101	45191
euro/pc		-		-	-
euro/m	-		-		

individually packed



50/A titanium anodised aluminium



63/A silver anodised aluminium

prestowood


Prestowood 74/A is a line of stair nosing profiles covered with wood-effect Alcrom® Plus film, for the protection of already-laid wooden step edges. 74/ is also available in different finishes of anodised aluminium, as the stair nosing profiles 73/ and 58/.




74/A aluminium covered with Alcrom® Plus



73/



74/



58/A

PRESTOWOOD	
pack	10 pcs
length cm	270
ART.	**74/A**
finishing	
ALUMINIUM covered with ALCROM® PLUS film	
10	75319
12	75297
13	75301
20	75320
32	75303
36	75304
37	75305
38	75306
40	75322
47	75307
65	75294
71	75309
76	75334
78	75311
80	75326
92	75312
94	75313
95	75314
euro/m	

individually packed


PROTECT								
pack				30 pcs				20 pcs
length cm				270				
ART.			**73/**			**74/**		**58/**
finishing		**F**	**SF**	**A**	**F**	**SF**	**A**	**A**
ALUMINIUM								
silver anodised		75208	75209	75238	75268	75269	75298	75900
euro/m								
gold anodised		75218	-	75248	75278	-	75308	-
euro/m			-					
bronze anodised		-	-	75258	-	-	75318	-
euro/m		-	-		-	-		-
titanium anodised							75299	
euro/m								

Customized PDS decors on request, see page 198

RC is a line of end profiles for floating or glue-down wooden, laminate and resilient floors, available in anodised aluminium with various finishes or covered with Alcrom® Plus wood-effect film. The same profile is also available in the bendable version RCF that can be curved using the special Proflex Machine. Prolevel High 732/ is a line of stainless steel profiles for closing and protecting the perimeter edge of wooden, laminate and resilient floors.




RC/9/F silver anodised aluminium



RC/ /F
RCF/



RCF/ silver anodised aluminium



732/SF/

Complete the article code with H measure (for example RC/ /F for H = 9 becomes RC/9/F)

Customized PDS decors on request, see page 198

TERMINAL RC

length = 270 cm - pack 20 pcs

ART.	finishing	7	9	11	13	15
ALUMINIUM						
RC/ /F	silver anodised	67407	67477	67547	67617	67687
	euro/m					
	gold anodised	-	67487	-	-	-
	euro/m	-		-	-	-
	bronze anodised	-	67497	-	-	-
	euro/m	-		-	-	-

length = 270 cm - pack 10 pcs — **H**

ART.	finishing	7	9	11	13	15
ALUMINIUM covered with ALCROM® PLUS film						
RC/ /F	10	-	66731	-	-	-
	20	-	66734	-	-	-
	38	-	66739	-	-	-
	40	-	66740	-	-	-
	42	-	66758	-	-	-
	65	-	66747	-	-	-
	78	-	66751	-	-	-
	80	-	66752	-	-	-
	euro/m	-		-	-	-

TERMINAL RC

length = 90 cm - pack 10 pcs / blister — **H**

		7	9	11	15
ART.	**finishing**	**RC/47/CV**	**RC/49/CV**	**RC/411/CV**	**RC/415/CV**
ALUMINIUM					
silver anodised		42782	41832	41877	42822
euro/pc					
gold anodised		-	41839	-	-
euro/pc		-		-	-

TERMINAL RC FLEX

length = 270 cm - pack 10 pcs — **H**

ART.	finishing	9	11
ALUMINIUM			
RCF/	silver anodised	67712	67714
	euro/m		

individually packed

PROLEVEL HIGH

length = 270 cm - pack 15 pcs — **H**

ART.	finishing	10	12,5
STAINLESS STEEL			
732/SF/	polished stainless steel AISI 430 DIN 1.4016	74217	74227
	euro/m		


individually packed

alfix 616

Alfix 616 is a professional system for the laying of wooden, laminate and resilient floors with thickness from 6 to 16 mm. The system is composed of a top profile in anodised aluminium fixed with screws on a natural aluminium base. The screws, included in the packaging, have the same colour of the top profile in order to perfectly match it.




FIX/L/55 silver anodised aluminium




FIX/J/44

ALFIX 616				
pack		10 pcs	10 pcs / blister	
length cm		270	90	100
ART.			**FIX/J/44**	
for floor thicknesses from 6 to 16 mm				
finishing				
ALUMINIUM				
silver anodised		37010	37012	37014
sand gold anodised		37210	37212	-
euro/m			-	-
euro/pc		-		
titanium anodised		37410	-	37414
elox bronze anodised		37310	37312	37314
euro/m			-	-
euro/pc		-		
individually packed				



FIX/L/55

ALFIX 616				
pack		10 pcs	10 pcs / blister	
length cm		270	90	100
ART.			**FIX/L/55**	
for floor thicknesses from 6 to 16 mm				
finishing				
ALUMINIUM				
silver anodised		37040	37042	37044
sand gold anodised		37240	37242	37244
euro/m			-	-
euro/pc		-		
titanium anodised		37440	37442	37444
elox bronze anodised		37340	-	-
euro/m			-	-
euro/pc		-		
individually packed				



FIX/T/33

ALFIX 616				
pack		10 pcs	10 pcs / blister	
length cm		270	90	100
ART.			**FIX/T/33**	
for floor thicknesses from 6 to 16 mm				
finishing				
ALUMINIUM				
silver anodised		37070	-	37074
sand gold anodised		37270	37272	-
euro/m			-	-
euro/pc		-		
titanium anodised		37470	-	37474
elox bronze anodised		-	-	37374
euro/m			-	-
euro/pc		-	-	
individually packed				

packaging in blister - no partial packaging

alfix 46

Alfix 46 is a professional system designed to allow the expansion of LVT or SPC floors, both click and loose-lay. This system is characterized by top profiles in anodised aluminium, fixed with a screw system on a natural aluminium base. Screws, included in the package, have the same colour of the anodisation and, once fixed, integrate with the top profile.




FIX/J/30 silver anodised aluminium



FIX/L/32 silver anodised aluminium




FIX/T/19 silver anodised aluminium




FIX/J/30

ALFIX 46	
pack	10 pcs
length cm	270
ART.	**FIX/J/30**
for floor thicknesses from 4 to 6 mm	
finishing	
ALUMINIUM	
silver anodised	35500
euro/m	
individually packed	



FIX/L/32

ALFIX 46	
pack	10 pcs
length cm	270
ART.	**FIX/L/32**
for floor thicknesses from 4 to 6 mm	
finishing	
ALUMINIUM	
silver anodised	35510
euro/m	
individually packed	



FIX/T/19


ALFIX 46	
pack	10 pcs
length cm	270
ART.	**FIX/T/19**
for floor thicknesses from 4 to 6 mm	
finishing	
ALUMINIUM	
silver anodised	35520
euro/m	
individually packed	

cerfix® projoint DIL - pronivel

NZA/ is a dynamic expansion joint in aluminium composed of two interlocking sliding profiles. Suitable for Click LVT and SPC floors, it guarantees a good resistance to loads and intense foot traffic. Thanks to the exclusive solution with adhesive integrated into the internal anchor flange, it can be fixed directly to the plank and it is the perfect expansion joint for Click LVT and SPC floors with uninterrupted and perfectly flat surface. Thanks to this special technology, the floating floor can be placed in direct contact with the joint, which, being dynamic, will absorb any expansion of the floor.



NZA/5A silver anodised aluminium




NZA/5A

PROJOINT DIL

length = 270 cm - pack 20 pcs			
ART.	**finishing**		**5A**
ALUMINIUM			
NZA/	silver anodised		99310
	euro/m		
	titanium anodised		99314
	elox bronze anodised		99316
	euro/m		

individually packed



PBA/5/A

PRONIVEL PB

length = 270 cm - pack 10 pcs			**H**
ART.	**finishing**		**5**
ALUMINIUM			
PBA/5/A	silver anodised		93205
	euro/m		

individually packed



PBA/5A silver anodised aluminium

cerfix® projoint - pronivel


H/5/F, PBAS/5/F, RC/5/F and 99/TR/26 are connection profiles in anodised aluminium, for floating Click LVT or SPC floors and suitable as profiles for same height, different height and for borders.



H/5/F silver anodised aluminium



PBAS/5/S silver anodised aluminium




H/5/F

PROJOINT T

length = 270 cm - pack 20 pcs			H
ART.	**finishing**		**5**
ALUMINIUM			
H/5/F drilled	silver anodised		75000
	euro/m		

individually packed




PBAS/5/F

PRONIVEL PB

length = 270 cm - pack 20 pcs			H
ART.	**finishing**		**5**
ALUMINIUM			
PBAS/5/F drilled	silver anodised		95203
	euro/m		

individually packed




RC/5/F

TERMINAL RC

length = 270 cm - pack 20 pcs			H
ART.	**finishing**		**5**
ALUMINIUM			
RC/5/F drilled	silver anodised		67475
	euro/m		

individually packed




99/TR/26

PROJOINT T

length = 270 cm - pack 20 pcs			LxH
ART.	**finishing**		**26 x 4,5**
ALUMINIUM			
99/TR/26	silver anodised		75081
	euro/m		

individually packed



99/T/8

PROJOINT T

length = 270 cm - pack			50 pcs
	width		**8**
ART.	**finishing**		
ALUMINIUM			
99/T/	silver anodised		75075
	euro/m		
length = 270 cm - pack			50 pcs
BRASS			
399/T/	polished		75070
	euro/m		
	pack		30 pcs
399/TC/	chromium plated		75071
	euro/m		

individually packed

prostep - protect


SMA/, 75/F, 111/ /F and G/705/F are profiles in anodised aluminium suitable for stairs covered with glue-down or loose-lay LVT or SPC.
ZGF/ is a profile in aluminium suitable for following the curvilinear course of stairs or floors in glue-down or loose-lay LVT or SPC.



SMA/4 silver anodised aluminium



75/F silver anodised aluminium




SMA/4

PROSTEP

length = 270 cm - pack 10 pcs			H
ART.	**finishing**		**4,5**
ALUMINIUM			
SMA/	natural aluminium		93967
	euro/m		
SMA/	silver anodised		93975
	euro/m		


individually packed



75/F

PROTECT

length = 340 cm - pack 20 pcs			H
ART.	**finishing**		**3,5**
ALUMINIUM			
75/F drilled	silver anodised		75388
	euro/m		



111/


PROTECT

length =270 cm - pack 20 pcs				H	
ART.	**finishing**	**2,5**	**4,5**	**5**	**10**
ALUMINIUM					
111/ /F	silver anodised	75782	75784	75785	75787
	euro/m				

PROSTEP

length = 270 cm - pack 10 pcs			H
ART.	**finishing**		**5**
ALUMINIUM			
G/705/F	silver anodised		67580
	euro/m		


individually packed



G/705/F

PROANGLE FLEX

length = 270 cm - pack 10 pcs			H
ART.	**finishing**		**4,5**
ALUMINIUM			
ZGF/	natural aluminium		88721
	euro/m		



ZGF/



111/2,5/F silver anodised aluminium




G/705/F silver anodised aluminium

cerfix® protrim - proangle


RA/ and RI/ are profiles that are suitable for glue-down or loose-lay LVT or SPC floors and are recommended as border profiles for floors or stairs finishing.



RI/4 stainless steel AISI 304 - DIN 1.4301



RA/



RI/

PROTRIM

length = 270 cm - pack 20 pcs			H	
ART.	**finishing**		**3**	**4,5**
ALUMINIUM				
	silver anodised		92055	92056
	euro/m			
RA/	gold anodised		92025	92026
	euro/m			
	titanium anodised		92085	92086
	euro/m			

individually packed

PROTRIM


length = 270 cm - pack 20 pcs			H
ART.	**finishing**		**4,5**
STAINLESS STEEL			
RI/	stainless steel AISI 304 DIN 1.4301		92413
	euro/m		

individually packed


ZA/, AI/, ZQAN/ and ZQKN/ are profiles suitable for glue-down or loose-lay LVT or SPC and are recommended as connection and border profiles.




ZA/4 silver anodised aluminium




ZQKN/4 chromium-plated brass



ZA/



AI/



ZQAN/
ZQKN/

PROANGLE

length = 270 cm - pack 20 pcs			H	
ART.	**finishing**	**2,5**	**3**	**4,5**
ALUMINIUM				
ZA/	silver anodised	90337	90338	90340
	euro/m			
STAINLESS STEEL				
AI/	stainless steel AISI 304 DIN 1.4301	-	91636	91638
	euro/m	-		

individually packed - version chromium - plated brass article ZK/4,5 see page 31

PROANGLE Q

length = 270 cm - pack 20 pcs		H
ART.	**finishing**	**4,5**
ALUMINIUM		
	silver anodised	88772
ZQAN/	***euro/m***	
	titanium anodised	88902
	euro/m	
BRASS		
ZQKN/	chromium plated	88870
	euro/m	

individually packed

cerfix® proround


GA/, JGA/ and PIA/ are connection profiles for stairs in glue-down or loose-lay LVT or SPC floors. Easy to lay, they facilitate the hygienic maintenance of the connection between tread and riser.



GA/4 silver anodised aluminium



JGA/4 silver anodised aluminium




GA/

PROROUND M

length = 270 cm - pack 20 pcs			
ART.	**finishing**		**4,5**
ALUMINIUM			
GA/	silver anodised		95730
	euro/m		

individually packed




JGA/

PROROUND M

length = 270 cm - pack 20 pcs			**H**
ART.	**finishing**		**4,5**
ALUMINIUM			
JGA/	silver anodised		95732
	euro/m		

individually packed



PIA/

PROINT

length = 270 cm - pack 20 pcs			**H**
ART.	**finishing**		**3,5**
ALUMINIUM			
PIA/	silver anodised		95431
	euro/m		

individually packed



PIA/3 silver anodised aluminium

PVC Line skirting boards for wooden, laminate and resilient floors



PVC Line 8605 covered with Alcrom® Plus film, see page 226



PVC Line 8608 covered with Alcrom® Plus film, see page 227



PVC Line 8615 covered with Alcrom® Plus film, see page 228



PVC Line 8613 covered with Alcrom® Plus film, see page 229



PVC Line 8612 covered with Alcrom® Plus film, see page 230



PVC Line 8614 covered with Alcrom® Plus film, see page 230

Guide to selecting profiles.

Floor	Thickness (mm)	Junction profile for same level floors	Junction profile for same level floors	Junction profile for same level floors	Dynamic transition joint
Click SPC/ LVT Wood Laminate	18,00		Z/1/SF + TPU/15		
	16,00		Z/1/SF + TPU/15		
	15,00		Z/1/SF + TPU/13		
	13,00		Z/1/SF + TPU/13		
	12,00		Z/1/SF + TPU/10		
	9,00		Z/1/SF + TPU/6		
	8,50		Z/1/SF + TPU/6		
	8,00		Z/1/SF + TPU/6		
	7,00	Z/4 + base PT/6	Z/1/SF + TPU/6		
	6,50	Z/4 + base PT/6	Z/1/SF + TPU/6		
	6,00	Z/4 + base PT/6			
	5,70	Z/4 + base PT/4			
	5,50	Z/4 + base PT/4			
	5,00	Z/4 + base PT/4		H/5/F	NZA/5A
	4,50	Z/4 + base PT/4			
	4,20	Z/4 + base PT/4			
	4,00	Z/4 + base PT/4			

KEY:



Z/4 + base PT/6
Z/4 + base PT/4
See page 182



Z/1/SF + TPU/15
Z/1/SF + TPU/13
Z/1/SF + TPU/10
Z/1/SF + TPU/6
See page 176



H/5/F
See page 191



NZA/5A
See page 190

Perimetral profile	Perimetral profile	Connection profile for different level floors	Connection profile for different level floors	Dynamic connection profile for different level floors
	S/9/SF + TPU/15		C/7/SF + TPU/15	
	S/9/SF + TPU/15		C/7/SF + TPU/15	
	S/9/SF + TPU/13		C/7/SF + TPU/13	
	S/9/SF + TPU/13		C/7/SF + TPU/13	
	S/9/SF + TPU/10		C/7/SF + TPU/10	
	S/9/SF + TPU/6		C/7/SF + TPU/6	
	S/9/SF + TPU/6		C/7/SF + TPU/6	
	S/9/SF + TPU/6		C/7/SF + TPU/6	
S/4 + base PT/6/SA	S/9/SF + TPU/6	C/4 + base PT/6/SA	C/7/SF + TPU/6	
S/4 + base PT/6/SA	S/9/SF + TPU/6	C/4 + base PT/6/SA	C/7/SF + TPU/6	
S/4 + base PT/6/SA		C/4 + base PT/6/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		PBA/5/A
S/4 + base PT/4/SA		C/4 + base PT/4/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		



S/4 + base PT/6/SA
S/4 + base PT/4/SA
See page 182



S/9/SF + TPU/15
S/9/SF + TPU/13
S/9/SF + TPU/10
S/9/SF + TPU/6
See page 176



C/4 + base PT/6/SA
C/4 + base PT/4/SA
See page 182



C/7/SF + TPU/15
C/7/SF + TPU/13
C/7/SF + TPU/10
C/7/SF + TPU/6
See page 176



PBA/5/A
See page 190

Profilpas Digital System
no limits to imagination

The perfect combination of floors, skirting boards and profiles is now a reality thanks to Profilpas Digital System (PDS), the digital printing system that faithfully reproduces wood, SPC, marble, stone or ceramic effects. A wide selection of standard decors is already available in our database to meet any requirement, and for further customisation, it is sufficient to send the desired sample to create any decor, even fantasy designs.

Furthermore, thanks to a digital varnish, Profilpas Digital System allows to create prints with variable relief for an even more faithful reproduction of the original texture. The 3D effect varnishes offer unprecedented depth and realism, providing a unique tactile sensation. And there's more: with this technology, it is now possible to obtain special colours, expanding the possibilities for customisation and design.

UNISYSTEM PLUS Z/1/SF, C/7/SF, S/9/SF PROFIX THIN Z/4, C/4 E S/4		min. 54 m	
Quantity 20 pcs / 54 m =	€/m	Quantity 120 pcs / 324 m =	€/m
Quantity 40 pcs / 108 m =	€/m	Quantity 140 pcs / 378 m =	€/m
Quantity 60 pcs / 162 m =	€/m	Quantity 160 pcs / 432 m =	€/m
Quantity 80 pcs / 216 m =	€/m	Quantity 180 pcs / 486 m =	€/m
Quantity 100 pcs / 270 m =	€/m	Quantity 200 pcs / 540 m =	€/m
UNISYSTEM PLUS Z3/30, C/10, C/13, C/22 E S/15		min. 540 m divisible into 5 decors	
UNISYSTEM PLUS G/2 E G/4		min. 540 m divisible into 5 decors	
PRESTOWOOD 22/A, 50/A, 63/A E 74/A		min. 540 m divisible into 5 decors	
TERMINAL RC/ /F		min. 540 m divisible into 5 decors	
PVC LINE 8605, 8606, 8608, 8615, 8616, 8612, 8613 AND 8614		min. 500 m divisible into 2 decors	

For requests for customisation of other items, please contact our technical department. For customisation with decors not present in our database, a surcharge of per decor will be applied.





The main feature of PDS technology is the significant reduction of metamerism, the optical effect by which two colours that appear identical under the same light can appear different when the light conditions change. This happens because colours reflect light in different ways depending on the light source.
Thanks to our digital printing, skirting boards and profiles maintain superior colour consistency, keeping their appearance unchanged even under different light conditions. This is particularly important in environments with variable light, such as showrooms, shops and exhibition spaces, where colour perception can significantly influence the customer experience.

	WARM LIGHT	NEUTRAL LIGHT	COLD LIGHT
HIGH METAMERISM			
LOW METAMERISM			

As the light temperature changes, the colour of the sofa with low metamerism remains almost unchanged.





bendable profiles


The Flex range profiles are a series of bendable profiles for installing ceramic, parquet, carpet, wood, laminate and other types of flooring where it is necessary to follow the curved shape of the surface. Using the special Proflex Machine, these profiles can be easily adapted to the required curves.

proangle flex


Proangle is a line of profiles to finish, protect and decorate floors of same level in ceramic, marble, granite, wood or other glued materials. It is also ideal as separation and decoration joint between floors made of different materials, as finishing and protection element for the edges of steps, platforms and worktops. The Flex version has been specifically designed to meet installation situations where the profile needs to be curved. Proangle Flex can be curved manually or using the special Proflex Machine.



AIF/10 stainless steel AISI 304 DIN 14301



ZGF/
ZNF/




AIF/

PROANGLE FLEX

length = 270 cm - pack 20 pcs			H						
ART.	**finishing**		**3**	**4,5**	**6**	**8**	**10**	**12,5**	**15**
ALUMINIUM									
ZGF/	natural aluminium		88720	88721	88722	88723	88724	88725	88726
	euro/m								
BRASS									
ZNF/	natural brass		88701	-	88703	88704	88705	88706	-
	euro/m			-					-
length = 270 cm - pack 10 pcs									
STAINLESS STEEL									
AIF/	stainless steel AISI 304 DIN 14301		-	-	91622	91623	91624	91625	-
	euro/m		-	-					-

Proangle Flex items in other heights available on request




ZBGF/

PROANGLE FLEX

length = 270 cm - pack 20 pcs			H					
ART.	**finishing**		**8**	**10**	**12,5**	**15**	**20**	**22,5**
ALUMINIUM								
ZBGF/	natural aluminium		90011	90013	90015	90017	90019	90021
	euro/m							

individually packed



PROFLEX MACHINE - manual machine for bending flex profiles, see page 262


Complete the article code with H measure
(for example ZGF/ for H=8 becomes ZGF/8)

prodecor dj flex - projoint t

Prodecor DJ is a line of profiles for finishing and protecting floors of same level in ceramic, marble, granite, wood or other materials. It is also ideal as separation and decoration joint between floors made of different materials, as perimeter profile for the shaping of mats or as protection and finishing of platforms and ceramic steps. The Flex version has been specifically designed to meet installation situations where the profile needs to be curved. Prodecor DJ Flex must be curved using the special Proflex Machine.



DJAF/10 silver anodised aluminium




DJAF/
DJNF/

PRODECOR DJ FLEX


length = 270 cm - pack 10 pcs			H	
ART.	**finishing**		**10**	**12,5**
ALUMINIUM				
DJAF/	silver anodised		95685	95689
	euro/m			
BRASS				
DJNF/	natural brass		95695	95699
	euro/m			

individually packed
DJNF in heights of 8, 15 and 20 mm are available on request, minimum 100 pieces for each height.

Projoint T is a line of profiles for the separation, protection and decoration of same-level floors in ceramic, marble, granite, wood or other glued materials. It is also ideal to cover any imperfections due to the cutting or the laying of floors of different materials. To meet installation situations where it is necessary to follow a curved line, Projoint T can be curved using the special Proflex Machine.



99/T/14 silver anodised aluminium



99/T/

PROJOINT T

length = 270 cm - pack			50 pcs	50 pcs	30 pcs	20 pcs
	width		**8**	**14**	**20**	**26**
ART.	**finishing**					
ALUMINIUM						
99/T/	silver anodised		75075	75080	63600	75082
	euro/m					
	gold anodised		-	75083	75084	75085
	euro/m		-			
	titanium anodised		-	75099	-	-
	euro/m		-		-	-

individually packed

PROFLEX MACHINE - manual machine for bending flex profiles, see page 262


Complete the article code with H measure
(for example DJAF/ for H=10 becomes DJAF/10)

terminal flex - prostep flex

Terminal RC is a line of end profiles for floating or glue-down wooden, laminate and resilient floors. The same profile is also available in the bendable version, RCF/. The latter can be bent using the special Proflex Machine.



RCF/ silver anodised aluminium



RCF/

TERMINAL RC FLEX


length = 270 cm - pack 10 pcs				
ART.	**finishing**		**9**	**11**
ALUMINIUM				
RCF/	silver anodised		67712	67714
	euro/m			

individually packed

Prostep Flex is a line of aluminium bendable profiles for protecting the edges of steps or platforms. These profiles can be bent using the special Proflex Machine.



GF/710 silver anodised aluminium



GF/

PROSTEP FLEX

length = 270 cm - pack 10 pcs			H	
ART.	**finishing**		**10**	**15**
ALUMINIUM			**710**	**715**
GF/	silver anodised		67569	67350
	euro/m			

individually packed


PROFLEX MACHINE - manual machine for bending flex profiles, see page 262

Complete the article code with H measure (for example RCF/ for H=9 becomes RCF/9)

Metal Line 90 is an aluminium skirting board, available in different finishes, that creates an elegant junction between the wall and the floor. Thanks to the curved section, this skirting board guarantees perfect coverage of the perimeter expansion space, which is essential for floating floors, whether they are made of wood, laminate, LVT or SPC. All models can be curved using the special Proflex Machine, with a specific wheel kit.



90/8SF silver anodised aluminium



METAL LINE 90

length = 200 cm- pack 25 pcs			H cm					
ART.	finishing		4	5	6	7	8	10
ALUMINIUM								
90/ SF	silver anodised		78080	78084	78100	78138	78130	78137
	euro/m							
	colour-coated polished white RAL 9010		-	-	78112	-	-	-
	colour-coated matt white RAL 9010		-	-	78110	-	-	-
	euro/m		-	-		-	-	-
	titanium anodised		-	-	78103	-	-	-
	euro/m		-	-		-	-	-
	colour-coated anthracite grey RAL 7016		-	-	78118	-	-	-
	colour-coated ancient grey		-	-	78119	-	-	-
	euro/m		-	-		-	-	-
90/ A	self-adhesive silver anodised		-	-	78106	-	78136	-
	euro/m		-	-		-		-
90/ BSF	bright polished titanium		-	-	78142	-	78149	-
90/ SSF	bright brushed silver		78082	-	78105	-	78133	-
	bright brushed gold		-	-	78107	-	78135	-
	euro/m			-		-		-
90/ TMSF	bright brushed titanium		78088	-	78102	-	78134	-
	euro/m			-		-		-
90/ SF	**TREND COLOR STONE**							
	colour-coated white stone		-	-	78094	-	-	-
	colour-coated black stone		-	-	78099	-	-	-
	euro/m		-	-		-	-	-
ANTIBACTERIAL COLOUR-COATED ALUMINIUM								
90H/ SF	colour-coated white RAL 9003 antibacterial		-	-	78104	-	-	-
	euro/m		-	-		-	-	-


individually packed

90/4SF, 90/5SF, 90/6SF and 90/8SF in silver anodised aluminium, available also in length 400 cm

RECOMMENDED ADHESIVE

ART.			
MAPEFLEX MS 45	white		6PB010043
MAPEFLEX MS 55	white		6PV010043

For further information, please visit mapei.com.



PROFLEX MACHINE - manual machine for bending flex profiles, see page 262

Complete the article code with H measure
(for example 90/ SF for H=4 becomes 90/4SF)





metal line skirting board


To choose Metal Line means giving importance to details because they are the ones who make the difference. Metal Line is distinguished by its versatility and functionality, but also for its inspiration to contemporary design. It is an innovative line, rich of solutions with a wide variety of combinations and colours capable of satisfying every housing need, from small and large gathering places. Stainless steel and aluminium, materials that give shape, colour and size to the space, minimalist signs that follow the flow of everyday life. Metal Line can provide a continuum of profiles that integrate perfectly into environments and different styles, enhancing their aesthetic and architectural appeal. Metal Line becomes a trend line, thanks to Profilpas research on materials and shapes and to the attention of the company to the world of furniture and design.

metal line

Metal Line 90 is an aluminium skirting board, available in different finishes, that creates an elegant junction between the wall and the floor. Thanks to the curved section, this skirting board guarantees perfect coverage of the perimeter expansion space, which is essential for floating floors, whether they are made of wood, laminate, LVT or SPC. All models can be curved using the special Proflex Machine, with a specific wheel kit.



90/10 silver anodised aluminium





Metal Line 90/6 silver anodised aluminium



inside corner, outside corner, junction and right-left end caps

Metal Line 90 can be curved by using Proflex Machine + wheels kit for Metal Line 90 (see page 262)

The self-adhesive version in height 4, 5, 7, and 10 is available on request, with a minimum order of 200 meters and a surcharge of €/mt

RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters.
To request custom colours, please contact our technical department.

Complete the article code with H measure (for example 90/SF for H=4 becomes 90/4SF)

METAL LINE 90

length = 200 cm- pack 25 pcs		H cm					
ART.	finishing	4	5	6	7	8	10
ALUMINIUM							
	silver anodised	78080	78084	78100	78138	78130	78137
	euro/m						
	colour-coated polished white RAL 9010	-	-	78112	-	-	-
	colour-coated matt white RAL 9010	-	-	78110	-	-	-
90/ SF	***euro/m***	-	-		-	-	-
	titanium anodised	-	-	78103	-	-	-
	euro/m	-	-		-	-	-
	colour-coated anthracite grey RAL 7016	-	-	78118	-	-	-
	colour-coated ancient grey	-	-	78119	-	-	-
	euro/m	-	-		-	-	-
90/ A	self-adhesive silver anodised	-	-	78106	-	78136	-
	euro/m	-	-		-		-
90/ BSF	bright polished titanium	-	-	78142	-	78149	-
90/ SSF	bright brushed silver	78082	-	78105	-	78133	-
	bright brushed gold	-	-	78107	-	78135	-
	euro/m		-		-		-
90/ TMSF	bright brushed titanium	78088	-	78102	-	78134	-
	euro/m		-		-		-
	TREND COLOR STONE						
90/ SF	colour-coated white stone	-	-	78094	-	-	-
	colour-coated black stone	-	-	78099	-	-	-
	euro/m	-	-		-	-	-
ANTIBACTERIAL COLOUR-COATED ALUMINIUM							
90H/ SF	colour-coated white RAL 9003 antibacterial	-	-	78104	-	-	-
	euro/m	-	-		-	-	-

individually packed

90/4SF (cod. 78081), 90/5SF (cod. 78085), 90/6SF (cod. 78101) e 90/8SF (cod. 78131) in silver anodised aluminium, length 400 cm, pack 10 pcs

RECOMMENDED ADHESIVE

ART.		
MAPEFLEX MS 45	white	6PB010043
MAPEFLEX MS 55	white	6PV010043

For further information, please visit mapei.com.

INSIDE CORNER

pack 4 pcs		H cm					
ART.	finishing	4	5	6	7	8	10
METAL							
90/ MI	silver	78630	78640	78650	78660	78670	78680
	euro/pc						
	titanium	-	-	78654	-	-	-
	polished white RAL 9010	-	-	78664	-	-	-
	matt white RAL 9010	-	-	78674	-	-	-
	anthracite grey RAL 7016	-	-	78684	-	-	-
	ancient grey	-	-	78694	-	-	-
	polished titanium	-	-	78700	-	78712	-
	brushed silver	78718	-	78720	-	78722	-
	brushed gold	-	-	78724	-	78744	-
	brushed titanium	78714	-	78734	-	78754	-
	euro/pc				-		-
90/ MI	white stone	-	-	78172	-	-	-
	black stone	-	-	78173	-	-	-
	euro/pc	-	-		-	-	-
90H/ MI	white RAL 9003 antibacterial	-	-	78690	-	-	-
	euro/pc	-	-		-	-	-
POLYPROPYLENE							
90/ I	silver anodised	78236	78231	78190	78370	78195	78091
	euro/pc						

no partial packaging

OUTSIDE CORNER

pack 4 pcs		H cm					
ART.	finishing	4	5	6	7	8	10
METAL							
90/ ME	silver	78631	78641	78651	78661	78671	78681
	euro/pc						
	titanium	-	-	78655	-	-	-
	polished white RAL 9010	-	-	78665	-	-	-
	matt white RAL 9010	-	-	78675	-	-	-
	anthracite grey RAL 7016	-	-	78685	-	-	-
	ancient grey	-	-	78695	-	-	-
	polished titanium	-	-	78698	-	78702	-
	brushed silver	78728	-	78730	-	78732	-
	brushed gold	-	-	78725	-	78745	-
	brushed titanium	78715	-	78735	-	78755	-
	euro/pc				-		-
90/ ME	white stone	-	-	78174	-	-	-
	black stone	-	-	78178	-	-	-
	euro/pc	-	-		-	-	-
90H/ ME	white RAL 9003 antibacterial	-	-	78691	-	-	-
	euro/pc	-	-		-	-	-
POLYPROPYLENE							
90/ E	silver anodised	78235	78230	78191	78371	78196	78090
	euro/pc						

no partial packaging

JUNCTION

pack 4 pcs		H cm					
ART.	finishing	4	5	6	7	8	10
METAL							
90/ MG	silver	78632	78642	78652	78662	78672	78682
	euro/pc						
	titanium	-	-	78656	-	-	-
	polished white RAL 9010	-	-	78666	-	-	-
	matt white RAL 9010	-	-	78676	-	-	-
	anthracite grey RAL 7016	-	-	78686	-	-	-
	ancient grey	-	-	78696	-	-	-
	polished titanium	-	-	78699	-	78703	-
	brushed silver	78738	-	78740	-	78742	-
	brushed gold	-	-	78726	-	78746	-
	brushed titanium	78716	-	78736	-	78756	-
	euro/pc				-		-
90/ MG	white stone	-	-	78187	-	-	-
	black stone	-	-	78188	-	-	-
	euro/pc	-	-		-	-	-
90H/ MG	white RAL 9003 antibacterial	-	-	78692	-	-	-
	euro/pc	-	-		-	-	-
POLYPROPYLENE							
90/ G	silver anodised	78237	78232	78192	78372	78197	78092
	euro/pc						

no partial packaging

RIGHT/LEFT END CAPS

4 couples pack		H cm					
ART.	finishing	4	5	6	7	8	10
METAL							
90/ MP	silver	78633	78643	78653	78663	78673	78683
	euro/couple						
	titanium	-	-	78657	-	-	-
	polished white RAL 9010	-	-	78667	-	-	-
	matt white RAL 9010	-	-	78677	-	-	-
	anthracite grey RAL 7016	-	-	78687	-	-	-
	ancient grey	-	-	78697	-	-	-
	polished titanium	-	-	78701	-	78721	-
	brushed silver	78748	-	78750	-	78752	-
	brushed gold	-	-	78727	-	78747	-
	brushed titanium	78717	-	78737	-	78757	-
	euro/couple				-		-
90/ MP	white stone	-	-	78189	-	-	-
	black stone	-	-	78199	-	-	-
	euro/couple	-	-		-	-	-
90H/ MP	white RAL 9003 antibacterial	-	-	78693	-	-	-
	euro/couple	-	-		-	-	-
POLYPROPYLENE							
90/ P	silver anodised	78238	78233	78193	78373	78198	78093
	euro/couple						

no partial packaging


Complete the article code with the height H (for example 90/ MI with H=4 becomes 90/4MI)

metal line

Metal Line 790 is a skirting board in polished or brushed stainless steel, available in different heights, that follows the minimalist trends of modern design. Thanks to the curved section, this skirting board guarantees perfect coverage of the perimeter expansion space, which is essential for floating floors, whether they are made of wood, laminate, LVT or SPC. Metal Line 790 can be easily and quickly installed through specific adhesives.



790/6 polished stainless steel AISI 304 DIN 1.4301



METAL LINE 790

length = 270 cm - pack 10 pcs			H cm				
ART.	**finishing**		**4**	**5**	**6**	**8**	**10**
ACCIAIO							
790/ SF	polished stainless steel AISI 304 DIN 14301 *euro/m*		78120	78108	78129	78132	78139
	brushed stainless steel AISI 304 DIN 1.4301 *euro/m*		78128	78109	78126	78127	78140

individually packed - art. 790/10 SF pack 5 pcs



790/MI
790/MIS

INSIDE CORNER IN METAL

pack 4 pcs			H cm				
ART.	**finishing**		**4**	**5**	**6**	**8**	**10**
790/ MI	polished steel effect *euro/pz*		78760	78761	78762	78763	78764
790/ MIS	brushed steel effect *euro/pz*		78780	78781	78782	78783	78784

no partial packaging



790/ME
790/MES

OUTSIDE CORNER IN METAL

pack 4 pcs			H cm				
ART.	**finishing**		**4**	**5**	**6**	**8**	**10**
790/ ME	polished steel effect *euro/pz*		78765	78766	78767	78768	78769
790/ MES	brushed steel effect *euro/pz*		78785	78786	78787	78788	78789

no partial packaging



790/MG
790/MGS

JUNCTION IN METAL

pack 4 pcs			H cm				
ART.	**finishing**		**4**	**5**	**6**	**8**	**10**
790/ MG	polished steel effect *euro/pz*		78770	78771	78772	78773	78774
790/ MGS	brushed steel effect *euro/pz*		78790	78791	78792	78793	78794

no partial packaging



790/MP
790/MPS

RIGHT/LEFT END CAPS IN METAL

conf. 4 coppie			H cm				
ART.	**finishing**		**4**	**5**	**6**	**8**	**10**
790/ MP	polished steel effect *euro/couple*		78775	78776	78777	78778	78779
790/ MPS	brushed steel effect *euro/couple*		78795	78796	78797	78798	78799

no partial packaging

The self-adhesive version is available in every height on request, with a minimum order of 200 meters and a surcharge of €/m

Complete the article code with H measure (for example 790/SF for H=4 becomes 790/4SF)

RECOMMENDED ADHESIVE


ART.			
MAPEFLEX MS 45	white		6PB010043
MAPEFLEX MS 55	white		6PV010043

For further information, please visit mapei.com.

Metal Line 92 and 93 are two skirting boards in aluminium, characterized by a simple design and a slightly-rounded shape, that create a perfect junction between the floor and the wall. These two elements are easy to install thanks to the interlocking system with supports, in natural aluminium or PVC-U, to be fixed to the wall with screws and dowels.



92/7 silver anodised aluminium + S/95 aluminium support




92/7

METAL LINE 92

length = 200 cm + 3 supports - pack 20 pcs		H cm
ART.	**finishing**	**7**
ALUMINIUM		
92/7	silver anodised	78490
	euro/m	
individually packed		

ALUMINIUM SUPPORT

pack 100 pcs	
S/95	78295
euro/pc	



93/

METAL LINE 93

length = 200 cm + 5 supports - pack 20 pcs		H cm	
ART.	**finishing**	**7**	**9**
ALUMINIUM			
93/	silver anodised	78495	78496
	euro/m		
individually packed			

WALL FIXING CLIP IN PVC-U

pack 100 pcs	
8608/C	29751
euro/pack	

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters.
To request custom colours, please contact our technical department.




93/7 silver anodised aluminium + 8608/C wall fixing clip in PVC-U

metal line

Metal Line 89 is a skirting board in aluminium, in different finishes, characterized by square and minimalist lines; available in different heights, it outlines the space with simplicity and elegance. Fixed to the wall using suitable adhesives, in addition to its decorative function, it guarantees perfect coverage of the perimeter expansion space, which is essential for floating floors, whether made of wood, laminate, LVT or SPC.



89/4 white stone colour-coated aluminium



89/
89/ TM
89H/



Metal Line 89 bright brushed titanium

TREND COLOR

METAL LINE 89

length = 200 cm - pack 25 pcs			H cm		
ART.	**finishing**		**4**	**6**	**8**
ALUMINIUM					
	silver anodised		78378	78478	78487
	euro/m				
	titanium anodised		78521	78522	-
	euro/m				-
89/	colour-coated matt white RAL 9010		78517	78518	-
	euro/m				-
	colour-coated ancient grey		78515	78485	-
	colour-coated rust		78516	-	-
	euro/m				-
89/ TM	bright brushed titanium		78388	78480	-
	euro/m				-
	TREND COLOR STONE				
89/	colour-coated white stone		78481	-	-
	colour-coated black stone		78482	-	-
	euro/m			-	-
COLOUR-COATED ALUMINIUM ANTIBACTERIAL					
89H/	colour-coated white RAL 9003 antibacterial		-	78531	-
	euro/m		-		-

individually packed

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters. To request custom colours, please contact our technical department.



89/ EI



89/4 ancient grey colour-coated aluminium + 89/4EI

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP

pack 4 pcs			H cm		
ART.	**finishing**		**4**	**6**	**8**
ALUMINIUM					
	silver anodised		78505	78506	78527
	euro/pc				
	titanium anodised		78523	78524	-
	euro/pc				-
89/ EI	colour-coated matt white RAL 9010		78519	78520	-
	euro/pc				-
	colour-coated ancient grey		78512	78513	-
	colour-coated rust		78514	-	-
	euro/pc				-
89/ TMEI	bright brushed titanium		78509	78510	-
	euro/pc				-
89/ EI	colour-coated white stone		78507	-	-
	colour-coated black stone		78508	-	-
	euro/pc			-	-
89H/ EI	colour-coated white RAL 9003 antibacterial		-	78533	-
	euro/pc		-		-


no partial packaging

Complete the article code with H measure (for example 89/ for H=4 becomes 89/4).

In anodised aluminium, Metal Line 89 I Design is characterized by a special scratched finish and original colours that allow different chromatic combinations, created for interior designers and architects by following the latest trends of modern design.



89/6 titanium anodised aluminium



89/



89/ EI

Complete the article code with H measure (for example 89/ for H=4 becomes 89/4)

METAL LINE - I DESIGN

length = 200 cm - pack 25 pcs			H	
ART.	**finishing**		**4**	**6**
ANODISED ALUMINIUM				
89/	platinum		31400	31402
	titanium		31410	31412
	brown		31420	31422
	dark brown		31430	31432
	carbon		31440	31442
	euro/m			

individually packed

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP


pack 2 pcs			H	
ART.	**finishing**		**4**	**6**
ANODISED ALUMINIUM				
89/ EI	platinum		31450	31452
	titanium		31460	31462
	brown		31470	31472
	dark brown		31480	31482
	carbon		31490	31492
	euro/pc			

no partial packaging

Metal Line 89 is a skirting board in anodised aluminium with LED-strip lighting system. The light is distributed along the entire length of the profile through a diffuser element. It is possible to insert the dimmer in order to adjust the luminous intensity of the skirting board to decorate and light up the room.



89/6L silver anodised aluminium



89/6L



89/6EI

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

PROLIGHT METAL LINE 89

length = 200 cm - pack 25 pcs			H cm
ART.	**finishing**		**6**
ALUMINIUM			
89/6L	silver anodised		86000
	euro/m		

individually packed

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP

pack 4 pcs			H cm
ART.	**finishing**		**6**
ALUMINIUM			
89/6EI	silver anodised		78506
	euro/pc		


no partial packaging

metal line

Metal Line 89/613 is a skirting board in aluminium characterized by square and minimalist lines. With a thickness of 13 mm, it guarantees perfect coverage of the perimeter expansion space, essential for floating floors, whether in wood, laminate, LVT or SPC.



89/613 silver anodised aluminium



89/613

METAL LINE 89/613

length = 200 cm - pack 25 pcs			H cm
ART.	**finishing**		**6**
ALUMINIUM			
89/613	silver anodised		78486
	euro/m		
	colour-coated matt white RAL 9010		78488
	euro/m		

individually packed



89/613 EI

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP


pack 4 pcs			H cm
ART.	**finishing**		**6**
ALUMINIUM			
89/613 EI	silver anodised		78525
	euro/pc		
	colour-coated matt white RAL 9010		78526
	euro/pc		

no partial packaging

Metal Line 105 is a skirting board in aluminium, characterized by square and minimalist lines. This model stands out for a simple and quick interlocking installation system with a coextruded PVC base to be fixed to the wall through screws and dowels.



Metal Line 105 silver anodised aluminium



105/7
105/CB



105/7I



105/7E



105/7G



105/7P

METAL LINE

pack 10 pcs				H cm
ART.	**finishing**		**length**	**7**
ALUMINIUM				
105/7	silver anodised		200 cm	78900
	silver anodised		400 cm	78910
	euro/m			

individually packed - no partial packaging for length 400 cm

FIXING BASE

pack 10 pcs				H cm
ART.			**length**	**7**
CO-EXTRUDED PVC				
105/CB	white		200 cm	78920
	euro/m			

no partial packaging

INSIDE CORNER

pack 4 pcs			H cm
ART.	**finishing**		**7**
METAL			
105/7I	silver		78932
	euro/pc		

no partial packaging

OUTSIDE CORNER

pack 4 pcs			H cm
ART.	**finishing**		**7**
METAL			
105/7E	silver		78934
	euro/pc		

no partial packaging

JUNCTION

pack 4 pcs			H cm
ART.	**finishing**		**7**
METAL			
105/7G	silver		78936
	euro/pc		

no partial packaging

RIGHT/LEFT END CAPS

4 couples pack			H cm
ART.	**finishing**		**7**
METAL			
105/7P	silver		78938
	euro/couple		


no partial packaging

metal line


Metal Line 87/6 and 88/6 are two flush recessed skirting boards for plaster and plasterboards. Both are composed of two separate elements: a base in natural aluminium and an insert in silver anodised or matt white colour-coated aluminium. Once installed, the skirting board integrates perfectly into the wall surface, outlining the perimeter of the space without limiting it. There are two different phases of installation: the base element must be installed when the room is still in its rough state, while the chosen insert must be put after the laying of the floor.




87/6 e 88/6 natural aluminium + 88/I6L/A aluminium insert for LED light




87/6 + 88/I6SF
aluminium insert



88/6 + 88/I6SF
aluminium insert



87/6 + 88/I6L/A
aluminium insert for
LED light



88/6 + 88/I6L/A
aluminium insert for
LED light



88/6E

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

METAL LINE 87 E 88

length = 200 cm - pack 20 pcs			H cm
ART.	**finishing**		**6**
ALUMINIUM			
87/6	natural aluminium (drilled)		78338
	euro/m		
88/6	natural aluminium (drilled)		78310
	euro/m		

individually packed

ALUMINIUM INSERT

length = 200 cm - pack 20 pcs			H cm
ART.	**finishing**		**6**
88/I6SF	silver anodised		78563
	matt white RAL 9010 colour-coated		78558
	euro/m		

individually packed

ALUMINIUM INSERT FOR LED LIGHT

length = 200 cm - pack 20 pcs			H cm
88/I6L/A	silver anodised		78559
	matt white RAL 9010 colour-coated		78560
	euro/m		

adhesive - individually packed
for electrical components, see page 248

METAL OUTSIDE CORNER

pack 4 pcs			H cm
ART.	**finishing**		**6**
88/6E	silver		78561
	matt white RAL 9010 colour-coated		78562
	euro/pc		

no partial packaging




88/6 natural aluminium + 88/I6SF matt white aluminium insert

Prolight Metal Line SKL/2 is a skirting board in aluminium with indirect LED light. Its special section allows to create an original play of light along the wall, thus adding value to the whole surface. In addition to the silver anodised and the white stone versions, SKL/2 is available in a wide range of colours including five original cement effects, two special metal tonalities and a white characterized by an extremely solid and full colour.



SKL/2 concrete white colour-coated aluminium



SKL/2

TREND COLOR

PROLIGHT METAL LINE S

length = 270 cm - pack 5 pcs			H
ART.	**finishing**		**10**
ALUMINIUM			
SKL/2	silver anodised		78579
	euro/m		
COLOUR-COATED ALUMINIUM			
SKL/2	white stone		78591
	concrete white		78592
	concrete graphite		78593
	concrete smoke		78594
	concrete mud		78595
	concrete sand		78596
	metal dark		78597
	metal light		78598
	solid white		78599
	euro/m		

individually packed

ELECTRICAL COMPONENTS AND ACCESSORIES FOR LIGHTING


ART.	description	
L5/NW/65 L	spool 5 m LED strips, lateral light, neutral colour 4000 °K, 9,6W/m IP65	84136
	euro/mt (euro/pack)	

For other electrical components see page 248

Metal Line AF M Design is a skirting board in aluminium characterized by modern and minimalist lines that mark the connection between floors and coverings of same or different materials. The empty space creates an elegant shadow that highlights the two surfaces distinctly.



AF/1/ silver anodised aluminium



AF/1/

METAL LINE AF - M DESIGN

length = 270 cm - pack 10 pcs				H	
ART.	**finishing**		**6**	**10**	**12,5**
ALUMINIUM					
AF/1/	silver anodised		13198	13199	13200
	euro/m				
	titanium anodised		13201	13203	13202
	colour-coated polished white RAL 9010		13196	13197	13204
	euro/m				


individually packed

metal line

Metal Line 100 is an anodized aluminium baseboard available in two heights and suitable for application of plasterboard, directly into the wall. The profile is easy to apply through the use of appropriate adhesives.



100/70 silver anodised aluminium



100/

METAL LINE 100


length = 200 cm - pack 20 pcs			H mm	
ART.	**finishing**		**40**	**70**
ALUMINIUM				
100/	silver anodised		78277	78279
	euro/m			

individually packed

Metal line 101, ideal for plasterboard panels and made of anodised aluminium, is suitable for direct application on rough walls. The profile is applied using special adhesives before skimming the wall.



101/74 silver anodised aluminium



101/74

METAL LINE 101

length = 200 cm - pack 20 pcs			H mm
ART.	**finishing**		**70**
ALUMINIUM			
101/74	silver anodised		78281
	euro/m		

individually packed

RECOMMENDED ADHESIVE

ART.			
MAPEFLEX MS 45	white		6PB010043
MAPEFLEX MS 55	white		6PV010043


For further information, please visit mapei.com.

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters.
To request custom colours, please contact our technical department.


Metal Line 95 is an aluminium skirting board available in two different heights. This model features a simple and quick interlocking installation system on natural aluminium supports which, fixed to the wall with screws and plugs, make removal easy.
Metal Line 94/7SF is a skirting board with a section that facilitates fixing to the wall using cementitious adhesives.



95/7SF silver anodised



95/



94/7SF



95/7I inside corner



95/7E outside corner



95/7G junction



95/7P right end cap

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters.
To request custom colours, please contact our technical department.

Complete the article code with H measure (for example 95/SF for H=7 becomes 95/7SF)

METAL LINE 95

pack 25 pcs			length	H cm 7	H cm 10
ART.	**finishing**				
ALUMINIUM					
95/ SF	silver anodised		200 cm + 3 supports	78160	78175
			400 cm + 6 supports	78161	78176
	euro/m				

individually packed - length 400 cm pack 10 pcs

ALUMINIUM SUPPORT

pack 100 pcs	
S/95	78295
euro/pc	

no partial packaging

METAL LINE 94

length = 200 cm - pack 25 pcs			H cm 7
ART.	**finishing**		
ALUMINIUM			
94/7SF	silver anodised		78354
	euro/m		

individually packed

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			7	10
ART.	**finishing**		H cm	H cm
95/ I	silver anodised		78201	78206
	euro/pc			

no partial packaging

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			7	10
ART.	**finishing**		H cm	H cm
95/ E	silver anodised		78200	78205
	euro/pc			

no partial packaging

JUNCTION IN POLYPROPYLENE

pack 4 pcs			7	10
ART.	**finishing**		H cm	H cm
95/ G	silver anodised		78202	78207
	euro/pc			

no partial packaging

RIGHT/LEFT END CAPS IN POLYPROPYLENE

4 couples pack			7	10
ART.	**finishing**		H cm	H cm
95/ P	silver anodised		78203	78208
	euro/couple			


no partial packaging

metal line

Metal Line 98 is an aluminium skirting board characterised by curved and soft lines. A simple and functional interlocking installation system on natural aluminium supports fixed to the wall makes it easy to remove if necessary.



98/7SF silver anodised aluminium



98/7SF

METAL LINE 98

pack 20 pcs			H cm
ART.	**finishing**	**length**	**7**
ALUMINIUM			
98/7SF	silver anodised	200 cm + 3 supports	78040
		400 cm + 6 supports	78041
	euro/m		

individually packed - length 400 cm pack 10 pcs



98/7SF silver anodised aluminium + S/95 aluminium support

ALUMINIUM SUPPORT

pack 100 pcs		
S/95		78295
euro/pc		

no partial packaging

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs		H cm
ART.	**finishing**	**7**
98/7I	silver anodised	78221
	euro/pc	

no partial packaging

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs		H cm
ART.	**finishing**	**7**
98/7E	silver anodised	78220
	euro/pc	

no partial packaging

JUNCTION IN POLYPROPYLENE

pack 4 pcs		H cm
ART.	**finishing**	**7**
98/7G	silver anodised	78222
	euro/pc	

no partial packaging

RIGHT/LEFT END CAPS IN POLYPROPYLENE

4 couples pack		H cm
ART.	**finishing**	**7**
98/7P	silver anodised	78223
	euro/couple	


no partial packaging

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters.
To request custom colours, please contact our technical department.

Metal Line 97/4 is a 4 cm high aluminium skirting board. Thanks to a simple interlocking installation system with harmonic steel clips fixed to the wall with screws and plugs, it is quick and easy to install.



97/4SF



97/

METAL LINE 97

length = 200 cm - pack 25 pcs			H cm
ART.	**finishing**		**4**
ALUMINIUM			
97/4SF + 5 clips	silver anodised		78000
	euro/m		

individually packed

FIXING CLIPS

10 blister packs / 20 pcs/blister	
8602/C	29750
euro/blister	

no partial packaging



97/4SF silver anodised aluminium + 8602/C fixing clip

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	**finishing**		**4**
97/4I	silver anodised		78002
	euro/pc		

no partial packaging

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	**finishing**		**4**
97/4E	silver anodised		78001
	euro/pc		

no partial packaging

JUNCTION IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	**finishing**		**4**
97/4G	silver anodised		78003
	euro/pc		

no partial packaging

RIGHT/LEFT END CAPS IN POLYPROPYLENE

4 couples pack			H cm
ART.	**finishing**		**4**
97/4P	silver anodised		78004
	euro/couple		

no partial packaging


Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters.
To request custom colours, please contact our technical department.

metal line

Metal Line 97/7 is a 7 cm high aluminium skirting board with a simple and linear design. It is quick and easy to install with an interlocking system on natural aluminium supports, fixed to the wall using screws and plugs.



97/7SF silver anodised aluminium



97/7SF

METAL LINE 97

length = 200 cm - pack 20 pcs			H cm
ART.	**finishing**		**7**
ALUMINIUM			
97/7SF + 3 supports	silver anodised		78005
	euro/m		

individually packed

ALUMINIUM SUPPORT

pack 100 pcs		
S/95		78295
euro/pc		

no partial packaging



97/7SF silver anodised aluminium + S/95 aluminium support

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	**finishing**		**7**
97/7I	silver anodised		78157
	euro/pc		

no partial packaging

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	**finishing**		**7**
97/7E	silver anodised		78156
	euro/pc		

no partial packaging

JUNCTION IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	**finishing**		**7**
97/7G	silver anodised		78158
	euro/pc		

no partial packaging

RIGHT/LEFT END CAPS IN POLYPROPYLENE

4 couples pack			H cm
ART.	**finishing**		**7**
97/7P	silver anodised		78159
	euro/couple		


no partial packaging

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters.
To request custom colours, please contact our technical department.

Metal Line 97/8 is an 8 cm high aluminium skirting board. It is quick and easy to install using only natural aluminium supports, fixed to the wall with screws and plugs.



97/8SF silver anodised aluminium



97/8SF

METAL LINE 97

pack 20 pcs				H cm
ART.	**finishing**		**length**	**8**
ALUMINIUM				
97/8SF	silver anodised		200 cm + 3 supports	78010
			400 cm + 6 supports	78011
	euro/m			

individually packed - length 400 cm pack 10 pcs



97/8SF silver anodised aluminium + S/97 aluminium support

ALUMINIUM SUPPORT

pack 100 pcs		
S/97		78299
euro/pc		

no partial packaging

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	**finishing**		**8**
97/8I	silver anodised		78211
	euro/pc		

no partial packaging

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	**finishing**		**8**
97/8E	silver anodised		78210
	euro/pc		

no partial packaging

JUNCTION IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	**finishing**		**8**
97/8G	silver anodised		78212
	euro/pc		

no partial packaging

RIGHT/LEFT END CAPS IN POLYPROPYLENE

4 couples pack			H cm
ART.	**finishing**		**8**
97/8P	silver anodised		78213
	euro/couple		

no partial packaging

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters.
To request custom colours, please contact our technical department.





skirting board PVC line


A line of PVC skirting boards to meet any technical requirement and colour combination. Some models can be customised using PDS digital printing technology.

pvc line

PVC Line 8605 and 8606 are two skirting boards in co-extruded PVC-U, characterized by a rounded shape and a 70-mm height. Both are composed of a core in foam PVC and a visible surface in coloured rigid PVC to guarantee the best aesthetic result and colour uniformity. 8605 can also be covered with Alcrom® Plus film and can be further customized thanks to the digital printing technology Profilpas Digital System. 8505 and 8606 can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei) or nails. Moreover, they do not absorb water and are resistant to impact, wear and tear, UV rays and the products normally used for cleaning floors and wall coverings.



8606 white RAL 9003 co-extruded PVC-U



8605


PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U

ART.			
8605		white RAL 9003	29175
		white RAL 9010	29177
euro/m			

no partial packaging



8605 covered with Alcrom® Plus film

PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U COVERED WITH ALCROM® PLUS FILM

ART.		decors	
8605		96 white RAL 9010 embossed	29030
		97 black RAL 9005 embossed	29031
euro/m			
8605		99 brushed silver	29035
		100 brushed steel	29036
euro/m			

no partial packaging



8605 co-extruded PVC-U covered with Alcrom® Plus film


PVC LINE

length = 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U COVERED WITH ALCROM® PLUS FILM

ART.	decors		decors		decors		decors	
8605	02	29000	44	29013	1012	29104	1066	29122
	08	29001	47	29033	1021	29107	1069	29123
	10	29003	65	29018	1024	29108	1081	29127
	11	29004	76	29020	1030	29110	1084	29128
	12	29005	77	29021	1033	29111	1090	29130
	20	29006	78	29022	1036	29112	1105	29135
	25	29032	80	29023	1042	29114	1108	29136
	32	29007	81	29024	1045	29115	1111	29137
	34	29008	92	29026	1051	29117		
	35	29009	95	29029	1054	29118		
	36	29010	1003	29101	1057	29119		
	40	29011	1006	29102	1060	29120		
	41	29012	1009	29103	1063	29121		
euro/m								

no partial packaging - 8605 can be covered with customised Alcrom® Plus film on request, with a minimum order of 500 meters €/m



8606

PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U

ART.			
8606		white RAL 9003	29227
		white RAL 9010	29229
euro/m			

no partial packaging - 8606 can be covered with customised Alcrom® Plus film on request, with a minimum order of 500 meters €/


Adhesive for skirting boards see page 261

For customized decors, a charge of per decor will be applied.

PVC Line 8608 is a skirting board in PVC-U foam, characterized by a round shape and covered with Alcrom® Plus film. Available in several decors, it can be further customized thanks to the digital printing technology Profilpas Digital System. 8608 can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei), nails or special fixing clips. PVC does not absorb water, does not contain formaldehyde, is resistant to shocks, wear (certificate AC3), UV rays and the most common cleaning products for floors and wall coverings.



8608 foam PVC-U covered with Alcrom® Plus film + 8608/C



8608

PVC LINE


length = 250 cm - pack 20 pcs

FOAM PVC-U COVERED WITH ALCROM® PLUS FILM

H = 70 mm

ART.	decors			decors			decors		
8608	02	29040		32	29047		77	29061
	05	29075		34	29048		78	29062
	08	29041		35	29049		80	29063
	10	29043		36	29050		81	29064
	11	29044		39	29080		89	29081
	12	29045		40	29051		91	29082
	14	29076		41	29052		92	29066
	19	29077		44	29053		95	29069
	20	29046		47	29073		96 white RAL 9010 embossed	29070
	26	29078		65	29058		97 black RAL 9005 embossed	29071
	31	29079		76	29060			
euro/m								
8608			99 brushed silver	29083				
			100 brushed steel	29084				
euro/m								

no partial packaging



8608/C

WALL FIXING CLIP IN PVC-U FOR 8608

pack of 100 pcs

8608/C	29751
euro/pack	



8608 foam PVC-U covered with Alcrom® Plus film Plus 99 brushed silver

Adhesive for skirting boards see page 261

Customized PDS decors on request for 8608 with a minimum order of 500 meters..


For customized decors, a charge of per decor will be applied.

pvc line

PVC Line 8615 and 8616 are two skirting boards in co-extruded PVC-U, characterized by a square shape and a 70-mm height. Both are composed of a core in foam PVC and a visible surface in coloured rigid PVC to guarantee the best aesthetic result and colour uniformity. They can also be covered with Alcrom® Plus film and can be further customized thanks to the digital printing technology Profilpas Digital System.
8515 and 8616 can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei) or nails. Moreover, they do not absorb water and are resistant to impact, wear and tear, UV rays and the products normally used for cleaning floors and wall coverings.



8615 white RAL 9003 co-extruded PVC-U



8615


PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U

ART.			
8615	☐	white RAL 9003	29353
	☐	white RAL 9010	29355
euro/m			

no partial packaging



8615 decors with film Alcrom® Plus


PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U COVERED WITH ALCROM® PLUS FILM

ART.		decors	
8615	☐	96 white RAL 9010 embossed	29357
	■	97 black RAL 9005 embossed	29358
euro/m			

no partial packaging
8615 can be covered with customised Alcrom® Plus film on request, with a minimum order of 500 meters €/m



8616

PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U

ART.			
8616	☐	white RAL 9003	29495
euro/m			

no partial packaging
8616 can be covered with customised Alcrom® Plus film on request, with a minimum order of 500 meters €/m


Adhesive for skirting boards see page 261

For customized decors, a charge of per decor will be applied.


PVC Line 8613 is a foam PVC skirting board covered with Alcrom® Plus film, suitable for wooden floors. It can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei) or wall fixing clip 8608/C.



8613 foam PVC-U covered with Alcrom® Plus film - decor 96



8613



8608/C

PVC LINE

length = 250 cm - pack 20 pcs

FOAM PVC-U COVERED WITH ALCROM® PLUS FILM

H = 80 mm

ART.	decors		decors	
8613	05	30060	580	30076
	08	30061	1202	30078
	12	30062	1203	30079
	13	30063	1204	30080
	14	30064	1205	30081
	19	30065	1206	30082
	26	30066	1207	30083
	31	30094	1208	30084
	32	30067	1209	30085
	36	30068	1210	30086
	39	30069	1211	30087
	40	30070	1212	30088
	41	30071	1213	30089
	77	30072	1214	30090
	89	30073	1215	30091
	91	30074	1216	30092
	93	30075	1217	30093
	96 white RAL 9010 embossed	29971		
	euro/m			
8613	99 brushed silver	29974		
	100 brushed steel	29975		
	euro/m			

no partial packaging



8613 foam PVC-U covered with Alcrom® Plus film - decor 100 brushed steel

WALL FIXING CLIP IN PVC-U FOR 8613

pack of 100 pcs

8608/C		29751
	euro/pack	

no partial packaging

Customized PDS decors on request for 8613 with a minimum order of 500 meters.


For customized decors, a charge of per decor will be applied.

pvc line

PVC Line 8612 is a foam PVC-U skirting board covered with Alcrom® Plus film. It can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei).



8612/10 foam PVC-U covered with Alcrom® Plus film - decor 96



8612/10

PVC LINE

length 250 cm - pack 20 pcs

FOAM PVC-U COVERED WITH ALCROM® PLUS FILM

H = 45 mm


ART.	decors		
	96 white RAL 9010 embossed		29970
	euro/m		
8612/10	99 brushed silver		29968
	100 brushed steel		29967
	euro/m		

no partial packaging

PVC Line 8614 is a foam PVC-U skirting board covered with white Alcrom® Plus film, suitable in case of refurbishment where it is necessary to cover the old skirting boards, even if made of ceramic or marble, still present on the wall. It can be fixed to the old skirting board with adhesive (like MS 45 or MS 55 by Mapei).



8614 foam PVC-U covered with Alcrom® Plus film - decor 96



8614

PVC LINE

length = 250 cm - pack 20 pcs

FOAM PVC-U COVERED WITH ALCROM® PLUS FILM

H = 90 mm


ART.	decors		
8614	96 white RAL 9010 embossed		29972
	euro/m		

no partial packaging


8612 and 8614 can be covered with customised Alcrom® Plus film on request, with a minimum order of 500 meters.

For customized decors, a charge of per decor will be applied.

PVC Line 8600 is a line of impact-resistant PVC-U skirting boards that are particularly quick and easy to install. Available in a variety of colours, they are fixed to the wall with adhesive (such as MS 45 or MS 55 by Mapei).



8600 foam PVC-U - decor 532



8600

PVC LINE

length 200 cm - pack 20/100 pcs

FOAM PVC-U

H = 70 mm

ART.	decors			decors			decors			decors	
8600	518	29762		536	29782		yellow 561	29802		silver 559	29800
	520	29764		540	29784		green 562	29804			
	524	29766		542	29786		light blue 563	29801			
	525	29768		544	29788		red 564	29803			
	528	29770		545	29790						
	530	29772		white 555	29792						
	531	29774		light grey 556	29794						
	532	29776		black 557	29796						
	533	29778		anthracite 558	29798						
	534	29780									
pack 20 pcs											
euro/m											
pack 100 pcs											
euro/m											


To order 8600 in pack of 100 pcs mark /100 after the article code (for example 29778 becomes 29778/100).

no partial packaging
external corner profiles available in the same decors, see page 47

PVC Line 8181 is a 70 mm high plasticised PVC skirting board with a special section that makes it suitable for installation on curved walls. Available in different colours, it must be fixed to the wall with adhesive and is particularly quick and easy to install.



8181 white plasticised PVC



8181

PVC LINE

length = 250 cm - pack 12 pcs

PLASTIC-COATED PVC

H = 70 mm

ART.	decors		
8181	white		19216
	grey		19217
	black		19218
	euro/m		

no partial packaging


Art. 8181 should be stored horizontally.

pvc line

PVC Line 8596 and 8598 are a line of impact-resistant foam PVC skirting boards. The soft material of the base and the wall support allows perfect adhesion even to surfaces that are not perfectly flat, ensuring quick and easy application. Available in different colours, they can be fixed to the wall with adhesive (such as MS 45 or MS 55 by Mapei).



8596 foam PVC - decor 545



8596

PVC LINE

length = 250 cm - pack 40 pcs


FOAM PVC

H = 60 mm

ART.		decors			decors			decors	
8596		518	30800		531	30812		542	30824
		524	30804		532	30814		545	30828
		525	30806		533	30816		white 555	30830
		528	30808		536	30820		light grey 556	30832
		530	30810		540	30822		black 557	30834

euro/m

no partial packaging



8598

PVC LINE

length = 250 cm - pack 40 pcs


FOAM PVC

H = 80 mm

ART.		decors	
8598		white 555	30880
		light grey 556	30882
		black 557	30884

euro/m

no partial packaging



8580

PVC LINE


length = 250 cm - pack 80 pcs

FOAM PVC-U

ART.		decors			decors	
8580		532	30764		white 555	30780
		542	30774		light grey 556	30782
		545	30778		black 557	30784

euro/m

no partial packaging



8582

PVC LINE

length = 250 cm - pack 60 pcs

FOAM PVC-U

ART.		decors			decors	
8582		532	30714		white 555	30730
		542	30724		light grey 556	30732
		545	30728		black 557	30734


euro/m

no partial packaging

PVC Line 8602 is a 48 mm high skirting board in impact-resistant PVC-U foam. Available in different colours, it is easy to install using a simple interlocking system with harmonic steel clips. In addition to its decorative function, it hides the perimeter expansion gap, which is essential for floating floors, whether in wood, laminate, LVT or SPC.



8602 foam PVC - white 555



8602

PVC LINE


length 250 cm - pack 40 pcs

FOAM PVC-U

H = 48 mm

ART.		decors	
8602		white 555	29530
		light grey 556	29532
		black 557	29534
		euro/m	

no partial packaging



8602/I

INSIDE CORNER


pack 10 pcs

ABS

H = 48 mm

ART.		decors	
8602/I		white 555	29578
		light grey 556	29580
		black 557	29582
		euro/pc	

no partial packaging



8602/E

OUTSIDE CORNER


pack 10 pcs

ABS

H = 48 mm

ART.		decors	
8602/E		white 555	29628
		light grey 556	29630
		black 557	29632
		euro/pc	

no partial packaging



8602/P

RIGHT/LEFT END CAPS

pack 10 couples

ABS

H = 48 mm

ART.		decors	
8602/P dx/sx		white 555	29728
		light grey 556	29730
		black 557	29732
		euro/couple	

no partial packaging



8602/C fixing clips

WALL FIXING CLIP IN HARMONIC STEEL

10 blister packs / 20 pcs/blister


8602/C	29750	
euro/blister		

pvc line

PVC Line 8603 is a 70 mm high skirting board in impact-resistant foam PVC-U. Available in different colours, it is easy to install using a simple interlocking system with harmonic steel clips. In addition to its decorative function, it hides the perimeter expansion gap, which is essential for floating floors, whether in wood, laminate, LVT or SPC.



8603 foam PVC-U - decor 555



8603

PVC LINE

length 250 cm - pack 40 pcs


FOAM PVC-U

H = 70 mm

ART.	decors	
8603	532	30144
	542	30154
	545	30158
	white 555	30160
	light grey 556	30162
	black 557	30164

euro/m

no partial packaging



INSIDE CORNER

pack 10 pcs

ABS

H = 70 mm

ART.	decors	
8603/I	532	30194
	542	30204
	545	30208
	white 555	30210
	light grey 556	30212
	black 557	30214

euro/pc

no partial packaging

OUTSIDE CORNER

pack 10 pcs


ABS

H = 70 mm

ART.	decors	
8603/E	532	30244
	542	30254
	545	30258
	white 555	30260
	light grey 556	30262
	black 557	30264

euro/pc

no partial packaging



JUNCTION

pack 10 pcs

ABS

H = 70 mm

ART.	decors	
8603/G	532	30294
	542	30304
	545	30308
	white 555	30310
	light grey 556	30312
	black 557	30314

euro/pc

no partial packaging

RIGHT/LEFT END CAPS

pack 10 couples

ABS

H = 70 mm

ART.	decors	
8603/P dx/sx	532	30344
	542	30354
	545	30358
	white 555	30360
	light grey 556	30362
	black 557	30364

euro/couple

no partial packaging



8602/C fixing clips

WALL FIXING CLIP IN HARMONIC STEEL


10 blister packs / 20 pcs/blister

8602/C	29750
euro/blister	

PVC Line 8607 is a 70 mm high skirting board in impact-resistant foam PVC-U. Available in different colours, it is easy to install using a simple interlocking system with harmonic steel clips. In addition to its decorative function, it hides the perimeter expansion gap, which is essential for floating floors, whether in wood, laminate, LVT or SPC.



8607 foam PVC-U - decor 532



8607

PVC LINE

length 250 cm - pack 40 pcs


FOAM PVC-U

H = 70 mm

ART.		decors	
8607		532	30414
		542	30424
		545	30428
		white 555	30430
		light grey 556	30432
		black 557	30434

euro/m

no partial packaging



INSIDE CORNER

pack 10 pcs

ABS

H = 70 mm

ART.		decors	
8607/I		532	30464
		542	30474
		545	30478
		white 555	30480
		light grey 556	30482
		black 557	30484

euro/pc

no partial packaging

OUTSIDE CORNER

pack 10 pcs


ABS

H = 70 mm

ART.		decors	
8607/E		532	30514
		542	30524
		545	30528
		white 555	30530
		light grey 556	30532
		black 557	30534

euro/pc

no partial packaging



JUNCTION

pack 10 pcs

ABS

H = 70 mm

ART.		decors	
8607/G		532	30564
		542	30574
		545	30578
		white 555	30580
		light grey 556	30582
		black 557	30584

euro/pc

no partial packaging

RIGHT/LEFT END CAPS

pack 10 couples

ABS

H = 70 mm

ART.		decors	
8607P dx/sx		532	30614
		542	30624
		545	30628
		white 555	30630
		light grey 556	30632
		black 557	30634

euro/couple

no partial packaging



8602/C fixing clips

WALL FIXING CLIPS IN HARMONIC STEEL

10 blister packs / 20 pcs/blister


8602/C		29750
euro/blister		

pvc line


PVC Line 148 is a cove-shaped skirting board for carpet and resilient flooring, consisting of two profiles: a rigid PVC-U base and a plastic-coated PVC clip. Used as a connection profile, it creates a rounded edge once the covering has been laid. It also provides an attractive finish and covers the ends of the carpet and PVC, hiding any cutting inaccuracies. The profile is recommended for public spaces such as hospitals and schools.




172 PVC white




148/B +
148/C



148/BR +
148/C



172



173

PVC LINE - BASE

length = 300 cm - pack 30 pcs			
ART.	**finishing**		
RIGID PVC-U			
148/B	PVC white	☐	19095
	euro/m		
148/BR	PVC white	☐	19094
	euro/m		

no partial packaging

PVC LINE - CLIP

length = 305 cm - pack 30 pcs			
ART.	**finishing**		
PLASTIC-COATED PVC			
148/C	PVC white	☐	19096
	PVC ash grey		19097
	PVC sand		19098
	euro/m		

no partial packaging

PVC LINE

length = 300 cm - pack 20 pcs			**H**
ART.	**finishing**		**100**
PVC			
172	PVC white	☐	19210
	euro/m		

no partial packaging

length = 300 cm - pack 20 pcs			**H**
ART.	**finishing**		**60**
ALUMINIUM			
173	silver anodised drilled		19215
	euro/m		

no partial packaging

RECOMMENDED ADHESIVE

ART.			
MAPEFLEX MS 45	white	☐	6PB010043
MAPEFLEX MS 55	white	☐	6PV010043


For further information, please visit mapei.com.

148/C is available in different colours on request

PVC Line 170, 169 and 171 are a line of cove-shaped profiles suitable for creating rounded edges of resilient flooring. Recommended for installing resilient, PVC, rubber and linoleum flooring, they uniform the curvature between the floor and the wall. Please choose the type of profile according to the thickness of the flooring.



171 black PVC




170

PVC LINE - COVE-SHAPED PROFILE

length = 200 cm - pack 50 pcs		H
ART.	**finishing**	**20**
PVC		
170	black	19200
	euro/m	

no partial packaging




169

PVC LINE - COVE-SHAPED PROFILE

length = 200 cm - pack 50 pcs		H
ART.	**finishing**	**31**
PVC		
169	black	19195
	euro/m	

no partial packaging



171

PVC LINE - COVE-SHAPED PROFILE

length = 200 cm - pack 30 pcs		H
ART.	**finishing**	**30**
PVC		
171	black	19205
	euro/m	

no partial packaging

All articles PVC line cove-shaped should be stored horizontaly.





prolight


Prolight is a line of direct and indirect lighting profiles. The integration of LED technology with Profilpas profiles allows to customize any space. Available with warm or neutral light and with an adjustable dimmer, they are easy to install and give the suitable light for each use, from living spaces to work areas.

cerfix® prolist


Prolight Prolist LLA and LLB are two aluminium decorative listellos with direct LED light. Suitable for framing mirrors and walls and illuminating recessed niches and shelves, these profiles add value to the space, finding an ideal location in bathrooms, kitchens and private space in general. Prolight Prolist LLA/20/10, in particular, is perfect for shower recessed niches to create pleasant plays of light.




LLA/20/10 silver anodised aluminium




LLA/20




LLA/20/10



LLA/20P



LLA/30
LLB/30



LLA/30P
LLB/30P

PROLIGHT PROLIST

length = 270 cm - pack 10 pcs			LxH
ART.	**finishing**		**20x10**
ALUMINIUM			
LLA/20	silver anodised		84070
	euro/m		

individually packed

PROLIGHT PROLIST

length = 270 cm - pack 10 pcs			H
ART.	**finishing**		**10**
ALUMINIUM			
LLA/20/10	silver anodised		84076
	euro/m		

individually packed

END CAPS FOR LLA/20 AND LLA/20/10

pack 5 pcs			
ART.	**finishing**		
ALUMINIUM			
LLA/20P	silver anodised		84072
	euro/pc		

no partial packaging

PROLIGHT PROLIST

length = 270 cm - pack 10 pcs			LxH
ART.	**finishing**		**30x10**
ALUMINIUM			
LLA/30	silver anodised		84080
	euro/m		
LLB/30	bright polished silver		84081
	euro/m		

individually packed

END CAPS FOR LLA/30 AND LLB/30

pack 5 pcs			
ART.	**finishing**		
ALUMINIUM			
LLA/30P	silver anodised		84082
	euro/pc		
LLB/30P	bright polished silver		84083
	euro/pc		

no partial packaging

Spare insert in opaline ABS for art. LLA/20, LLA/20/10, LLA/30 and LLB/30 code 84069 L 270 cm - pack 20 pcs euro/m


For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

We recommend the use of NT LED strip with continuous light, see page 248

Prolight Prolist TLA is an aluminium decorative listello with indirect LED light, suitable for framing mirrors or outlining walls and coverings.
Prolight Prolist CLA is ideal under wall cabinets, in kitchens, bathrooms, wardrobes and showcases.



TLA/10/C1 silver anodised aluminium




TLA/10/C1
TLB/10/C1

PROLIGHT PROLIST

length = 270 cm - pack 10 pcs			LxH
ART.	**finishing**		**20x10**
ALUMINIUM			
TLA/10/C1	silver anodised		84090
	euro/m		
TLB/10/C1	bright polished silver		84091
	euro/m		

individually packed




TLA/10P/C1
TLB/10P/C1

END CAPS FOR TLA/10/C1

pack 5 pcs			
ART.	**finishing**		
ALUMINIUM			
TLA/10P/C1	silver anodised		84092
	euro/pc		
TLB/10P/C1	bright polished silver		84093
	euro/pc		

no partial packaging




CLA/8
CLA/8A

PROLIGHT PROLIST

length = 270 cm - pack 10 pcs			H
ART.	**finishing**		**8**
ALUMINIUM			
CLA/8	silver anodised		84221
	euro/m		
CLA/8A	silver anodised		84222
adhesive			
	euro/m		

individually packed



CLA/8P

END CAPS FOR CLA/8

pack 5 pcs			H
ART.	**finishing**		**8**
ALUMINIUM			
CLA/8P	silver anodised		84223
	euro/pc		

no partial packaging

Spare insert in opaline ABS for art. CLA/8 and CLA/8A code 84069 L 270 cm - pack 20 pcs euro/m

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248


We recommend the use of NT LED strip with continuous light, see page 248

cerfix® proangle Q

Prolight Proangle Q ZQAL is a natural aluminium profile for external corners. Equipped with a diffuser in different colours, it helps increasing safety in public and private spaces through a thin luminous line.




ZQAL/10B natural aluminium + ZQAL/10 white opaline PVC



ZQAL/...B+ZQAL/10

PROLIGHT PROANGLE Q

length = 270 cm - pack 10 pcs			H	
ART.	**finishing**		**10**	**13**
ALUMINIUM				
ZQAL/10B	natural aluminium base		87226	
	euro/m			
ZQAL/13B	natural aluminium base			87227
	euro/m			
OPALINE PVC				
ZQAL/10	white		87230	
	grey		87231	
	red		87232	
	yellow		87233	
	euro/m			



ZQAL/...P

END CAPS FOR ZQAL

pack 5 pcs			H	
ART.	**finishing**		**10**	**13**
ALUMINIUM				
ZQAL/10P	natural aluminium		87229	
	euro/pc			
ZQAL/13P	natural aluminium			87228
	euro/pc			

no partial packaging

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248


We recommend the use of NT LED strip with continuous light, see page 248

cerfix® prostep - protect

Prolight Prostep SGA is an aluminium profile with indirect LED light for the protection and finishing of ceramic, marble and stone steps. With SGA, the light diffuses softly downwards, giving elegance and refinement to the stair, as well as increasing the safety of the space.



SGA/11L silver anodised aluminium




SGA/11L

PROLIGHT PROSTEP

length = 270 cm - pack 10 pcs			H mm
ART.	**finishing**		**11**
ALUMINIUM			
SGA/11L	silver anodised		94969
	euro/m		

individually packed



SGA/11P

END CAPS FOR PROFILE SGA/11L


pack 5 pcs			H mm
ART.	**finishing**		**11**
ALUMINIUM			
SGA/11P	silver anodised		94964
	euro/pc		

no partial packaging

Prolight Protect G/9 is a stair nosing profile in aluminium equipped with direct LED light and a non-slip knurled surface. G/9 is suitable for public spaces such as cinemas, offices, theatres and clubs, making them welcoming and elegant at the same time.



G/9/SF silver anodised aluminium




G/9/F

PROLIGHT PROTECT

length = 270 cm - pack 10 pcs			
ART.	**finishing**		
ALUMINIUM			
G/9/F	silver anodised		84050
	euro/m		

individually packed



G/9P/

END CAPS FOR PROFILE G/9/F

pack 5 pcs			
ART.	**finishing**		
ALUMINIUM			
G/9P/DX	silver anodised		84052
	euro/pc		
G/9P/SX	silver anodised		84053
	euro/pc		

no partial packaging

Spare insert in opaline ABS for art. SGA/11L and G/9/F code 84069 L 270 cm - pack 20 pcs euro/m

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248


We recommend the use of NT LED strip with continuous light, see page 248

cerfix® protect

Prolight Protect 126/L/F is an aluminium stair nosing profile equipped with direct LED light and replaceable grooved PVC insert. 126/L/F is suitable for public spaces such as cinemas, offices, theatres and clubs, making them welcoming and elegant at the same time.



126/L/F silver anodised aluminium + GMR/44 black grooved PVC



126/L/F


PROLIGHT PROTECT

length = 270 cm - pack 6 pcs			
ART.	**finishing**		
ALUMINIUM			
126/L/F	silver anodised		84060
	euro/m		

individually packed

GROOVED PVC

length = 1700 cm - 1 rolls pack			
ART.			
GMR/44	black		75706
	euro/m		



126/LP

END CAPS FOR 126/L/F

pack 5 pcs			
ART.	**finishing**		
ALUMINIUM			
126/LP/DX	silver anodised		84062
	euro/pc		
126/LP/SX	silver anodised		84063
	euro/pc		

no partial packaging



Spare insert in opaline ABS for art. 126/L/F code 84069 L 270 cm - pack 20 pcs euro/m

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248


We recommend the use of NT LED strip with continuous light, see page 248

cerfix® prolist Q - metal line S

Prolight Prolist Q LQL/2 is an aluminium decorative listello with indirect LED light that, thanks to its particular section, creates a delicate and elegant light effect on the ceramic coverings, thus embellishing the wall. This profile is available in a wide range of colours including white stone, five original cement effects, two special metal tonalities and a white characterized by an extremely solid and full colour.



LQL/2 metal light colour-coated aluminium



LQL/2

TREND COLOR

PROLIGHT PROLIST Q


length = 270 cm - pack 5 pcs		H
ART.	**finishing**	**10**
COLOUR-COATED ALUMINIUM		
LQL/2	white stone	84020
	concrete white	84021
	concrete graphite	84022
	concrete smoke	84023
	concrete mud	84024
	concrete sand	84025
	metal dark	84026
	metal light	84027
	solid white	84028
	euro/m	

individually packed

Prolight Metal Line SKL/2 is a skirting board in aluminium with indirect LED light. Its special section allows to create an original play of light along the wall, thus adding value to the whole surface. In addition to the silver anodised and the white stone versions, SKL/2 is available in 8 finishes: a range of colours including five original cement effects, two special metal tonalities and a white characterized by an extremely solid and full colour.



SKL/2 concrete white colour-coated aluminium



SKL/2

TREND COLOR

PROLIGHT METAL LINE S

length = 270 cm - pack 5 pcs		H
ART.	**finishing**	**10**
ALUMINIUM		
SKL/2	silver anodised	78579
	euro/m	
COLOUR-COATED ALUMINIUM		
SKL/2	white stone	78591
	concrete white	78592
	concrete graphite	78593
	concrete smoke	78594
	concrete mud	78595
	concrete sand	78596
	metal dark	78597
	metal light	78598
	solid white	78599
	euro/m	

individually packed

ELECTRICAL COMPONENTS AND ACCESSORIES FOR LIGHTING LQL/2 AND SKL/2

ART.	description	
L5/NW/65 L	spool 5 m LED strips, lateral light, neutral colour 4000 °K, 9,6W/m IP65	84136
	euro/mt (euro/pack)	


For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

metal line


Metal Line 88/I6L/A is a skirting board flush with the wall and with LED lighting system. The light is distributed along the whole length of the profile and passes through a visible gap. There is the possibility to insert the optional dimmer to adjust the light intensity of the skirting board and create both an elegant decoration and a night courtesy light.



88/I6L/A silver anodised aluminium



87/6 + 88/I6L



88/6 + 88/I6L



88/6E

METAL LINE 87 - 88

length = 200 cm - pack 20 pcs			H cm
ART.	**finishing**		**6**
ALUMINIUM			
87/6	natural aluminium (drilled)		78338
	euro/m		
88/6	natural aluminium (drilled)		78310
	euro/m		

individually packed

ALUMINIUM INSERT FOR LED LIGHT

length = 200 cm - pack 20 pcs			H cm
88/I6L/A	silver anodised		78559
	colour-coated matt white RAL 9010		78560
	euro/m		

adhesive - individually packed

OUTSIDE CORNER IN METAL

pack 4 pcs			H cm
ART.	**finishing**		**6**
88/6E	silver		78561
	colour-coated matt white RAL 9010		78562
	euro/pc		

no partial packaging




88/6 + 88/I6L/A silver anodised aluminium

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

Prolight Metal Line 89 is a skirting board in anodised aluminium with LED-strip lighting system. The light is distributed along the entire length of the profile through a diffuser element. It is possible to insert the dimmer in order to adjust the luminous intensity of the skirting board to decorate and light up the room.



89/6L silver anodised aluminium



89/6L

PROLIGHT METAL LINE 89

length = 200 cm - pack 25 pcs			H cm
ART.	**finishing**		**6**
ALUMINIUM			
89/6L	silver anodised		86000
	euro/m		

individually packed



89/6EI

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP


pack 4 pcs			H cm
ART.	**finishing**		**6**
ALUMINIUM			
89/6EI	silver anodised		78506
	euro/pc		

no partial packaging

Spare insert in opaline ABS for art. 89/6L code 84069 L 270 cm - pack 20 pcs euro/m

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

We recommend the use of NT LED strip with continuous light, see page 248



89/6L silver anodised aluminium

Electrical components and accessories for Prolight profiles. Each element has to be chosen depending on the established length of the light profiles. It is necessary to calculate the power consumption in W/m for choosing one or more power supplies to be combined with the dimmer and the controller.



spool 5 m NT LED strip



L5/.../67



L5/NW/65NT



AL/.../24



DIMM/02



TEL/04



RIC/01



CE/5/20
CE/10/...



IR/W3



IR/C04

ELECTRICAL COMPONENTS AND ACCESSORIES FOR LIGHTING

ART.	description	
L5/NW/67	spool 5 m LED strip colour neutral white 4000° K - 9,6W/m - IP67 ***euro/m (euro/pack)***	84125
L5/WW/67	spool 5 m LED strip colour warm white 3000° K - 9,6W/m - IP67 ***euro/m (euro/pack)***	84135
L5/NW/65NT	spool 5 m NT LED strip neutral white colour 4000° K - 10W/m - IP65 ***euro/m (euro/pack)***	84118
L5/NW/67NT	spool 5 m NT LED strip neutral white colour 4000° K - 10W/m - IP67 ***euro/m (euro/pack)***	84122
AL/60/24	power supply IP67 - PFC active - 24Vdc/60W ***euro/pc***	84150
AL/90/24	power supply IP67 - PFC active - 24Vdc/90W ***euro/pc***	84152
AL/120/24	power supply IP67 - PFC active - 24Vdc/120W ***euro/pc***	84154
AL/150/24	power supply IP67 - PFC active - 24Vdc/150W ***euro/pc***	84156
DIMM/02	dimmer/driver 24V/10 Amp - dim. mm 57x44x19 h. for white LED light ***euro/pc***	84187
TEL/04	4- channel radio frequency remote control ***euro/pc***	84182
RIC/01	4- remote control receiver radio frequency ***euro/pc***	84184
CE/5/20	electrical cable sect. 0,5 mm² - pack 20 ml ***euro/m***	84420
CE/10/20	electrical cable sect. 1 mm² - pack 20 ml ***euro/m***	84422
CE/10/100	electrical cable sect. 1 mm² - pack 100 ml ***euro/m***	84424
IR/W3	rapid fit connector 3 cables - pack 10 pcs ***euro/pc***	84410
IR/C04	rapid fit connector for LED strip - pack 10 pcs ***euro/pc***	84419

HOW TO ORDER THE ELECTRICAL COMPONENTS

LED (white light)

Measure how many meters of LED strip have to be positioned on our profiles. A spool is 5 meters long. Spools have 120 LED every meter. The voltage is 24 volt. The consumption is 9,6 watts every meter. To determine the consumption, length must be multiplied by 9,6 watts.

Example: calculation of the watts consumption = 7,4m x 9,6W = 71 total watts

Choose the colour of the light. LED strips are available in neutral white light (4000 °K) or warm white light (3000 °K).
Choose the degree of protection: IP33 for inside and dry spaces, IP67 for outside or moist spaces.

POWER SUPPLIES

Choose the suitable power supply on the basis of the total watts and so as not to exceed 90% of the maximum power.

Example: 71W : 90 x 100 = 79W - use a power supply of 90W

	ART.		
from 5 cm to 5,5 m	60W	**AL/60/24**	84150
from 5,6 m to 8,4 m	90W	**AL/90/24**	84152
from 8,5 m to 11,2 m	120W	**AL/120/24**	84154
from 11,3 m to 14 m	150W	**AL/150/24**	84156

We recommend to power the LED strips every 3 meters in order to avoid differences in brightness and the overheating of the LED in the initial part of them. A cable with 1 mm² section has a maximum range of about 4 Amp and a voltage drop of 1 Volt every 10 meters. For special installations, please contact our Technical Department.

DIMMER (optional)

The dimmer/fader/driver has the function to adjust the light intensity of LED light, it supports maximum 10 Amp to an equal extent of 25 linear meters of our LED strip. It must be placed between the power supply and the LED strip and connected to a switch (not supplied) and/or to the receiver of the remote control (optional).

In case of more lines with simultaneous turning on, the first dimmer is connected in Sync mode and it will switch on the consecutive dimmers.

Example: to connect 3 lines with simultaneous turning on, you need to use 3 dimmers.

REMOTE CONTROL + RECEIVER (optional)

The remote control is a radiofrequency and can control up to 4 channels; it is used to turn on/off the LED.

The receiver must be installed between the power supply and the LED strip or connected to the dimmer if present.

If there is also the dimmer, the remote control can adjust the LED light intensity.

ELECTRICAL CABLES

The cables are necessary to connect the power supply to the LED strips where needed.

A cable with 1 mm² section has a maximum range of about 4 amps and a voltage drop of 1 volt every 10 meters.

CONNECTORS

Art. IR/C04 connects the LED strips to the line of power supply.
Art. IR/W3 connects maximum 3 cables among them.

We recommend to assign the assembly of the electrical components to qualified staff.





entrance mats

Promat is a modular technical mat with a dirt barrier function, designed for both public and private use.
Thanks to its easy assembly with a simple interlocking system, Promat can be assembled directly on site.
Promat is available in three insert solutions: textile, brushes or PVC.
It thus guarantees the cleaning and the protection of floors inside buildings against dust, general dirt and water.

promat

Promat is a modular technical mat that acts as a dirt barrier. It can be customized and made in any size directly on site, allowing maximum operational flexibility.
Promat is easy and quick to install thanks to the interlocking system of silver anodised aluminium profiles, already equipped with a choice of textile, PVC or brush inserts.
The textile insert, recommended for internal use, absorbs finer dirt and water, also facilitating drying as people walk over it. The PVC insert is weather-resistant, making it ideal for outdoor use, removes coarse dirt and also has a slip-resistant function. Finally, the brushes insert is suitable for outdoor installation in areas with high foot traffic thanks to its ability to remove the most stubborn dirt.
Promat can be installed recessed or overlapped on existing floors according to the needs. In case of overlapping installation, a ramp profile can be inserted to facilitate access.
Promat is also available in two already-assembled and ready-for-use versions in a choice of textile or mixed PVC/brush, in sizes 70x39,5 cm and 90x49,5 cm.



The advantage of Promat is that it offers three different functions in a single mat: PVC (stops grit), brushes (stops sand) and textile (stops water). This feature is ideal when conditions allow the PVC version to be placed outdoors, the version with brushes in the entrance area and the textile version indoors. The Promat dirt barrier must be composed so that PVC and brushes can be positioned alternately (one after the other) and the textile version in a unique succession (see drawing below).



profile with textile insert




profile with PVC insert




profile with brushes insert







ZT/307/MN




ZT/307/GN



ZT/307/SN



ZT/307/R1



ZT/307/R2



ZT/307/NA

PROMAT

length = 270 cm - pack 10 pcs			
ART.			**Conf.**
ZT/307/MN	silver anodised aluminium profile + black textile insert ***euro/m***	90400	10
ZT/307/GN	silver anodised aluminium profile + black PVC insert ***euro/m***	90401	10
ZT/307/SN	silver anodised aluminium profile + black brush insert ***euro/m***	90402	10
ZT/307/R1	silver anodised aluminium right ramp profile ***euro/m***	90403	10
ZT/307/R2	silver anodised aluminium left ramp profile ***euro/m***	90404	10

individually packed

ACCESSORIES

length = 500 cm - pack 1 pc			
ART.			**Conf.**
ZT/307/NA	adhesive tape in black EPDM 5 m ***euro/m (euro/pack)***	90405	1

no partial packaging


PROMAT - READY-TO-USE MAT

ART.			**Conf.**
ZT/307/01	ready-to-use mat dim. 70x39,5 cm with profiles with black textile inserts ***euro/pc***	90407	1
ZT/307/02	ready-to-use mat dim. 70x39,5 cm with profiles with black PVC and brushes inserts ***euro/pc***	90408	1
ZT/307/03	ready-to-use mat dim. 90x49,5 cm with profiles with black textile inserts ***euro/pc***	90409	1
ZT/307/04	ready-to-use mat dim. 90x49,5 cm with profiles with black PVC and brushes inserts ***euro/pc***	90410	1



interlocking system of profiles

To create the right PROMAT dirt barrier for your operational needs, please contact our technical department.











accessories for installation

Levelling systems for installing tiles, spacers, adhesives, tools, systems and accessories.

Protiler is a system for installing ceramic and stone tiles at the same level. Suitable for thicknesses from 3 to 20 mm, it prevents vertical movement between individual tiles during the adhesive setting phase.
A special pliers is available for installing floor and wall tiles with less effort and in less time.
Protiler is made of regenerated plastic material, respecting the environment.



Protiler



disposable clips installation



tiles installation



levelling wedges insertion



wedges and clips removal



PTLN

PROTILER

pack 10 pcs			
ART.			
PTLN	adjustable traction pliers ***euro/pc (euro/pack)***	18067	



PTWN

LEVELLING WEDGES

pack 14 bags with 100 pcs			**Pallet**
ART.			
PTWN	levelling wedges ***euro/pc (euro/bag)***	18063	210 bags
pack 1400 pcs			**Pallet**
ART.			
PTWN/1400	levelling wedges ***euro/pc (euro/pack)***	18076	15 packs

no partial packaging



PTC
PTC1
PTC1A
PTC2
PTC3

DISPOSABLE CLIPS

pack 12 bags with 250 pcs				**Pallet**
ART.				
PTC		clips for 0,5 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/bag)***	18070	180 bags
PTC1		clips for 1 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/bag)***	18071	180 bags
PTC1A		clips for 1,5 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/bag)***	18075	180 bags
PTC2		clips for 2 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/bag)***	18072	180 bags
PTC3		clips for 3 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/bag)***	18073	180 bags
pack 60 bags with 50 pcs				**Pallet**
ART.				
PTC4/1		clips for 1 mm grouts and tile thicknesses from 12 to 20 mm ***euro/pc (euro/bag)***	18082	600 bags
PTC4/2		clips for 2 mm grouts and tile thicknesses from 12 to 20 mm ***euro/pc (euro/bag)***	18074	600 bags
PTC4/3		clips for 3 mm grouts and tile thicknesses from 12 to 20 mm ***euro/pc (euro/bag)***	18084	600 bags
PTC4/5		clips for 5 mm grouts and tile thicknesses from 12 to 20 mm ***euro/pc (euro/bag)***	18085	600 bags
pack 3000 pcs				**Pallet**
ART.				
PTC/3000		clips for 0,5 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/pack)***	18077	15 packs
PTC1/3000		clips for 1 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/pack)***	18078	15 packs
PTC1A/3000		clips for 1,5 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/pack)***	18079	15 packs
PTC2/3000		clips for 2 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/pack)***	18080	15 packs
PTC3/3000		clips for 3 mm grouts and tile thicknesses from 3 to 12 ***euro/pc (euro/pack)***	18081	15 packs

no partial packaging

PTC4/1
PTC4/2
PTC4/3
PTC4/5

Fix Level is a screw levelling system for floors and wall coverings with thicknesses from 3 to 21 mm and is particularly suitable for large formats. An optional scratch-resistant disc is available to attach to the cylinder to protect the surface of the covering during levelling.
Fix Level is made of regenerated plastic material, respecting the environment.



Fix Level



FLM/C



FLM/S

KLM/30

CYLINDER

pack 16 bags with 50 pcs				Pallet
ART.				
FLM/C		cylinder ***euro/pc (euro/bag)***	18090	12 boxes

no partial packaging

ANTI-SCRATCH DISC

pack 35 bags with 50 pcs			
ART.			
FLM/S		anti-scratch disc ***euro/pc (euro/bag)***	18091

no partial packaging

DISPOSABLE SCREW SPACER

pack 25 bags with 100 pcs				Pallet
ART.				
KLM/10		screw for 1-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18093	12 boxes
KLM/15		screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18094	12 boxes
KLM/20		screw for 2-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18095	12 boxes
KLM/30		screw for 3-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18096	12 boxes
KLM/50		screw for 5-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18097	12 boxes

no partial packaging

DISPOSABLE T-SCREW SPACER

pack 25 bags with 100 pcs				Pallet
ART.				
KLM/T10		T-screw for 1-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18098	12 boxes
KLM/T15		T-screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18099	12 boxes
KLM/T20		T-screw for 2-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18100	12 boxes
KLM/T30		T-screw for 3-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18101	12 boxes

no partial packaging

DISPOSABLE CROSS SCREW SPACER

pack 25 bags with 100 pcs				Pallet
ART.				
KLM/X10		cross screw for 1-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18102	12 boxes
KLM/X15		cross screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18103	12 boxes
KLM/X20		cross screw for 2-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18104	12 boxes
KLM/X30		cross screw for 3-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18105	12 boxes

no partial packaging

Klic Level is a levelling system for ceramic tiles and stone material with a thickness of 3 to 21 mm, which can be used on floors and walls and is particularly suitable for laying large format slabs. The pulling cylinder is equipped with a special click system for quick application and removal and comes complete with an anti-scratch disc to protect the surface of the covering during the levelling phases. Klic Level is made of regenerated plastic material, respecting the environment.



Klic Level



KLMN/C



FLM/S

KLM/30

CYLINDER

pack 10 bags da 50 pcs				Pallet
ART.				
KLMN/C		cylinder ***euro/pc (euro/bag)***	18089	12 boxes

no partial packaging

ANTI-SCRATCH DISC

pack 35 bags with 50 pcs				
ART.				
FLM/S		anti-scratch disc ***euro/pc (euro/bag)***	18091	

no partial packaging

DISPOSABLE SCREW SPACER

pack 25 bags with 100 pcs				Pallet
ART.				
KLM/10		screw for 1-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18093	12 boxes
KLM/15		screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18094	12 boxes
KLM/20		screw for 2-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18095	12 boxes
KLM/30		screw for 3-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18096	12 boxes
KLM/50		screw for 5mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18097	12 boxes

no partial packaging

DISPOSABLE T-SCREW SPACER

pack 25 bags with 100 pcs				Pallet
ART.				
KLM/T10		T-screw for 1-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18098	12 boxes
KLM/T15		T-screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18099	12 boxes
KLM/T20		T-screw for 2-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18100	12 boxes
KLM/T30		T-screw for 3-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18101	12 boxes

no partial packaging

DISPOSABLE CROSS SCREW SPACER


pack 25 bags with 100 pcs				Pallet
ART.				
KLM/X10		cross screw for 1-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18102	12 boxes
KLM/X15		cross screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18103	12 boxes
KLM/X20		cross screw for 2-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18104	12 boxes
KLM/X30		cross screw for 3-mm grouts and tile thicknesses from 3 to 21 mm ***euro/pc (euro/bag)***	18105	12 boxes

no partial packaging

Plastic cross and T spacers used in the installation of floors and wall coverings for creating uniform and precise grout lines. They are available for thicknesses up to 10 mm and are suitable for both inside and outside spaces. Both spacers are compliant with UNI 11493-1 standard (methods for the correct installation of ceramic tiles). Plastic wedges used for recovering small differences in height during tile installation.



Cross spacers




DC

CROSS SPACERS

	box with 10 packs of 500 pcs					box with 20 packs of 250 pcs	
LxH	**1x5**	**2x5**	**3x5**	**4x5**	**5x5**	**7x6**	**10x8**
ART.	**DC1** solid	**DC2** solid	**DC3** drilled	**DC4** drilled	**DC5** drilled	**DC7** drilled	**DC10** drilled
	18992	19002	19008	19014	19020	19024	19030
euro/pack							

no partial packaging




DT

T SPACERS

	box with 10 packs of 500 pcs					box with 20 packs of 250 pcs	
LxH	**1x5**	**2x5**	**3x5**	**4x5**	**5x5**	**7x6**	**10x8**
ART.	**DT1** solid	**DT2** solid	**DT3** drilled	**DT4** drilled	**DT5** drilled	**DT7** drilled	**DT10** drilled
	19038	19042	19048	19054	19060	19064	19070
euro/pack							

no partial packaging



CN

WEDGES

pack	box with 20 packs of 250 pcs	box with 10 packs of 500 pcs
LxlxH	**9x28x5**	**9x28x5**
ART.	**CN28**	**CN28**
	19080	19082
euro/pack		

no partial packaging

CROSS SPACER FOR OUTDOOR USE

pack 2 bags with 50 pcs		
ART.		
DCE4	cross spacer for outdoor tiles and 4-mm grouts	19076
	euro/pc (euro/bag)	

no partial packaging



DCE4



T Spacers



Wedges



skirting board adhesive

RECOMMENDED ADHESIVE

ART.			
MAPEFLEX MS 45	white	☐	6PB010043
MAPEFLEX MS 55	white	☐	6PV010043

For further information, please visit mapei.com.



polishing paste

MAGNETIC KIT

box with 10 blisters	
K10	00410
euro/blister	

POLISHING PASTE FOR METAL PROFILE CLEANING

pack 20 pcs - quantity 150 ml	
POLISHING PASTE	30018
euro/pc	



doubled sided adhesive tapes

DOUBLED SIDED ADHESIVE TAPES

	POLYPROPYLENE	COTTON CLOTH
pack	**24**	**24**
LxL cm	**5x2500**	**5x2500**
ART.	**D/4461/K**	**D/4471/K**
	30004	30014
euro/pc		




SCREWS

	FLAT HEAD			ROUND HEAD	
box - 1000 pcs					
finishing	nickel-plated	brass plated	bronze plated	nickel-plated	brass plated
LxL mm	**3X25**	**3X25**	**3X25**	**3,5X25**	**3,5X25**
ART.	**SS/5**	**SS/5**	**SS/5**	**SS/4**	**SS/4**
	68800	68801	68802	68804	68805
euro/box					

proflex line

Proflex Machine is a machine designed and built to shape Flex profiles by Profilpas with a curved shape. The machine includes a kit, and additional kits are available if you want to bend Metal Line 90/.



PROFLEX MACHINE - manual machine for bending flex profiles



kit 30052

PROFLEX MACHINE

ART.	description	
proflex	hand machine to bend profiles inside and outside	30022
	euro/pc	
30052	wheels kit for metal line flex 90/	30052
	euro/pc	





DIY profiles



A wide range of DIY profiles in aluminium, stainless steel and brass, available in many measures. Suitable to solve professional and bricolage works.

Any reference to "do-it-yourself" is meant only to highlight the ease and speed of installation of the products without altering their professional nature.

profiles in anodised aluminium

	measures	with barcode label			
		length m. 1		length m. 2	
		silver	*euro/pc*	silver	*euro/pc*
flat	**12x2**	10100		10104	
	15x2	10108		10112	
	20x2	10116		10120	
	25x2	10124		10128	
	30x2	10132		10136	
	40x2	-	-	-	-
	50x2	-	-	-	-
	60x2	-	-	-	-
corner 	**10x10x1**	10140		10144	
	15x15x1	10148		10152	
	20x20x1*	10156		10160	
	25x25x1*	10164		10168	
	30x30x1*	10172		10176	
	30x30x1,5	-	-	09020	
	40x40x1,5	10380		10384	
	40x40x2	-	-	-	-
	50x50x2	-	-	-	-
corner L 	**15x10x1**	10180		10184	
	20x10x1	10188		10192	
	30x15x1	10196		10200	
U profile 	**8x8x1**	10204		10208	
	10x10x1	10212		10216	
	10x15x1	10220		10224	
	12x12x1	-	-	10218	
double U profile 	**16x7x1**	-	-	10232	
	16x12x1	10236		10240	
	20x10x1	-	-	10248	
	20x18x1	10252		10256	
edge trim 	**18x1**	10260		10264	
	22x1	10268		10272	
	25x1	10276		10280	
round tube 	**8x1**	09032		09036	
	10x1	09040		09044	
	12x1	09048		09052	
	15x1	10284		10288	
	18x1	10292		10296	
	20x1	10300		10304	
	25x1,5	-	-	09060	
square tube 	**10x10x1**	10308		10312	
	15x15x1	10316		10320	
	20x20x1	10324		10328	
rectangular tube 	**20x10x1**	10332		10336	
	30x15x1	10340		10344	
T profile 	**15x15x1,5**	10348		10352	
	25x25x1,5	10356		10360	
round bar 	**Ø 6**	-	-	09084	
	Ø 8	10364		10368	
	Ø 10	-	-	09092	
square bar 	**8x8**	10372		10376	
	10x10	-	-	10394	




No partial packaging. PACK: 10 pcs per item.

* items available also 3 m long without barcode pag 253

EAN 13 = the first group product code

example code 10395 = 8010937 10395

profiles in anodised aluminium

		measures	without barcode label: length m. 2 silver	*euro/pc*	length m. 3 silver	*euro/pc*
flat		**12x2**	510104		-	-
		15x2	510112		-	-
		20x2	510120		-	-
		25x2	510128		-	-
		30x2	510136		-	-
		40x2	510095		510096	
		50x2	510099		510097	
		60x2	510100		510098	
corner		**10x10x1**	510144		-	-
		15x15x1	510152		-	-
		20x20x1	510160		510158	
		25x25x1	510168		510166	
		30x30x1	510176		510174	
		30x30x1,5	509020		-	-
		40x40x1,5	510384		-	-
		40x40x2	510381		510383	
		50x50x2	510382		510387	
corner L		**15x10x1**	510184			
		20x10x1	510192			
		30x15x1	510200			
U profile		**8x8x1**	510208			
		10x10x1	510216			
		10x15x1	510224			
		12x12x1	510218			
double U profile		**16x7x1**	510232			
		16x12x1	510240			
		20x10x1	510248			
		20x18x1	510256			
edge trim		**18x1**	510264			
		22x1	510272			
		25x1	510280			
round tube		**8x1**	509036			
		10x1	509044			
		12x1	509052			
		15x1	510288			
		18x1	510296			
		20x1	510304			
		25x1,5	509060			
square tube		**10x10x1**	510312			
		15x15x1	510320			
		20x20x1	510328			
rectangular tube		**20x10x1**	510336			
		30x15x1	510344			
T profile		**15x15x1,5**	510352			
		25x25x1,5	510360			
round bar		**Ø 6**	509084			
		Ø 8	510368			
		Ø 10	509092			
square bar		**8x8**	510376			
		10x10	510394			




No partial packaging. PACK: 10 pcs per item.

EAN 13 = the first group product code

example code 10395 = 8010937 10395

profiles in anodised and colour-coated aluminium

with barcode label
length m. 2




		measures	gold anodised	titanium anodised	colour-coated white RAL 9003	*euro/pc*
flat		**12x2**	10105	-	-	
		15x2	10113	-	11612	
		20x2	10121	10470	11620	
		30x2	10137	-	11636	
corner		**10x10x1**	10145	10452	11644	
		15x15x1	10153	10454	11652	
		20x20x1	10161	10456	11660	
		25x25x1	10169	10458	11668	
		30x30x1	10177	-	11676	
		40x40x1,5	10385	-	11684	
corner L		**15x10x1**	10185	10462	11692	
		20x10x1	10193	10464	11700	
		30x15x1	10201	10466	11708	
U profile		**8x8x1**	10209	-	-	
		10x10x1	-	-	11724	
		10x15x1	10225	-	-	
double U profile		**20x18x1**	-	-	11764	
edge trim		**18x1**	10265	-	11772	
		22x1	10273	-	-	
		25x1	10281	-	-	
round tube		**10x1**	09045	-	-	
		15x1	-	-	11796	
		18x1	10297	-	-	
		20x1	10305	-	-	
square tube		**10x10x1**	-	-	11820	
rectangular tube		**20x10x1**	10337	-	11844	
T profile		**15x15x1,5**	-	-	11860	
		25x25x1,5	-	-	11868	

No partial packaging. PACK: 10 pcs per item for gold anodised items, 5 pcs for titanium anodised and white colour-coated items.

EAN 13 = the first group product code



example code 10395 = 8010937 10395

profiles in bright polished silver aluminium

		with barcode label			
		length m. 1		length m. 2	
	measures	silver	*euro/pc*	silver	*euro/pc*
flat	**15x2**	-	-	10115	
	20x2	-	-	10123	
	25x2	-	-	10131	
corner 	**10x10x1**	10143		10147	
	15x15x1	10151		10155	
	20x20x1	10159		10163	
	25x25x1	-	-	10171	
	30x30x1	-	-	10179	
corner L 	**15x10x1**	-	-	10186	
	20x10x1	-	-	10195	
	30x15x1	-	-	10203	
U profile 	**10x10x1**	-	-	10219	
	10x15x1	-	-	10227	
	12x12x1	-	-	10211	
edge trim 	**18x1**	-	-	10267	
T profile 	**15x15x1,5**	10351		10355	

No partial packaging. PACK: 5 pcs per item.

polished brass and stainless steel corner profiles

		with barcode label			
		length m. 2			
	measures	brass polished	*euro/pc*	stainless steel AISI 430	*euro/pc*
corner 	**15x15x1**	10002		10050	
	20x20x1	10006		10054	
	25x25x1	-	-	10058	
	30x30x1	10014		10062	
	40x40x1	-	-	10070	
L corner 	**15x10x1**	10030		-	-
	20x10x1	10034		10082	
	30x10x1	-	-	10086	

No partial packaging

PACK: 5 pcs per item.

EAN 13 = the first group product code

example code 10094 = 8010937 10094

curtain counterweights in silver anodised aluminium with rounded edges






		length m. 1		length m. 2		length m. 4	
	measures	cod.	*euro/pc*	cod.	*euro/pc*	cod.	*euro/pc*
	**30x4** pack 10 pcs	10604		10605		10606	
	40x4 pack 10 pcs	10608		10609		-	-

No partial packaging

EAN 13 = the first group product code

example code 10824 = 8010937 10824

silver anodised aluminium profiles for structures

		measures	thickness	with barcode label: length m. 2 cod.	with barcode label: length m. 2 *euro/pc*	with barcode label: length m. 3 cod.	with barcode label: length m. 3 *euro/pc*
U profile	 for panels frame thickness up to 16 mm Packaging 6 pcs per item.	**16**	**1,5**	10500		10504	
U profile	 for panels frame thickness up to 20 mm Packaging 6 pcs per item.	**20**	**1,5**	10532		10536	
double U profile	 for 90° corners between panel boards thickness up to 16 mm Packaging 6 pcs per item.	**16**	**1,5**	-	-	10512	
double U profile	 for 90° corners between panel boards thickness up to 20 mm Packaging 6 pcs per item.	**20**	**1,5**	-	-	10544	
H profile	 for connection of panels thickness up to 16 mm Packaging 6 pcs per item.	**16**	**1,5**	-	-	10520	


profilpas
MAPEI
Design is our best profile.
profilpas
MAPEI
Design is our best profile.
Design is



material for the point of sale

A series of tools dedicated to the showroom: modular expositive pieces of furniture, counter display boxes, sampleboards, sample boxes, cylinders etc for creating suitable areas for every need of space and products.




Profilpas concept store: a modular display system composed of panels that can be used singularly or combined together. For each panel, there is the possibility to choose the display units according to the products treated.



PANEL 1 terrace picture DIM. CM 90X220 H.	02036
PANEL 2 living room picture DIM. CM 90X220 H.	02037
PANEL 3 bathroom picture DIM. CM 90X220 H.	02038
PANEL 4 staircase picture DIM. CM 90X220 H.	02039
PANNELLO 5 pp drain aqua bathroom picture DIM. CM 90X220 H.	02080

SELF-SUPPORTING BASE FOR PANELS	02040



base autoportante
per pannello centrosala

DISPLAY UNIT 1 - CPGV+CPQV+MAPEGUARD UM 35	02041
DISPLAY UNIT 2 - CPNV+CPCV/30	02042
DISPLAY UNIT 3 - SNG+SIR+SGI+SIS+SP+76	02043
DISPLAY UNIT 4 - GIN+ILN+ZQIN	02044
DISPLAY UNIT 5 - ZQVN Trend Color Stone	02045
DISPLAY UNIT 6 - SLIM DRAIN+GLASS PROFILE	02046
DISPLAY UNIT 7 - SMART DRAIN	02047
DISPLAY UNIT 8 - THIN DRAIN	02048
DISPLAY UNIT 9 - case for sample boards (without sample boards)	02049
DISPLAY UNIT 10 - 8605+8608	02055
DISPLAY UNIT 11 - PP LEVEL DUO MAXI	02064
DISPLAY UNIT 7/a - shelf only	02056

DISPLAY 12 - PP DRAIN AQUA CLASSIC BRUSHED STEEL + GLASS PROFILE BRUSHED STEEL	02067
DISPLAY 13 - PP DRAIN AQUA FLAT BLACK ALUMINIUM + GLASS PROFILE BRUSHED STEEL	02068

DISPLAY 14 - SHELF FOR 2 FLAT COVER AND 1 DESIGN COVER OF YOUR CHOICE (covers not included to be ordered separetely)	02069
DISPLAY 15 - SHELF FOR 3 FLAT COVER OF YOUR CHOICE (covers not included to be ordered separetely)	02070

DISPLAY 16 - Q DRAIN CLASSIC POLISHED STEEL + TILE	02071



display unit 1
CPGV + CPQV + UM 35



display unit 2
CPNV - CPCV/30



display unit 3
SNG + SIR + SGI +
SIS + SP - 76



display unit 4
GIN + ILN + ZQIN



display unit 5
ZQVN Trend
Color Stone



display unit 6
Slim Drain +
Glass Profile



display unit 7
Smart Drain



display unit 8
Thin Drain



display unit 9
case for sample boards



display unit 10
8605 - 8608



display unit 11
PP level DUO MAXI



display unit 7/A
shelf only




display unit 12
PP Drain Aqua Classic Cover + Glass Profile



display unit 13
PP Drain Aqua Flat Cover + Glass Profile



display unit 14
Flat Cover + Design Cover



display unit 15
Flat Cover



display unit 16
Q Drain Classic + Tile



black totem for sample boards dim. cm 55x55x200 h	02034
white totem for sample boards dim. cm 55x55x200 h.	02035



counter display for 4 sample boards	00273

Exhibition panels divided for different application categories.



sampleboard 1	PROLIST decorative listellos and profiles	02015
sampleboard 2	external corners profiles PROTRIM	02016
sampleboard 3	external corners profiles PROANGLE Q	02017
sampleboard 4	external corners profiles PROCORNER internal corners profiles PROROUND	02018
sampleboard 5	profiles for small gaps	02019
sampleboard 6	profiles for floors of same height	02020
sampleboard 7	profiles for floors of different height	02021
sampleboard 8	profiles for LVT floors	02022
sampleboard 9	Expansion joints PROJOINT	02023
sampleboard 10	profiles for balconies and terraces PROTEC	02024
sampleboard 11	stair nosing profiles	02025
sampleboard 12/A	Unisystem plus	02065
sampleboard 12/B	prestowood - pvc line	02066
sampleboard 13/A	METAL LINE 89-90-790	02057
sampleboard 13/B	METAL LINE 87-88-92-93-95-97-98-100	02058
sampleboard 14	Trend Color	02028
sampleboard 17	PVC Line skirting boards	02078



black counter display Trend Color Proangle Q	00193
black counter display Trend Color Proangle	00219
black counter display Proangle Q	00166



cylinder wall profiles	00103
cylinder floor profiles	00104
cylinder small gaps profiles	00114
cylinder proangle Q	00115
cylinder unisystem	00080
cylinder proline	00127
cylinder LVT	00142
cylinder prolight	00143



	sample DJKC/10	00134
	sample DJKC/10	00135
	sample UKC/10	00136
	sample DJKGC/10	00137
	sample UKGC/10	00138



brochure trend color IT/EN	00282
brochure Mapei Color IT/EN	00289
brochure profiles for balconies and terraces IT/EN	00279
brochure promat IT/EN	00305



sample box PROMAT	00349



sample box PROANGLE Q	00351
sample box TREND COLOR	00353



counter display pp drain aqua - classic cover dim. cm 70x32x30 H. (60 cm cover not included, to be ordered separately)	02072
counter display pp drain aqua - flat cover or invisible cover dim. cm 70x32x30 H. (60 cm cover not included, to be ordered separately)	02073
counter display pp drain aqua - design cover dim. cm 70x32x30 H. (60 cm cover not included, to be ordered separately)	02074



counter display pp drain aqua - classic cover dim. cm 70x32x30 H. (60 cm linear drain and cover not included, to be ordered separately)	02075
counter display pp drain aqua - flat cover or invisible cover dim. cm 70x32x30 H. (60 cm linear drain and cover not included, to be ordered separately)	02076
counter display pp drain aqua - design cover dim. cm 70x32x30 H. (60 cm linear drain and cover not included, to be ordered separately)	02077

sample case PP Drain AQUA	02079



brochure pp drain aqua IT/EN	00295



sample of glass profile in brushed stainless steel	00072
sample of glass profile in matt black colour-coated stainless steel	00078



counter display glass profile - brushed stainless steel	00311
counter display glass profile - matt black colour-coated stainless steel	00315



brochure glass profile IT/EN	00194



PDS bunch



metal line bunch



ZV Mapei Color bunch



ZV Trend Color bunch



pvc skirting board bunch



bunch ZQP



bunch RPA



profiles for balconies bunch



bunch RE

PDS bunch	00020
metal line bunch	00119
PVC skirting board bunch	00085
profiles for balconies bunch	00117
ZQP bunch	00027
RPA bunch	00050
RE bunch	00011
REC bunch	00049
RECO bunch	00133
DIY bunch	00128
chromium-plated brass bunch	00130
sandblast stainless steel profiles bunch	00132
bunch pvc stair nosing	00084
bunch antibacterial profiles	00147
bunch black & white	00033
bunch ZV Trend Color	00023
bunch IPV Trend Color Stone	00037
bunch Prestowood	00039
bunch PVC LINE 8181	00018
mix bunch (GHF)	00146
bunch ZV Mapei Color	00008



bunch REC



black & white bunch



Prestowood bunch



IPV Trend Color Stone bunch



DIY bunch



sandblast stainless steel bunch



chromium-plated brass bunch



antibacterial profiles bunch



ES/7 polished white + 11 dividers	11594
ES/7 black + 11 dividers	11596
Dimensions: width cm 96 - depth cm 50 - height cm 270	
Rack display stand for profiles and skirting boards up to 270 cm long.	
11 width-adjustable dividers.	
ACCESSORIES:	
A) DIVIDER - polished white	11597
DIVIDER - black	11598
B) LATERAL GRILL - polished white	11519
LATERAL GRILL - black	11521
For attaching trays and/or hooks for accessories.	
C) Set of 4 TRAYS for lateral grill - polished white	11528
Set of 4 TRAYS for lateral grill - black	11531
D) Set of 10 HOOKS for lateral grill - polished white	11534
Set of 10 HOOKS for lateral grill - black	11535
DISPLAY STAND BOARDS:	
board about profiles for ceramic tiles	11522
board about profiles for wood, laminate, LVT	11532
board about Mapei Color profiles	11523



ES/7 polished white + 11 dividers



polished white divider




polished white lateral grill for attaching trays and/or hooks for accessories



polished white tray for lateral grill



polished white hooks for lateral grill



board about profiles for ceramic tiles



board about profiles for wood, laminate, LVT



board about Mapei Color profiles



ES/6	11506

dimensions: width cm 96 - depth cm 28 - height cm 84

MATERIALS AND CHARACTERISTICS

The following information summarize the main characteristics of the materials. Further information are available upon request of the product specifications.

NATURAL ALUMINIUM
Alloy of Al-Mg-Si thermically treated in conditions T6 (6060 T6) The profiles are produced by extrusion and guarantee a fair resistance to athmospheric and chemical agents. The cement and its derivates produce, if wet, alchaline substances that, acting on the surface, can corrode the metal (formation of hydroxide of aluminium). For that reason, the visible surface of the profile must be immediately cleaned from cement, glue and other materials used for joints.

ANODISED ALUMINIUM
Alloy of Al-Mg-Si thermically treated in conditions T6 (6060 T6) The profiles are produced by extrusion and then anodised.They have a good resistance to athmospheric and chemical agents.The cement and its derivates produce, if wet, alchaline substances that, acting on the surface, can corrode the metal (formation of hydroxide of aluminium). For that reason, the visible surface of the profile must be immediately and gently cleaned from cement, glue and other materials used for joints. Wear and pedestrian traffic could damage the surface (in cases of profiles layed on the floor) and remove the original anodised finish.

BRIGHT ALUMINIUM
Alloy of Al-Mg-Si thermically treated in conditions T6 (6463 T6)
The profiles are produced by extrusion and then mechanically treated and processed. They guarantee a fair resistance to athmospheric and chemical agents. The cement and its derivates produce, if wet, alchaline substances that, acting on the surface, can corrode the metal (formation of hydroxide of aluminium). For that reason, the visible surface of the profile must be immediately and gently cleaned from cement, glue and other materials used for joints. Polished aluminium profiles are not suitable for floor applications.

COLOUR - COATED ALUMINIUM
Alloy of Al-Mg-Si thermically treated in conditions T6 (6060 T6) The profiles are made by extrusion and then coated with a thickness of ≥ 65 µm. They have
a fair resistance to atmospheric and chemical agents while they do not have a good resistance to mechanical stesses that would damage the surface enamel; therefore they are not recommended for floor applications. For that reason, the visible surface of the profile must be immediately and gently cleaned from cement, glue and other materials used for joints.

ALUMINIUM COVERED WITH ALCROM® PLUS
Alloy of Al-Mg-Si thermically treated in conditions T6 (6060 T6) The profiles are produced by extrusion in natural alloy. The wood decoration is obtained by foiling the aluminium profiles with a special film Alcrom® Plus, resistant to wear, perfectly reproducing grains and colours of wood.

NATURAL BRASS
Alloy CW624N UNI EN 12167 The profiles are produced by extrusion. They have a good resistance to chemical agents and mechanical stresses.On the visible parts the brass naturally oxidezes that creates a superficial glaze. The brass, when exposed to corrosive agents or high humidity, is subject to phenomena of high oxidation and can present superficial spots. Where necessary, it can be restored to its original state by using abrasives or specific polishing products. The profiles can also be made by cold profiling of metal sheets of constant thickness (alloy CW508L EN 1652).

POLISHED BRASS
Alloy CW624N UNI EN 12167 The profiles are produced by extrusion and then mechanically polished. The visible surface must be protected from scratches and frictions. The resistance to chemical agents and mechanical stresses is good. On the visible parts the brass naturally oxidezes that creates a superficial glaze. The brass, when exposed to corrosive agents or high humidity, is subject to phenomena of high oxidation and can present superficial spots. Where necessary, it can be restored to its original state by using abrasives or specific polishing products. The profiles can also be made by cold profiling of metal sheets of constant thickness (alloy CW508L EN 1652).

CHROMIUM - PLATED BRASS
Alloy CW624N UNI EN 12167 The profiles are produced by extrusion and then chromed. They are resistant to ultraviolet rays, weathering and chemical agents.They are not suitable for applications in floors with intense mechanical stresses.

STAINLESS STEEL - AISI 430 - DIN 1.4016
This kind of stainless steel has a moderate resistance to corrosive agents. We recommend its use exclusively for indoor use.

STAINLESS STEEL - AISI 304 - DIN 1.4301 V2A
It is extremely resistant to most chemical and atmospheric agents, lime, mortar, tile glue and common cleaning products. It is recommended for outdoor use, food processing industry, hospitals, etc.

STAINLESS STEEL - AISI 316 – DIN 1.4401 V4A
It is extremely resistant to most chemical and atmospheric agents, lime, mortar, tile glue and common cleaning products. Moreover it has a good resistance to chlorine and salt. Particularly indicated in extreme conditions of use.

COLOUR-COATED STAINLESS STEEL - AISI 304 - DIN 1.4301
The profiles are made of brushed stainless steel and then coated with a thickness of ≥ 65 µm. They present a relatively good resistance to chemical and atmospheric agents but
not to mechanical stress which damages the surface coating. Concrete, adhesive, grouting materials and detergents must be immediately removed from the visible surface of the profile.

STAINLESS STEEL PROFILES INSTALLATION - WARNINGS:
even stainless steel can be damaged if not treated with proper precautions during the laying stages. In particular, pay attention to: keeping the profiles protected inside their individual packaging up until the installation. (this precaution allows to avoid the contamination with other ferrous materials during the transport). Avoiding the direct contact with cleaning products for cotto tiles and marble, decalcifying agents and cleansers containing chlorine and its compounds. Pay attention to the gases of hydrochloric acid which may develop during the cleansing of special floors. After the laying, proceed immediately with an accurate cleaning of the surface with plenty of water and the consequent drying.

STAINLESS STEEL PROFILES MAINTENANCE:
the frequent cleaning is essential to preserve the beauty of stainless steel profiles surfaces. Pay close attention to the treatment of the profiles' surface during the installation. Immediately after installation, clean by rinsing the surfaces accurately. Avoid the use of abrasive products that may scratch the profile. Do not use cleansers containing chlorine and its compounds, such as bleach, muriatic acid, decalcifying agents. Do not use abrasive sponges or

wire wools that may scratch the surface or leave rust stains.

Rigid PVC
Vinyl compound of rigid PVC unleaded, anti shock, self-extinguishing. Mixture with Ca-Zn salts.

Plasticized PVC
Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture with Ca-Zn salts.

Foam PVC
Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture with Ca-Zn salts.

Co-extruded PVC - Foam/Rigid
Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture with Ca-Zn salts.
Vinyl compound of rigid PVC unleaded, anti shock, self-extinguishing. Mixture with Ca-Zn salts.

Co-extruded PVC - Rigid/Rigid
Vinyl compound of rigid PVC unleaded, anti-shock, self-extinguishing. Mixture with Ca-Zn salts.

Co-extruded PVC - Plasticized/Plasticized
Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture with Ca-Zn salts.

Co-extruded PVC - Rigid/Plasticized
Vinyl compound of rigid PVC unleaded, anti-shock, self-extinguishing. Mixture with Ca-Zn salts. Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture with Ca-Zn salts.

Co-extruded PVC - Rigid/Plasticized anti-mould
Vinyl compound of rigid PVC unleaded, anti-shock, self-extinguishing. Mixture with Ca-Zn salts. Vinyl compound of plasticized PVC unleaded, self-extinguishing, addicted with biocide. Mixture with Ca-Zn salts.

Co-extruded PVC - Foam/Plasticized
Vinyl compound of foam PVC unleaded, self-extinguishing. Mixture with Ca-Zn salts. Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture with Ca-Zn salts.

ADVICES FOR CLEANING AND MAINTENANCE

MATERIAL	FINISHING	CLEANING AFTER LAYING	MAINTENANCE
aluminium	anodised	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	bril. polished	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	bright polished copper	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	bright polished titanium	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	bright polished gold	Use of acid based cleaners and not alkaline	Exclusive use of neutral cleaning products
aluminium	color-coated	Use of acid based cleaners	use neutral or alkaline detergents
aluminium	bright brushed	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	covered with Alcrom Plus	Use of acid based cleaners	Exclusive use of neutral cleaning products
stainless steel	polished	Use of acid based cleaners without chlorine	use neutral or alkaline detergents
stainless steel	AISI 316	Use of acid based cleaners	exclusive use of neutral cleaning products
stainless steel	sandblast	Use of acid based cleaners only neutral	use neutral or alkaline detergents
stainless steel	brushed	Use of acid based cleaners without chlorine	use neutral or alkaline detergents
stainless steel	colour-coated	Use of buffered acid based cleaners	use neutral or alkaline detergents
brass	natural	Use of acid based cleaners only neutral	exclusive use of neutral cleaning products
brass	polished	Use of acid based cleaners only neutral	exclusive use of neutral cleaning products
brass	chromium - plated	Use of acid based cleaners	use neutral or alkaline detergents
PVC		Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products

PROFILES CHARACTERISTICS AND PACKAGING

SELF-ADHESIVE PROFILES
Self-adhesive profiles are made of non-toxic, non-flammable and solvent free hot-melt glues. Although these products are non-flammable, it is recommended not to expose them to naked flames. Product preservation is guaranteed when stored in "normal" climatic conditions.
Glue deteriorates at temperatures over +60°C and crystallizes at temperatures below -15°C. During the application, the temperature of self- adhesive profiles and the ambient temperature where profiles have to be laid should not be below +10°C.

Important: self-adhesive profiles cannot be applied outdoors or on porous surfaces, textile flooring or PVC coverings.

DRILLED PROFILES
Screw-mounted profiles are drilled according to the model and the material at issue, so that to lodge 3 mm or 3,5 mm screws, either flat-head or round- head ones.

PACKAGING
The ▬ means blister packaging.
"Individually packed" means that the packaging is made for the single profile with a protective heat shrink film.

MEASURES - TOLERANCES - REFERENCES NORMS - CERTIFICATION ON PRODUCT
Please note that the information and the drawings in the present catalogue are not binding.
The data about measures, such as length, thickness and width refer to nominal measures.
Any relevant standards and certifications are indicated in the technical data sheet.
The material must be installed and maintained in accordance with the technical data sheet and the installation and maintenance instructions provided by Profilpas.

DIRECTIONS
All profiles must be handled with care, taking care to use suitable gloves to prevent injury and/or cuts to the hands.
The resistance to chemical products depends on their degree of chemical aggressiveness and therefore it is necessary to make sure in advance of the effects that products used for profile laying, cleaning and maintenance can produce. In particular lime, mortar or tile glue cause strains on the visible surface of profiles. Therefore it is necessary to clean these parts immediately after the laying of the profiles. Please note that in the present catalogue, due to the printing, the colour shades can be slightly different from the real ones.

A.E.E. register no. IT25030000016972
BATTERIES and ACCUMULATORS register no. IT25030P00010402

GENERAL CONDITIONS OF SALE

These General Conditions shall govern all sales contracts executed between Profilpas S.p.A. and the Buyer and shall prevail on all the Buyer's general or individual purchasing conditions. Any derogation to these General Conditions shall be binding on Profilpas only if accepted in writing by the latter.
These General Conditions are understood to be fully known and accepted by the Buyer as they are an integral part of the order confirmations issued by Profilpas; any exceptions must be agreed in writing under penalty of nullity.

1. Prices
The prices shown in Profilpas' price list are in Euros per meter and per piece, depending on the type of product; invoicing is done on a per piece-basis with the discounts applied in accordance with the ordered quantities or upon written agreement with Profilpas. Prices do not include additional taxes or customs duties. Profilpas expressly reserves the right to modify the prices at any time without prior notice, depending on fluctuations in the costs of raw materials, energy and production.

2 Orders
The required minimum order is fixed at the net amount of Euro 500,00. Purchase orders must be submitted in writing. Orders will only be deemed accepted and binding on Profilpas upon the sending of the corresponding order confirmation by the same Profilpas. For orders concerning customised products - i.e. products not included in the catalogue and/ or made to the Buyer's specific request - the Buyer accepts a quantity tolerance of +/- 10% with respect to the quantity ordered.
Orders submitted by the Buyer shall be deemed irrevocable for a period of 90 days and shall become binding on Profilpas only upon issuance of the relevant order confirmation.
Should Profilpas proceed with the execution of the order, the sale shall be governed exclusively by these general terms and conditions of sale. If the order confirmation contains amendments to the original order, such amendments will be deemed tacitly accepted by the Buyer after 5 days from receipt of the order confirmation unless the Buyer notifies its disagreement in writing within the above-mentioned term.

3. Transport and delivery terms
Deliveries shall be made according to the Incoterms indicated in the order confirmation. The products shall always be transported at the Buyer's risk regardless to the Incoterms indicated in the order confirmation, and any reimbursements for damages shall be claimed by the Buyer to the carrier in accordance with the relevant agreements and clauses contained in the stipulated insurance policies.
Shipping dates indicated in the order confirmation are estimated and not guaranteed. In the event of a delay in delivery, the Buyer shall not have the right to terminate the sales agreement and/or claim compensation for any direct, indirect or consequential damages, unless there is evidence of Profilpas's willful misconduct or gross negligence.
Profilpas shall not be held liable in any way for delays or failure to perform its obligations due to force majeure events, including but not limited to natural disasters, fires, strikes, wars, pandemics, transportation disruptions, measures imposed by competent authorities, or any other unforeseeable event beyond its control. In such cases, the delivery and/ or performance deadlines shall be suspended for the duration of the impediment.

4. Packaging
Prices include Profilpas standard packaging. Any sea shipment packaging or any other special packaging requested by the Buyer will be charged at cost. Profilpas's catalogue indicates which products have partial packaging.

5. Terms of payment
All payments must be made in accordance with the agreed payment terms; the relevant amounts must be transferred to the bank account indicated by Profilpas. In the event of a delay in payment, whether total or partial, the Buyer shall be required to pay interest on all outstanding amounts, calculated in accordance with art. 5 of Italian Legislative Decree no. 231/2002 as amended. Any delay or non-payment of sums owed by the Buyer to Profilpas entitles Profilpas to suspend the preparation and delivery of products ordered and of any other order in progress.
If the Buyer fails to perform its obligations over a prolonged period, Profilpas may terminate any existing contract with immediate effect, without prejudice to any further action to recover credit or claim compensation for damages.

6. Claims
Any complaints relating to the condition of the packaging, the quantity, the number or the external characteristics of the products must, under penalty of forfeiture, be lodged with the carrier upon receipt of the products by means of a note on the transport document and notified to Profilpas in writing within 8 days of the delivery date. If no written complaint is lodged with the carrier at the time of delivery Profilpas will not accept any returns or replacements of the delivered products. Returns will only be accepted upon Profilpas's prior written consent and always at the Buyer's expense. Profilpas shall not be responsible for any damages to the products that are consequential or subsequent to their installation.
Complaints relating to hidden defects that could not be detected by a thorough inspection at the time of delivery must be reported to Profilpas within 8 days of the defect's discovery and no later than 12 months from the delivery date. Such notification must be sent via registered mail with return receipt and e-mail.
Under no circumstances shall filing complaints or disputes entitle the Buyer to suspend or delay payments due to Profilpas, regardless of whether such payments relate to the disputed products.

7. Retention of title (article 1523 of the Italian Civil Code)
The products shall remain the property of Profilpas until full payment has been received. In the event of non-compliance or partial compliance with the agreed payment terms Profilpas, without prejudice to any other rights or claims, shall be entitled to recover the supplied products. Until ownership is transferred, the Buyer is responsible for the custody of the products, with the diligence of a good custodian, and shall be liable for any damage, loss or deterioration of the products due to poor storage or negligence.

8. Warranty and defects
Profilpas products are intended for professional use and should therefore be installed by qualified and experienced personnel. Any reference to "do-it-yourself" in the catalog is meant only to highlight the ease and speed of installation of the products without altering their professional nature.
Profilpas guarantees that its products are free from defects in material and workmanship for a period of 12 months from the delivery date, provided that they have been promptly notified in accordance with the provisions of the paragraph "Claims".
Should Profilpas acknowledge the existence of the claimed defects, Profilpas's warranty shall be limited, at its discretion, to either: i) the replacement of the defective products, free of charge at Profilpas's premises according to the Incoterms indicated in the order confirmation and within the normal time required therefor, or ii) to the issue of a credit note for the amount of the defective products.
ANY OTHER WARRANTIES, LEGAL OR CONVENTIONAL, AND ANY CLAIMS FOR FURTHER DIRECT, INDIRECT OR CONSEQUENTIAL DAMAGES WHETHER SUSTAINED BY THE BUYER OR THIRD PARTIES, ARE EXPRESSLY EXCLUDED EXCEPT IN CASE OF INTENT, GROSS NEGLIGENCE OR MANDATORY LEGAL REQUIREMENTS.
Profilpas does not guarantee that the products comply with any particular specifications, technical characteristics or suitability for any particular or special uses unless such characteristics are expressly agreed upon in the sales contract.
Profilpas shall not be liable for damages to the products due to inadequate storage, damage resulting from or subsequent to their installation, nor for damage that the Buyer, or third parties having cause from the latter, claim to have suffered following the use of the products except in the case of fraud or gross negligence by Profilpas or in cases of non-derogability provided for by law.
The Buyer expressly waives its right of recourse according to article 134 of the Italian Consumer Code.

9. Industrial and intellectual property
All brands, distinctive signs, designs and product photographs are the property of Profilpas and may not be used without the prior written authorization of Profilpas.

10. Privacy
The parties undertake to comply with the laws on protection and processing of personal data that may apply to the relationships between the parties pursuant to the sales contracts executed, including EU Regulation 2016/679 "General Data Protection Regulation" or "GDPR". The parties also assume the qualification of "data controller" in relation to the personal data acquired in the performance of the agreement.

11. Applicable law and jurisdiction

Sales of Profilpas products are governed by Italian law. Any dispute arising from the interpretation, performance or termination of the sale contracts shall be submitted to the exclusive jurisdiction of the courts of Milan – Italy.

According to Art. 1341 and 1342 of the Italian Civil Code, the Buyer expressly accepts the provisions of Art. 3 (Delivery terms), 5 (Terms of payment), 6 (Claims), 7 (Retention of title), 8 (Warranty and defects) and 11 (Applicable law and jurisdiction).

The Buyer

_____

020/	108
023/	111
024/	111
026/	109
030/	111
040/	111
050/	137
060/	137
076/	46
080/	137
0100/	137
6/	123
10/	123
19/	110
21/	107
22/A	110 - 184 - 185
25/	110
30/	107
35/	107
41/	107
45/	118
46/	123
50/A	184 - 185
54/	123
55/	120
57/	120
58/	160 - 186
61/	120
63/A	184 - 185
70/	161
71/	161
72/	164
73/	160 - 186
74/	160 - 186
75/F	159 - 192
76/	162
78/	165
79/	164
80/	163
87/	160
87/6	216 - 246
88/6	216 - 246
88/I6SF	216
88/I6L/A	216 - 246
88/6E	216 - 246
89/	212 - 213
89/ EI	212 - 213
89/ TM	212
89/ TMEI	212
89/6L	213 - 247
89/6EI	213 - 247
89/613	214
89/613EI	214
89H/	212
89H/ EI	212
90/ A	205 - 208
90/ BSF	205 - 208
90/ E	209
90/ G	209
90/ I	209
90/ MI	209
90/ ME	209
90/ MG	209
90/ MP	209
90/ P	209
90/ SF	205 - 208
90/ SSF	205 - 208
90/ TMSF	205 - 208
90H/6ME	209
90H/6MG	209
90H/6MI	209
90H/6MP	209
90H/6SF	209
92/7	211
93/	211
94/7SF	219
95/ E	219
95/ G	219
95/ I	219
95/ P	219
95/ SF	219
97/4E	221
97/4G	221
97/4I	221
97/4P	221
97/4SF	221
97/7E	222
97/7G	222
97/7I	222
97/7P	222
97/7SF	222
97/8E	223
97/8G	223
97/8I	223
97/8P	223
97/8SF	223
98/7E	220
98/7G	220
98/7I	220
98/7P	220
98/7SF	220
99/M	106
99/R/	106
99/T/	104 - 191 - 203
99/TR/26	104 - 191
100/	218
101/74	218
105/7	215
105/7E	215
105/7G	215
105/7I	215
105/7P	215
105/CB	215
110/	162
111/ /F	159 - 192
124/	162
125/	164
126/	163
126/L/F	244
126/LP/DX	244
126/LP/SX	244
130/	161
148/B	236
148/C	236
150	166
150/	170
151	166
151/11	170
152	166
154	167
155	167
155/16	170
156	167
161/11	171
163/	170
168/16	171
169	237
169/	171
170	237
170/	171
171	237
171/11	171
172	236
173	236
174/	171
175/11	171
177/16	171

178/16	171
210/	44
210H/A	44
220/	44
277/	44
300/	122
311/	121
312/	121
370/	160
373/	160
380/8	103
399/10	106
399/M	106
399/R/	106
399/T/	105 - 191
399/TC/	105 - 191
399/U	103
419/	110
422/AD	110 - 184 - 185
425/	110
430/	107
441/	107
450/AD	184 - 185
455/	120
457/	120
461/	120
470/	161
473/	160
474/	160
476/	162
487/	160
499/T	104
700/	122
701/	122
711/	121
712/	121
720/	108
722/	108
723/	111
724/	111
726/	109
729/	109
730/	111
732/SF/	122
740/	111
750/	137
760/	137
774/	45
775/	45
776/	45
777/	45
779/SF	45
780/	137
790/ ME	210
790/ MES	210
790/ MG	210
790/ MGS	210
790/ MI	210
790/ MIS	210
790/ MP	210
790/ MPS	210
790/ SF	210
799/	103
799/T/	105
799/TS/	105
799/U/	103
4020/	108
4026/	109
4030/	111
4050/	137
4060/	137
4080/	137
4150/11/S	170
4170/ /S	171
4300/	122
4311/	121
4312/	121
4399/R/10	106
4399/T	105
4701/	122
4711/	121
4712/	121
4720/	108
4722/	108
4726/	109
4729/	109
4730/	111
4750/	137
4760/	137
4780/	137
4799/T	105
4799/TS	105
7100/	137
8181	231
8580	232
8582	232
8596	232
8598	232
8600	231
8602	233
8602/C	221 - 233 - 234 - 235
8602/E	233
8602/I	233
8602/P dx/sx	233
8603	234
8603/E	234
8603/G	234
8603/I	234
8603/P dx/sx	234
8605	226
8606	226
8607	235
8607/E	235
8607/G	235
8607/I	235
8607/P dx/sx	235
8608	227
8608/C	211 - 227 - 229
8610	47
8611	47
8612/10	230
8613	229
8614	230
8615	228
8616	228
30052	262
AF/1	53 - 217
AI/	30 - 98 - 193
AI/ /E	30
AIF/	100 - 202
AIL/	30
AIP/	30
AIS/	30 - 98
AIS/ /E	30
AIX/	30 - 98
AL/120/24	248
AL/150/24	248
AL/60/24	248
AL/90/24	248
AX/2/	43
BH/20	95
BH/20/A	95
BI/40	65
BI/40/A	65
BL/	64
BLA/	64
BLAH/	64

BP/20	95
BP/20/A	95
BP/22	94
BP/25	94
BPK/20	95
BPK/25	94
BPT/20	95
BPT/22	94
BPT/25	94
C/10/SF	178
C/13/SF	178
C/22/SF	178
C/4	182
C/7/SF	176 - 177
CE/10/100	248
CE/10/20	248
CE/5/20	248
CLA/	241
CLA/8A	241
CLA/8P	241
CN28	260
CPBV/	149
CPBV/ /E	149
CPBV/ /G	149
CPCI/55/	140
CPCI/55/ /E	141
CPCI/55/ /G	141
CPCI/75/	140
CPCI/75/ /E	141
CPCI/75/ /G	141
CPCI/95/	140
CPCI/95/ /E	141
CPCI/95/ /G	141
CPCV/30/	142
CPCV/30/ /E	142
CPCV/30/ /G	142
CPCV/55/	140
CPCV/55/ /E	141
CPCV/55/ /G	141
CPCV/75/	140
CPCV/75/ /E	141
CPCV/75/ /G	141
CPCV/95/	140
CPCV/95/ /E	141
CPCV/95/ /G	141
CPCVD/30/	143
CPCVD/30/ /E	143
CPCVD/30/ /G	143
CPCVF/55/	140
CPEI/45/	146
CPEI/45/ /E	147
CPEI/45/ /G	147
CPEV/45/	146
CPEV/45/ /E	147
CPEV/45/ /G	147
CPEV/72/	146
CPEV/72/ /E	147
CPEV/72/ /G	147
CPGV/55/	144
CPGV/55/ /E	144
CPGV/55/ /G	144
CPGV/N/ /G	144
CPHA/	150
CPHV/	150
CPHA/ /E	150
CPHV/ /E	150
CPLB	151
CPLB/2	151
CPLV/	151
CPLV/ /E	151
CPLV/ /G	151
CPNV/45/	148
CPNV/45/ /E	148
CPNV/45/ /G	148
CPNVF/45/	148
CPQV/50/	145
CPQV/50/ /E	145
CPQV/50/G	145
CPQV/70/	145
CPQV/70/ /E	145
CPQV/70/G	145
D/4461/K	261
D/4471/K	261
DC1	260
DC10	260
DC2	260
DC3	260
DC4	260
DC5	260
DC7	260
DCE4	260
DI/	101
DIMM/02	248
DJA/	101
DJA/ /EI	101
DJAF/	101 - 203
DJG/	101
DJG/ /EI	101
DJK/	101
DJK/ /EI	101
DJKC/10	54
DJKG/10	55
DJKGC/10	55
DJN/	101
DJN/ /EI	101
DJNF/	101 - 203
DT1	260
DT10	260
DT2	260
DT3	260
DT4	260
DT5	260
DT7	260
FIX/J/30	189
FIX/J/44	188
FIX/L/32	189
FIX/L/55	188
FIX/T/19	189
FIX/T/33	188
FLM/C	258
FLM/S	258
FMA/	42
FMAC/	42
FMAE/	42
FMAI/	42
FMB/	42
FMBC/	42
FMBE/	42
FMBI/	42
FMI/	42
FMIC/	42
FMICS/	42
FMIE/	42
FMIES/	42
FMII/	42
FMIIS/	42
FMIS/	42
G/2/SF	180
G/4/SF	181
G/40/	136
G/460/	136

G/60/	136
G/705/F	192
G/80/	136
G/9/F	243
G/9P/DX	243
G/9P/SX	243
GA/	58 - 194
GAN/	59
GBL/ /C	64
GBL/ /E	64
GBL/ /I	64
GBL/ /T	64
GF/	159
GG/2	86
GG/3	86
GG/4	86
GIC/	62
GIN/	60
GIN/ /SA	60
GINS/	60
GINS/ /SA	60
GINX/	60
GINX/ /SA	60
GJA/	135
GJF/	135
GJS/10	135
GM12/L	129
GM/10	129
GM/72	164
GM/78	165
GM/I	128
GM/R	164
GMP/I	128
GMR/44	163 - 244
GP/	61
GPS/6	86 - 87
GPS1/ /19	86
GPS14/12	87
GPS2/	87
GPS3/ /10	88 - 89
GPS3/ /11	88 - 89
GPS3/ /12	88 - 89
GPS4/ /10	90 - 91
GPS4/ /11	90 - 91
GPS4/ /12	90 - 91
GPS5/10/	92
GPS5/11/	92
GPS5/12/	92
GPU/	61
GR/80/	136
GTA/E	58
GTA/I	58
GTIN/C	60 - 62
GTIN/E	60 - 62
GTIN/G	60 - 62
GTIN/I	60 - 62
GTIN/T	60 - 62
GTINS/C	60
GTINS/E	60
GTINS/G	60
GTINS/I	60
GTINS/T	60
GTINX/C	60
GTINX/E	60
GTINX/G	60
GTINX/I	60
GTINX/T	60
GTL/C	65
GTL/E	65
GTL/I	65
GTL/T	65
GTP/C	59 - 61
GTP/E	59 - 61
GTP/I	59 - 61
GTP/T	59 - 61
GTV/E	58
GTV/I	58
GU/30/	93
GU/40/	93
GV/	58
GVNH/	59
GWA/	135
H/5/F	191
IL/	48
ILN/	48
ILNS/	48
ILNX/	48
IP/40	46
IPA/	33 - 155
IPB/	33 - 155
IPI/	33 - 155
IPV/	33
IR/C04	248
IR/W3	248
JGA/	194
K10	261
KLM/10	258 - 259
KLM/15	258 - 259
KLM/20	258 - 259
KLM/30	258 - 259
KLM/50	258 - 259
KLMN/C	259
KLM/T10	258 - 259
KLM/T15	258 - 259
KLM/T20	258 - 259
KLM/T30	258 - 259
KLM/X10	258 - 259
KLM/X15	258 - 259
KLM/X20	258 - 259
KLM/X30	258 - 259
L5/NW/65NT	248
L5/NW/67	248
L5/NW/67NT	248
L5/WW/67	248
LA/I/	52
LA/IS/	52
LB/A	52
LB/B/	52
LDA/	52
LDAD	53
LDAG/	52
LDB/	52
LDRS/	52
LDS/	52
LDTM/	52
LDV/	52
LLA/20	240
LLA/20P	240
LLA/20/10	240
LLA/30	240
LLA/30P	240
LLB/30	240
LLB/30P	240
LQL/2	245
MIN/	43 - 119
MS 45 - MS 55	95 - 205 - 208 - 210 - 218 - 236 - 261
NAN/	128
NE/	126
NF/	127
NIL/	129
NIN/	129

NJ/	126
NL/	127
NPAN/	128
NTA/	130
NTI/	130
NTO/	130
NZA/	131 - 190
NZS/	131
NZS/A/40	131
NZS/B/	116
NZS/L/	131
NZS/S1	116
NZS/S2	116
PA/	117
PAS/	133
POLISHING PASTE	261
PBA/	118
PBA/5/A	190
PBAS/5/F	191
PBE/	132
PBH/	133
PFFE/	134
PHDE/	134
PI/	63
PIA/	63 - 194
PIN/	62
PLA/	119
PN/	117
PNI/	117
PNIS/	117
PP/	70
PP360/	70
PP50/	70
PPVG/120	75
PROFLEX MACHINE	262
PT/4	183
PT/4/SA	183
PT/6	183
PT/6/SA	183
PTC	257
PTC/3000	257
PTC1	257
PTC1/3000	257
PTC1A	257
PTC1A/3000	257
PTC2	257
PTC2/3000	257
PTC3	257
PTC3/3000	257
PTC4/1	257
PTC4/2	257
PTC4/3	257
PTC4/5	257
PTLN	257
PTWN	257
PTWN/1400	257
PV/	32
QDC/1010	83
QDCC/1010	83
QDI/1010	83
QDL/1010	83
RA/	34 - 193
RAS/	34
RB/	34
RC/ /F	187
RC/411/CV	187
RC/415/CV	187
RC/47/CV	187
RC/49/CV	187
RC/5/F	191
RCF/	187 - 204
RE/	40
REC/ /100	41
RECO/ /80	41
RI/	36 - 193
RIC/01	248
RIN/	37
RINS/	37
RINX/	37
RIP/	36
RIS/	36
RIX/	36
RKN/	38
RLN/	38
RPA/	39
RTM/	34
RV/	34
RVH/	34
S/15/SF	178
S/4	182
S/9/SF	176 - 177
S/95	211 - 219 - 220 - 222
S/97	223
SA/	158
SA/G	158
SAFETY-STEP	168 - 169
SAR/10/12	156
SAR/8/15	156
SB/	158
SB/G	158
SGA/	154
SGA/11L	243
SGA/11P	243
SGI/	154
SGK/	154
SGN/	154
SIR/10/12	156
SIR/8/15	156
SIRS/10/12	156
SIRS/8/15	156
SIS/	157
SIS/10/SF	157
SIX/	157
SKL/2	217 - 245
SLIM/	79
SLIM-I/	79
SM/	154
SMA/	154
SMART/	81
SMART3/	81
SMART-I/	81
SN/	155
SNG/	155
SP/	158
SS/4	261
SS/5	261
ST/7	130
STA/	130
STI/	130
TA/	35
TAS/	35
TATM/	35
TB/	35
TE/	40
TEI/	40
TEL/04	248
TGU/	93
THIN/	77
TIA/	35
TIAS/	35
TIB/	35

TIE/	36 - 38
TIEN/	37
TIENS/	37
TIENX/	37
TIEP/	36
TIES/	36
TIEX/	36
TII/	36 - 38
TIIN/	37
TIINS/	37
TIINX/	37
TIIP/	36
TIIS/	36
TIIX/	36
TIME/	37
TIMI/	37
TIV/	35
TLA/10/C1	241
TLA/10P/C1	241
TLB/10/C1	241
TLB/10P/C1	241
TOP/ /E	49
TOP/ /ETM	49
TOP/ /I	49
TOP/ /ITM	49
TOP/A/	49
TOP/TM/	49
TPAE/	39
TPAI/	39
TPC/410/CV	179
TPC/413/CV	179
TPC/47/CV	179
TPS/410/CV	179
TPS/413/CV	179
TPS/47/CV	179
TPU/	177 - 178 - 180 - 181
TPZ/410/CV	179
TPZ/413/CV	179
TPZ/47/CV	179
TU/6	177 - 178 - 180 - 181
TV/	35
UA/	102
UA/ /EI	102
UG/	102
UG/ /EI	102
UI/	102
UI/ /EI	102
UIS/	102
UIS/ /EI	102
UK/	102
UK/ /EI	102
UKC/10	54
UKG/10	55
UKGC/10	55
UN/	102
UN/ /EI	102
VITI	261
XLC/	81
XLC3/	81
XLCC/	81
XLL/	81
XPC/	71
XPD/	73
XPF/	72
XPI/	73
XSC/	79
XSCC/	79
XSL/	79
XTC/	77
XTCC/	77
XTL/	77
XTT/	77
Z/1/SF	176 - 177
Z/4	182
Z3/30/SF	178
ZA/	26 - 98 - 193
ZB/	26
ZBG/	99
ZBGF/	100 - 202
ZBS/	26
ZG/	98
ZGF/	100 - 192 - 202
ZK/	31 - 98
ZN/	98
ZNF/	100 - 202
ZQAGN/	18
ZQAGN/ /EI	19
ZQAL/10	242
ZQAL/10B	242
ZQAL/10P	242
ZQAN/	18 - 193
ZQAN/ /EI	19
ZQAND/	22
ZQAND/ /EI	22
ZQBN/	18
ZQBN/ /EI	19
ZQBRSN/	18
ZQBRSN/ /EI	19
ZQBSN/	18
ZQBSN/ /EI	19
ZQIM/ /EI	23
ZQIMP/ /EI	23
ZQIMS/ /EI	23
ZQIN/	23
ZQIN/ /EI	23
ZQINP/	23
ZQINP/ /EI	23
ZQINS/	23
ZQINS/ /EI	23
ZQINX/	23
ZQINX/ /EI	23
ZQKN/	24 - 193
ZQKN/ /EI	24
ZQLN/	24
ZQLN/ /EI	24
ZQP/	25
ZQP/ /EI	25
ZQTMN/	18
ZQTMN/ /EI	19
ZQVN/	18
ZQVN/ /EI	19
ZQVNH/	18
ZT/307/01	253
ZT/307/02	253
ZT/307/03	253
ZT/307/04	253
ZT/307/GN	253
ZT/307/MN	253
ZT/307/NA	253
ZT/307/R1	253
ZT/307/R2	253
ZT/307/SN	253
ZTM/	26
ZV/	26 - 27 - 28
ZV/ /EI	29
ZVH/	26

Profilpas S.p.A.

Registered office:
Viale E. Jenner, 4
20159 Milano (MI) Italy

Head office and plant:
Via Einstein, 38
35010 Cadoneghe (PD)

Customer Service Italy: +39 049 8878411
Customer Service Export: +39 049 8878412

Technical Support: assistenzatecnica@profilpas.com

info@profilpas.com
profilpas.com

8 010937 004660
cod. 00466